

# TABELA DE PREÇOS SLV 01.10.2022 BIG WHITE®

Tabela em vigor a partir de 01.10.2022



Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
111262	4024163112062	FRAME BASIC, LED 350mA, EPT, cz pt, 40lm, 3000K	40,00
111292	4024163115193	FRAME CURVE, LED 350mA, EPT, cz pt, 60lm, 3000K	54,00
111360	4024163111553	NEW TRIA 78, GU10, ET, circ, alum. max.50W, molas	32,50
111361	4024163106375	NEW TRIA 78, GU10, ET, quadr, alum. max.50W, molas	32,50
111362	4024163106382	NEW TRIA 155, 2xGU10, ET, quadr, alum. max.2x50W, molas	56,00
111382	4024163106450	NEW TRIA 300, 2xGU10 QPAR111, ET quadr. alum. max.2x75Wmolas	127,00
111710	4024163138598	NEW TRIA 78, GU10, ET, circular, pr.mate, max.50W, lâmina	32,50
111711	4024163138604	NEW TRIA 78, GU10, ET, circular, br.mate, max.50W, lâmina	32,50
111716	4024163138611	NEW TRIA 78, GU10, ET, circular, alum. max.50W, lâmina	34,75
111720	4024163138628	NEW TRIA 78, GU10, ET, quadr, pr.mate, max.50W, lâmina	32,50
111721	4024163138635	NEW TRIA 78, GU10, ET, quadr, br.mate, max.50W, lâmina	32,50
111726	4024163138642	NEW TRIA 78, GU10, ET, quadr, alum. max.50W, lâmina	34,75
111850	4024163101561	Ficha de conexão, 3 saídas c/ 2 terminais, preto, max.350mA	13,40
111861	4024163135108	Extensão de cabo para lum. c/ ficha para 350mA, 1 m	7,75
112221	4024163138017	DL 126, LED 12VDC, ET, circular, branco, 3W, 3000K	36,25
112222	4024163138024	DL 126, LED 12VDC, ET, circular, cromado, 3W, 3000K	42,25
112225	4024163168809	DL 126, LED 12VDC, ET, circular, metal escov. 3W, 3000K	36,25
112242	4024163113625	DEKLED, LED 350mA, ET, circular, cz prata, 60lm, 3000K	31,25
112682	4024163164306	VERLUX, LED, ET, quadr, branco mate, 12W, 880lm, 80°, 3000K	90,00
112692	4024163164313	VERLUX, LED, ET, quadr, branco mate, 22W, 1800lm, 80° 3000K	133,00
112720	4024163158138	FRAME BASIC kit, LED, EPT (ocos), pr.mate 450lm 90° 3000K	54,00
112721	4024163158145	FRAME BASIC kit, LED, EPT (ocos) br.mate 470lm 90° 3000K	54,00
112780	4024163086196	Moldura de embutir para família FRAME	6,35
112781	4024163099813	Caixa de embutir para família FRAME	10,90
112910	4024163139649	HORN GU10 ET, circular, pr.mate, max.50W	28,75
112911	4024163109215	HORN GU10 ET, circular, branco, max.50W	28,75
113140	4024163150101	HORN-T GU10, ET, pr.mate, max.50W	52,00
113141	4024163150118	HORN-T GU10, ET, branco mate, max.50W	52,00
113150	4024163150132	HORN-A, GU10, ET, pr.mate, max.50W	57,00
113151	4024163150149	HORN-A, GU10, ET, branco mate, max.50W	57,00
113160	4024163150163	HORN-O, GU10, ET, pr.mate, max.50W	52,00
113161	4024163150170	HORN-O, GU10, ET, branco mate, max.50W	52,00
113170	4024163168724	HORN-T, GU10 PAR111 ET, pr.mate, max.50W	69,00
113171	4024163168748	HORN-T, GU10 PAR111 ET, branco mate, max.50W	69,00
113262	4024163138109	FRAME BASIC, LED 350mA, EPT, branco mate, 40lm, 3000K	40,00
113292	4024163138123	FRAME CURVE, LED 350mA, EPT, branco mate, 60lm, 3000K	54,00
113440	4024163147637	NEW TRIA 78 XL, GU10, ET, circ, pr.mate, max.50W molas	34,75
113441	4024163147644	NEW TRIA 78 XL, GU10, ET, circ, branco mate, max.50W, molas	34,75
113446	4024163147651	NEW TRIA 78 XL, GU10, ET, circ, alum. max.50W, molas	38,25
113450	4024163147668	NEW TRIA 78 XL, GU10, ET, quadr, pr.mate, max.50W molas	34,75
113451	4024163147675	NEW TRIA 78 XL, GU10, ET, quadr, branco mate max.50W molas	34,75
113456	4024163147682	NEW TRIA 78 XL, GU10, ET, quadr, alum. max.50W, molas	38,25
113490	4024163137089	NEW TRIA 78, GU10, ET, circ, pr.mate, max.50W, molas	29,00
113491	4024163137096	NEW TRIA 78, GU10, ET, quadr, pr.mate, max.50W, molas	29,00
113492	4024163137102	NEW TRIA 155, 2xGU10, ET, quadr, pr.mate, max.2x50W, molas	53,00
113510	4024163101356	NEW TRIA 78, GU10, ET, circ, br.mate, max.50W, molas	29,00
113511	4024163101387	NEW TRIA 78, GU10, ET, quadr, br.mate, max.50W, molas	29,00
113512	4024163137126	NEW TRIA 155, 2xGU10, ET, quadr, br.mate, max.2x50W molas	53,00
113540	4024163101769	NEW TRIA 150, GU10 QPAR111, ET, circ, br.mate, max.75W lâm	58,00
113541	4024163101806	NEW TRIA 150, GU10 QPAR111, ET, quadr, br.mate max.75W lâm	58,00
113550	4024163150293	NEW TRIA 150, GU10 QPAR111, ET, circ, pr.mate, max.75W lâm	58,00
113830	4024163150354	NEW TRIA 150, GU10 QPAR111, ET, quadr, preto, max.75W lâm	58,00
113840	4024163150361	NEW TRIA 300, 2xGU10 QPAR111, ET, quadr, preto max.2x75W lâm	117,00
113841	4024163150378	NEW TRIA 300, 2xGU10 QPAR111, ET, quadr br max.2x75W lâm	117,00
113870	4024163150538	NEW TRIA 77, LED, ET, circ, pr.mate, 645lm 38° 2700K	66,00
113871	4024163144315	NEW TRIA 77, LED, ET, circ, branco mate, 645lm 38° 2700K	66,00
113876	4024163144339	NEW TRIA 77, LED, ET, circ, al.escov, 645lm 38° 2700K	70,00
113880	4024163150552	NEW TRIA 77, LED, ET, quadr, pr.mate, 645lm 38° 2700K	66,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
113881	4024163144360	NEW TRIA 77, LED, ET, quadr, branco mate, 645lm 38° 2700K	66,00
113886	4024163144377	NEW TRIA 77, LED, ET, quadr, al.escov, 645lm 38° 2700K	70,00
113890	4024163150576	NEW TRIA 155, 2xLED, ET, quadr, pr.mate, 1160lm, 38°, 2700K	127,00
113891	4024163144292	NEW TRIA 155, 2xLED, ET, quadr, br mate, 1160lm, 38°, 2700K	127,00
113900	4024163150545	NEW TRIA 77, LED, ET, circ, pr.mate, 645lm 38° 3000K	66,00
113901	4024163139052	NEW TRIA 77, LED, ET, circ, branco mate, 645lm 38° 3000K	66,00
113906	4024163139069	NEW TRIA 77, LED, ET, circ, al.escov, 645lm 38° 3000K	70,00
113910	4024163150569	NEW TRIA 77, LED, ET, quadr, pr.mate, 645lm 38° 3000K	66,00
113911	4024163139083	NEW TRIA 77, LED, ET, quadr, branco mate, 645lm 38° 3000K	66,00
113916	4024163139076	NEW TRIA 77, LED, ET, quadr, al.escov, 645lm 38° 3000K	70,00
113920	4024163150583	NEW TRIA 155, 2xLED, ET, quadr, pr.mate, 1160lm, 38°, 3000K	127,00
113921	4024163141949	NEW TRIA 155, 2xLED, ET, quadr, br mate, 1160lm, 38°, 3000K	127,00
113930	4024163160261	TRILEDO, LED, ST circ. pr.mate, 670lm, 36°, 3000K	117,00
113931	4024163142021	TRILEDO, LED, ST circ. branco mate, 670lm, 36°, 3000K	117,00
113940	4024163160278	TRILEDO, LED, ST quadr. pr.mate, 670lm, 36°, 3000K	117,00
113941	4024163142052	TRILEDO, LED, ST quadr. branco mate, 670lm, 36°, 3000K	117,00
113951	4024163141970	NEW TRIA 68, LED, ET, circ, branco mate, 300lm, 38°, 3000K	53,00
113956	4024163141994	NEW TRIA 68, LED, ET, circ, al. escovado, 300lm, 38°, 3000K	56,00
113961	4024163142007	NEW TRIA 68, LED, ET, quadr, branco mate, 300lm, 38°, 3000K	53,00
113966	4024163142014	NEW TRIA 68, LED, ET, quadr, al. escovado, 300lm, 38°, 3000K	56,00
113970	4024163150972	NEW TRIA 40, LED, ET, circ. IP44, pr.mate, 143lm, 30° 3000K	56,00
113971	4024163149259	NEW TRIA 40, LED, ET, circ. IP44, br mate, 143lm, 30° 3000K	56,00
113976	4024163149273	NEW TRIA 40, LED, ET, circ, al. esc. 143lm, 30°, 3000K	66,00
114102	4024163145053	Reflector 20° para SUPROS c/ vidro protector e anel fixação	12,90
114104	4024163145060	Reflector 40° para SUPROS c/ vidro protector e anel fixação	12,90
114220	4024163151610	NEW TRIA 110, LED, ET, circ, preto, 1010lm, 38°, 2700K, DIM	197,00
114221	4024163151627	NEW TRIA 110, LED, ET, circ, branco, 1030lm, 38°, 2700K, DIM	197,00
114230	4024163151641	NEW TRIA 110, LED, ET, circ, preto, 1100lm, 38°, 3000K, DIM	197,00
114231	4024163151658	NEW TRIA 110, LED, ET, circ, branco, 1120lm, 38°, 3000K, DIM	197,00
114250	4024163151702	NEW TRIA 110, LED, ET, quadr, preto, 1100lm 38°, 3000K DIM	197,00
114251	4024163151719	NEW TRIA 110, LED, ET, quadr, branco, 1120lm, 38°, 3000K DIM	197,00
114270	4024163151764	NEW TRIA 150, LED, ET, circ, pr.mate, 2425lm, 30° 3000K DIM	262,00
114271	4024163151771	NEW TRIA 150, LED, ET, circ, br mate, 2500lm, 30° 3000K DIM	262,00
114280	4024163151795	NEW TRIA 150, LED, ET, quadr, pr.mate, 2210lm 30° 2700K DIM	262,00
114281	4024163151801	NEW TRIA 150, LED, ET, quadr, br mate, 2275lm 30° 2700K DIM	262,00
114290	4024163151825	NEW TRIA 150, LED, ET, quadr, pr.mate, 2425lm 30° 3000K DIM	262,00
114291	4024163151832	NEW TRIA 150, LED, ET, quadr, br mate, 2500lm 30° 3000K DIM	262,00
114380	4024163153805	NEW TRIA 68, LED, ET, circ, pr.mate, 890lm, 38°, 3000K, DIM	87,00
114381	4024163153812	NEW TRIA 68, LED, ET, circ, br mate, 890lm, 38°, 3000K, DIM	87,00
114386	4024163153829	NEW TRIA 68, LED, ET, circ, al.escov, 890lm, 38°, 3000K, DIM	93,00
114390	4024163153751	NEW TRIA 68, LED, ET, quadr, pr.mate, 890lm, 38°, 3000K DIM	87,00
114391	4024163153782	NEW TRIA 68, LED, ET, quadr, br mate, 890lm, 38°, 3000K DIM	87,00
114396	4024163153799	NEW TRIA 68, LED, ET, quadr, al.escov, 890lm, 38°, 3000K DIM	93,00
114420	4024163151368	PATTA-I, ET, circ. IP65, pr.mate, 910lm, 38°, 3000K, DIM	97,00
114421	4024163151375	PATTA-I, ET, circ. IP65, br mate, 910lm, 38°, 3000K, DIM	97,00
114426	4024163151382	PATTA-I, ET, circ. IP65, al.escov, 910lm, 38°, 3000K, DIM	103,00
114430	4024163151399	PATTA-I, LED, ET, quadr. IP65, pr.mate, 910lm 38° 3000K DIM	97,00
114431	4024163151405	PATTA-I, LED, ET, quadr. IP65, br mate, 910lm 38° 3000K DIM	97,00
114436	4024163151412	PATTA-I, LED, ET, quadr. IP65, al.escov, 910lm 38° 3000K DI	103,00
114440	4024163151429	PATTA-F, LED, ET, circ. IP65, pr.mate, 785lm, 38° 3000K DIM	97,00
114441	4024163151436	PATTA-F, LED, ET, circ. IP65, br mate, 800lm, 38° 3000K DIM	97,00
114450	4024163151443	PATTA-F, LED, ET, quadr. IP65, pr.mate, 785lm 38° 3000K DIM	97,00
114451	4024163151450	PATTA-F, LED, ET, quadr. IP65, br mate, 800lm 38° 3000K DIM	97,00
114480	4024163163675	H-LIGHT, LED, ET, simétrico, preto, 265lm 20° 2700K DIM	91,00
114481	4024163163682	H-LIGHT, LED, ET, simétrico, branco 265lm 20° 2700K DIM	91,00
115510	4024163151467	KADUX, GU10, ET, cardan, pr.mate, max.50W	33,25
115511	4024163151474	KADUX, GU10, ET, cardan, branco mate, max.50W	33,25
115520	4024163151481	KADUX, 2xGU10, ET, cardan, pr.mate, max.2x50W	61,00
115521	4024163151498	KADUX, 2xGU10, ET, cardan, branco mate, max.2x50W	61,00
115530	4024163151504	KADUX, 3xGU10, ET, cardan, pr.mate, max.3x50W	83,00
115531	4024163151511	KADUX, 3xGU10, ET, cardan, branco mate, max.3x50W	83,00
115540	4024163151535	KADUX, GU10 QPAR111, ET, cardan, pr.mate, max.75W	107,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
115541	4024163151542	KADUX, GU10 QPAR111, ET, cardan, branco mate, max.75W	107,00
115550	4024163151566	KADUX, 2xGU10 QPAR111 ET, cardan, pr.mate, max.2x75W	164,00
115551	4024163151603	KADUX, 2xGU10 QPAR111 ET, cardan, branco mate, max.2x75W	164,00
115700	4024163157988	KADUX, LED, ET, cardan, pr.mate, 650lm, 38°, 3000K, DIM	94,00
115701	4024163157995	KADUX, LED, ET, cardan, branco mate, 650lm, 38°, 3000K, DIM	94,00
115710	4024163158015	KADUX, LED, ET, cardan, pr.mate, 1290lm, 38°, 3000K, DIM	178,00
115711	4024163158022	KADUX, LED, ET, cardan, branco mate, 1290lm, 38°, 3000K, DIM	178,00
115720	4024163158053	KADUX, LED, ET, cardan, pr.mate, 1920lm, 38°, 3000K, DIM	235,00
115721	4024163158046	KADUX, LED, ET, cardan, branco mate, 1920lm, 38°, 3000K, DIM	235,00
116330	4024163165877	SUPROS 78, LED, ST, preto, 700lm, 60°, 3000K, DIM	163,00
116331	4024163165884	SUPROS 78, LED, ST, branco 700lm, 60°, 3000K, DIM	163,00
116340	4024163165938	SUPROS 78 UP/DOWN, LED, SP, preto, 2x700lm, 2x60°, 3000K DIM	217,00
116341	4024163165945	SUPROS 78 UP/DOWN, LED, SP, branco 2x700lm, 2x60° 3000K DIM	217,00
117100	4024163149754	KARDAMOD, GU10 QPAR111, ST, quadr. preto, max.75W	141,00
117101	4024163131681	KARDAMOD, GU10 QPAR111, ST, quadr. branco max.75W	141,00
117110	4024163149761	KARDAMOD, 2xGU10 QPAR111, ST, quadr. preto, max.2x75W	252,00
117111	4024163131698	KARDAMOD, 2xGU10 QPAR111, ST, quadr. branco max.2x75W	252,00
117311	4024163157858	OCCULDAS 23, LED, ET, ind, branco 1500lm, 120°, 3000K, DIM	308,00
117321	4024163157865	OCCULDAS 23, LED, SPT, ind, branco 1500lm, 120°, 3000K, DIM	333,00
117331	4024163168649	OCCULDAS 14, LED, ET, luz indirecta, 810lm, 120°, 3000K, DIM	167,00
117351	4024163168670	OCCULDAS 13, LED, SPT, ind, branco 810lm, 120°, 3000K, DIM	202,00
132020	4024163103404	SPOT 79, GU10, saliente, preto, max.50W	32,75
132021	4024163103411	SPOT 79, GU10, saliente, branco max.50W	32,75
132024	4024163103428	SPOT 79, GU10, saliente, cz prata, max.50W	32,75
132600	4024163156776	roseta, 1 saída circular, preto, incl. redutor esforço	26,00
132601	4024163156783	roseta, 1 saída circular, branco incl. redutor esforço	26,00
132605	4024163157056	roseta, 1 saída circular, cromado, incl. redutor esforço	28,50
132610	4024163156837	roseta, 3 saídas circular, preto, incl. redutor esforço	63,00
132611	4024163156844	roseta, 3 saídas circular, branco incl. redutor esforço	63,00
132615	4024163157087	roseta, 3 saídas circular, cromado, incl. redutor esforço	68,00
132620	4024163156868	roseta, 5 saídas circular, preto, incl. redutor esforço	85,00
132621	4024163156882	roseta, 5 saídas circular, branco incl. redutor esforço	85,00
132625	4024163157117	roseta, 5 saídas circular, cromado, incl. redutor esforço	91,00
132660	4024163166492	FENDA E27 SUSP preto, s/ roseta s/ refletor, cabo aberto	29,25
132661	4024163166508	FENDA E27 SUSP branco s/ roseta s/ refletor cabo aberto	29,25
132662	4024163166515	FENDA E27 SUSP cromado s/roseta s/refletor cabo aberto	33,00
132670	4024163170963	FITU, gancho teto preto, fixador para suspensão superfície	19,20
132671	4024163170970	FITU, gancho de teto branco fixador para susp. superfície	19,20
132680	4024163170994	FITU, gancho para cabo preto, fixador para suspensão	12,50
132681	4024163171007	FITU, gancho para cabo branco fixador para suspensão	12,50
132690	4024163173841	FITU, E27, SUSP, preto, cabo 5m, max.60W	60,00
132691	4024163173858	FITU, E27, SUSP, branco cabo 5m, max.60W	60,00
132835	4024163159814	CUBIX I, GU10, amovível p/ chão, ant, max.25 W	127,00
133009	4024163148443	PARA CONE 20, E27, SUSP 1.5m, Cobre, máx 60W	164,00
133019	4024163145138	PARA CONE 30, E27, SUSP, cobre esc. max.60W	222,00
133050	4024163148788	PARA CONE 20, E27, SUSP 1.5m, preto/dourado, máx 60W	117,00
133060	4024163148771	PARA CONE 30, E27, SUSP, preto/dourado, max.60W	198,00
133120	4024163165891	SUPROS 78, LED, SUSP, preto, 700lm, 60°, 3000K, DIM	163,00
133121	4024163165907	SUPROS 78, LED, SUSP, branco 700lm, 60°, 3000K, DIM	163,00
133300	4024163157902	PHELIA 175, E27, SUSP 2m, preto/branco, máx 23W	137,00
133310	4024163157919	PHELIA, E27, SUSP, preto, D275/H320, max.23 W	161,00
133320	4024163157926	PHELIA, E27, SUSP, preto, D280/H420, max.23 W	187,00
133330	4024163157933	PHELIA 130, E27, SUSP 2m, preto/branco, máx 23W	137,00
133444	4024163099059	TONGA, E14, SUSP, cerâmica, roseta cinza, max.60W	133,00
133481	4024163109376	LIGHT EYE 150, GU10 QPAR111, SUSP, br/cromado, max.75W	119,00
133482	4024163099332	LIGHT EYE 150, GU10 QPAR111, SUSP, cromado, max.75W	127,00
133489	4024163158183	LIGHT EYE 150, GU10 QPAR111, SUSP, cobre esc. max.75W	155,00
133490	4024163151191	LIGHT EYE 90, GU10, SUSP, pr/crom, max.5.5W	84,00
133840	4024163164801	MEDO RING 60, LED, SUSP, preto, 2000lm, 105° 3000K 1-10V DIM	696,00
133841	4024163148399	MEDO RING 60, LED, SUSP, br, 2095lm 105° 3000K 1-10V DIM	696,00
133850	4024163164818	MEDO RING 90, LED, SUSP, preto, 3945lm, 105° 3000K 1-10V DIM	868,00
133851	4024163148405	MEDO RING 90, LED, SUSP, br, 4185lm 105° 3000K 1-10V DIM	868,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
135020	4024163165587	MEDO 30, LED, saliente, preto, 1200lm, 3000K, DIM	268,00
135021	4024163165594	MEDO 30, LED, saliente, branco 1200lm, 3000K, DIM	268,00
135024	4024163165600	MEDO 30, LED, saliente, cz prata, 1200lm, 3000K, DIM	268,00
135070	4024163158329	MEDO 40, LED, saliente, preto, 2125lm, 3000K, DIM	312,00
135071	4024163158336	MEDO 40, LED, saliente, branco 2125lm, 3000K, DIM	312,00
135074	4024163158343	MEDO 40, LED, saliente, cz prata, 2125lm, 3000K, DIM	312,00
135120	4024163158398	MEDO 60, LED, saliente, preto, 3500lm, 3000K, DIM	555,00
135121	4024163158381	MEDO 60, LED, saliente, branco 3500lm, 3000K, DIM	555,00
135124	4024163158374	MEDO 60, LED, saliente, cz prata, 3500lm, 3000K, DIM	555,00
135170	4024163165679	MEDO 90, LED, saliente, preto, 11000lm, 3000K, DIM	1 161,00
135171	4024163165686	MEDO 90, LED, saliente, branco 11000lm, 3000K, DIM	1 161,00
135174	4024163165693	MEDO 90, LED, saliente, cz prata, 11000lm, 3000K, DIM	1 161,00
135250	4024163158664	Conjunto de suspensão para 1-10 V MEDO LED, preto, 5 fios	44,75
135251	4024163158671	Conjunto de suspensão para 1-10 V MEDO LED, branco 5 fios	44,75
135254	4024163158688	conjunto suspensão p/ 1-10 V MEDO LED, cz prata, 5fios	44,75
138981	4024163174251	Transformador p/ TENSEO 12VAC, branco 105VA, DIM	135,00
138982	4024163176064	Transformador p/ TENSEO 12VAC, cromado 105VA, DIM	147,00
138991	4024163174275	Transformador p/ TENSEO 12VAC, branco 210VA, DIM	204,00
138992	4024163176071	Transformador p/ TENSEO 12VAC, cromado 210VA, DIM	213,00
139004	4024163023801	Cabo 4mm², 100m, 12VAC, transparente, p/ TENSEO	244,00
139006	4024163023818	Cabo 6mm², 100m, 12VAC, transparente, p/ TENSEO	287,00
139024	4024163126977	Cabo 4mm², 20m, 12VAC, transparente, p/ TENSEO	48,75
139026	4024163126984	Cabo 6mm², 20m, 12VAC, transparente, p/ TENSEO	58,00
139030	4024163174015	Cabo 4mm², 20m, 12VAC, preto, p/ TENSEO	48,75
139031	4024163174022	Cabo 4mm², 20m, 12VAC, branco p/ TENSEO	48,75
139040	4024163174039	Cabo 4mm², 100m, 12VAC, preto, p/ TENSEO	244,00
139041	4024163174046	Cabo 4mm², 100m, 12VAC, branco p/ TENSEO	244,00
139050	4024163174053	Cabo 6mm², 20m, 12VAC, preto, p/ TENSEO	58,00
139051	4024163174060	Cabo 6mm², 20m, 12VAC, branco p/ TENSEO	58,00
139060	4024163174077	Cabo 6mm², 100m, 12VAC, preto, p/ TENSEO	287,00
139061	4024163174084	Cabo 6mm², 100m, 12VAC, branco p/ TENSEO	287,00
139070	4024163174299	ASMARA, MR16 12VAC, lum. p/ TENSEO, preto, 1 un	28,25
139071	4024163174305	ASMARA, MR16 12VAC, lum. p/ TENSEO, branco 1 un	28,25
139072	4024163176088	ASMARA, MR16 12VAC, lum. p/ TENSEO, cromado, 1 un	30,75
139080	4024163174312	TELESKOP, MR16 12VAC, lum. p/ TENSEO, preto, 1 un	33,75
139081	4024163174329	TELESKOP, MR16 12VAC, lum. p/ TENSEO, branco 1 un	33,75
139082	4024163176156	TELESKOP, MR16 12VAC, lum. p/ TENSEO, cromado 1 un	36,75
139090	4024163174336	COSMIC, MR16 12VAC, lum. p/ TENSEO, preto, basculante, 2 un.	40,25
139091	4024163174343	COSMIC, MR16 12VAC, lum. p/ TENSEO, branco basculante 2 un.	40,25
139092	4024163176101	COSMIC, MR16 12VAC, lum. p/ TENSEO, cromado basculante 2 un.	42,50
139100	4024163174350	SYROS, MR16 12VAC, lum. p/ TENSEO, preto, 1 un	55,00
139101	4024163174367	SYROS, MR16 12VAC, lum. p/ TENSEO, branco 1 un	55,00
139102	4024163176118	SYROS, MR16 12VAC, lum. p/ TENSEO, cromado, 1 un	62,00
139120	4024163174398	COMET, MR16 12VAC, lum. p/ TENSEO, preto, vidro fosco, 1 un	55,00
139121	4024163174404	COMET, MR16 12VAC, lum. p/ TENSEO, branco vidro fosco, 1 un	55,00
139122	4024163176132	COMET, MR16 12VAC, lum. p/ TENSEO, cromado, vidro fosco 1 un	62,00
139130	4024163174411	SALUNA, MR16 12VAC, lum. p/ TENSEO, preto, 1 un	72,00
139131	4024163174428	SALUNA, MR16 12VAC, lum. p/ TENSEO, branco 1 un	72,00
139132	4024163176149	SALUNA, MR16 12VAC, lum. p/ TENSEO, cromado, 1 un	78,00
143010	4024163142571	Calha C1F (1 circuito) 230VAC, montagem saliente, preto, 1 m	35,50
143011	4024163135085	Calha C1F (1 circuito) 230VAC, montagem saliente, branco 1 m	35,50
143012	4024163135092	Calha C1F (1 circuito) 230VAC montagem saliente cz prata 1m	35,50
143020	4024163142588	Calha C1F (1 circuito) 230VAC, montagem saliente, preto, 2m	67,00
143021	4024163092821	Calha C1F (1 circuito) 230VAC, montagem saliente, branco 2m	67,00
143022	4024163092838	Calha C1F (1 circuito) 230VAC montagem saliente cz prata 2m	67,00
143030	4024163142595	Alimentador C1F, saliente preto, Terra Esq	9,35
143031	4024163092845	Alimentador C1F, saliente branco Terra Esq	9,35
143032	4024163092852	Alimentador C1F saliente cz pt Terra Esq	9,35
143040	4024163142601	Alimentador C1F, saliente preto, Terra Dta	9,35
143041	4024163092869	Alimentador C1F, saliente branco Terra Dta	9,35
143042	4024163092876	Alimentador C1F saliente cz pt, Terra Dta	9,35
143050	4024163142618	Curva C1F 230VAC, saliente preto Terra Exterior	16,40

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
143051	4024163092883	Curva C1F 230VAC saliente branco Terra Exterior	16,40
143052	4024163092890	Curva C1F 230VAC, saliente cz prata, Ext	16,40
143060	4024163142625	Curva C1F 230VAC, saliente preto Terra Interior	16,40
143061	4024163092906	Curva C1F 230VAC saliente branco Terra Interior	16,40
143062	4024163092913	Curva C1F 230VAC, saliente cz prata, Int	16,40
143070	4024163142632	Conetor T C1F 230VAC, saliente preto Terra Esq	20,75
143071	4024163092920	Conetor T C1F 230VAC, saliente branco Terra Esq	20,75
143072	4024163092937	Conetor T C1F 230VAC saliente cz pt, Esq	20,75
143080	4024163142649	Conetor T C1F 230VAC, saliente preto, Terra Dta	20,75
143081	4024163092944	Conetor T C1F 230VAC, saliente branco Terra Dta	20,75
143082	4024163092951	Conetor T C1F 230VAC saliente cz pt, Dta	20,75
143090	4024163142656	União C1F 230VAC, preto	7,10
143091	4024163092968	União C1F 230VAC, branco	7,10
143092	4024163092975	União C1F 230VAC, cz prata	7,10
143100	4024163142663	União C1F 230VAC preto c/ possível aliment.	17,50
143101	4024163092982	União C1F 230VAC branco c/ possível aliment.	17,50
143102	4024163092999	União C1F 230VAC cz pt c/ possível aliment	17,50
143110	4024163142670	União flexível C1F 230VAC, preto	17,50
143111	4024163093002	União flexível C1F 230VAC, branco	17,50
143112	4024163093019	União flexível C1F 230VAC, cz prata	17,50
143120	4024163142687	adaptador C1F preto, incl. redutor esforço	15,00
143121	4024163126496	adaptador C1F branco incl. redutor esforço	15,00
143124	4024163126502	adaptador C1F cz pt incl. redutor esforço	15,00
143130	4024163142694	Terminal C1F 230VAC saliente preto 2 un	4,40
143131	4024163093040	Terminal C1F 230VAC saliente branco 2 un	4,40
143132	4024163093057	Terminal C1F 230VAC saliente cz prata 2un	4,40
143151	4024163128575	Estabilizador de União C1F 230VAC, níquel	7,10
143152	4024163127424	Estabilizador de Curva C1F 230VAC, níquel	8,25
143160	4024163142724	união em X C1F 230VAC, montagem saliente preto	31,25
143161	4024163142465	união em X C1F 230VAC, montagem saliente branco	31,25
143162	4024163142472	união em X C1F montagem saliente cz prata	31,25
143169	4024163142489	Estabilizador união em X C1F 230VAC, níquel	12,50
143170	4024163142731	Adaptador c/ gancho C1F 230VAC, preto	15,00
143171	4024163142496	Adaptador c/ gancho C1F 230VAC, branco	15,00
143172	4024163142502	Adaptador c/ gancho C1F 230VAC, cz prata	15,00
143190	4024163159265	PURI C1F KIT, preto, 2x1m, 3xPURI c/ lâmp LED 4.3W	212,00
143191	4024163141154	PURI C1F KIT, branco, 2x1m, 3xPURI c/ lâmp LED 4.3W	212,00
143194	4024163141185	PURI C1F KIT, cinzento, 2x1m, 3xPURI c/ lâmp LED 4.3W	212,00
143221	4024163127448	Calha de ET de 1 circuito (monofásico), branco 2 m	74,00
143230	4024163127455	Suporte C1F 230VAC, embutir níquel mate	3,80
143231	4024163127462	Alimentador C1F, embutir branco Terra Esq	13,90
143241	4024163127486	Alimentador C1F, embutir branco Terra Dta	13,90
143251	4024163127509	Curva C1F 230VAC, embutir branco Terra Ext.	20,75
143261	4024163127523	Curva C1F 230VAC, embutir branco Terra Int.	20,75
143271	4024163128582	União C1F 230VAC embutir br/níquel mate	13,90
143281	4024163128599	Terminal p/ C1F (1 circuito), embutir branco 2 un.	7,10
143350	4024163143806	ALTRA DICE, GU10, C1F, quadr, preto, max.50W	96,00
143351	4024163137621	ALTRA DICE, GU10, C1F, quadr. branco max.50W	96,00
143354	4024163137638	ALTRA DICE, GU10, C1F, cz pt/preto, max.50W	96,00
143380	4024163142830	roseta para adaptador monof. preto	20,75
143381	4024163085496	roseta para adaptador monof. Branco	20,75
143382	4024163085502	roseta para adaptador monof. cz prata	20,75
143390	4024163144698	PURI, GU10, C1F, preto, max.50W	35,75
143391	4024163126434	PURI, GU10, C1F, branco max.50W	35,75
143392	4024163086202	PURI, GU10, C1F, cz prata, max.50W	35,75
143430	4024163144759	BIMA, 2xGU10, C1F, preto, max.2x50W	79,00
143431	4024163127561	BIMA, 2xGU10, C1F, branco mate, max.2x50W	79,00
143432	4024163092111	BIMA, 2xGU10, C1F, cz prata, max.2x50W	79,00
143440	4024163144742	BIMA, GU10, C1F, preto, max.50W	53,00
143441	4024163127837	BIMA, GU10, C1F, branco mate, max.50W	53,00
143442	4024163092166	BIMA, GU10, C1F, cz prata, max.50W	53,00
143450	4024163144704	PURIA TRACK, GU10, C1F, preto, max.50W, c/vidro preto	42,75

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
143451	4024163135979	PURIA TRACK, GU10, C1F, branco max.50W, c/ vidro mate	42,75
143454	4024163135986	PURIA TRACK, GU10, C1F, cz pt, max.50W, c/vidro mate	42,75
143540	4024163142748	KALU TRACK, GU10 QPAR111, C1F, preto, max.75W	90,00
143541	4024163142328	KALU TRACK, GU10 QPAR111, C1F, branco max.75W	90,00
143544	4024163142335	KALU TRACK, GU10 QPAR111, C1F, cz prata, max.75W	90,00
143580	4024163169356	HELIA 50 TRACK, LED, C1F, preto, 750lm, 35°, IRC90, 3000K	127,00
143581	4024163169363	HELIA 50 TRACK, LED, C1F, branco 750lm, 35°, IRC90, 3000K	127,00
143594	4024163099073	TONGA, E14, C1F, SUSP, branco cerâmica, max.60W	133,00
143620	4024163144544	LIGHT EYE 150, GU10 PAR111, C1F, SUSP, cromado, max.75W	143,00
143621	4024163144605	LIGHT EYE 150, GU10 PAR111, C1F, SUSP, br/cromado max75W	132,00
143731	4024163138390	KALU TRACK, LED, C1F, branco 860lm, 85°, 3000K, DIM	225,00
143811	4024163128827	EURO SPOT TRACK, GU10, C1F, branco max.25W	77,00
143930	4024163137744	FORCHINI M 40 TRACK, E27, C1F, pr/dourado, adapt cinza	233,00
143932	4024163143233	FORCHINI M 40 TRACK, E27, C1F, pr/dourado, adapt preto	233,00
143941	4024163137423	ENOLA C TRACK, LED, C1F, branco 900lm, 35°, 3000K	201,00
143951	4024163137447	ENOLA C TRACK, LED, C1F, branco 900lm, 55°, 3000K	201,00
143960	4024163149877	ENOLA B, GU10, C1F, SUSP, pr.mate, max.50W	141,00
143961	4024163141840	ENOLA B, GU10, C1F, SUSP, branco max.50W	141,00
143990	4024163148481	PARA CONE 14, GU10, C1F, SUSP, preto/dourado, máx.35W	117,00
143991	4024163148498	PARA CONE 14, GU10, C1F, SUSP branco/dourado, máx.35W	117,00
144010	4024163151238	LIGHT EYE 90, GU10, C1F, pr/crom, max50W	84,00
144011	4024163151245	LIGHT EYE 90, GU10, C1F, br/cromado, max50W	84,00
144019	4024163159135	LIGHT EYE 90, GU10, C1F, cobre, max50W	95,00
144200	4024163167758	AVO, GU10, C1F, preto, max.50W	38,50
144201	4024163167918	AVO, GU10, C1F, branco max.50W	38,50
144204	4024163167925	AVO, GU10, C1F, cz prata, max.50W	38,50
145100	4024163122399	EUTRAC, Calha saliente de 3 circuitos (Trifásico), pr, 1 m	49,50
145102	4024163122405	EUTRAC, Calha saliente de 3 circuitos (Trifásico) cz, 1 m	49,50
145200	4024163122429	EUTRAC, Calha saliente de 3 circuitos (Trifásico), pr, 2m	90,00
145202	4024163122573	EUTRAC, Calha saliente de 3 circuitos (Trifásico), cz, 2m	90,00
145300	4024163122450	EUTRAC, Calha saliente de 3 circuitos (Trifásico), pr, 3m	141,00
145302	4024163122467	EUTRAC, Calha saliente de 3 circuitos (Trifásico), cz, 3m	141,00
145510	4024163122504	EUTRAC Alimentador, Terra Esq. preto	19,70
145514	4024163122511	EUTRAC Alimentador, Terra Esq. cz prata	19,70
145520	4024163122535	EUTRAC Alimentador, Terra dta. preto	19,70
145524	4024163122542	EUTRAC Alimentador, Terra dta. cz prata	19,70
145530	4024163122832	EUTRAC Alimentação Central, preto	44,75
145534	4024163122856	EUTRAC Alimentação Central, cz prata	44,75
145551	4024163099776	EUTRAC clips p/ calha trifásica 3F ET ( 6 unidades)	13,20
145560	4024163122757	EUTRAC união longitudinal, electrificada, preto	19,70
145564	4024163122764	EUTRAC união longitudinal, electrificada, cz prata	19,70
145580	4024163122696	EUTRAC união longitudinal flexível, preto	89,00
145584	4024163129749	EUTRAC união longitudinal flexível, cz prata	89,00
145590	4024163034753	EUTRAC terminal p/ calha trifásica 3F, preto	4,00
145594	4024163122733	EUTRAC terminal p/ calha trifásica 3F, cz prata	4,00
145600	4024163122863	EUTRAC união mecânica p/ calha trifásica 3F, preto	21,75
145604	4024163122887	EUTRAC união mecânica p/ calha trifásica 3F, cz prata	21,75
145630	4024163122634	EUTRAC Conetor T Terra Esq, preto	89,00
145634	4024163122641	EUTRAC Conetor T Terra Esq, cz prata	89,00
145640	4024163122603	EUTRAC Conetor T Terra Dta, preto	89,00
145644	4024163122610	EUTRAC Conetor T Terra Dta, cz prata	89,00
145660	4024163122788	EUTRAC União c/ possível alimentação, preto	78,00
145664	4024163122795	EUTRAC União c/ possível alimentação, cz prata	78,00
145670	4024163122818	EUTRAC União em L Terra Exterior, preto	65,00
145674	4024163122825	EUTRAC União em L Terra Exterior, cz prata	65,00
145680	4024163122566	EUTRAC União em L Terra Interior, preto	65,00
145684	4024163122580	EUTRAC União em L Terra Interior, cz prata	65,00
145690	4024163122665	EUTRAC União em X, preto	130,00
145694	4024163122672	EUTRAC União em X, cz prata	130,00
145700	4024163063449	EUTRAC adaptador c/ tomada, preto	94,00
145710	4024163122931	EUTRAC suspensão rígida p/ Calha trif. preto, 120 cm	44,75
145714	4024163122948	EUTRAC suspensão rígida p/ Calha trif. cz pt 120cm	44,75

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
145720	4024163122962	EUTRAC suspensão rígida p/ Calha trif. preto, 60cm	39,00
145724	4024163122979	EUTRAC suspensão rígida p/ Calha trif. cz pt, 60cm	39,00
145730	4024163123020	EUTRAC clip para pêndulo p/ Calha trif. preto	11,40
145734	4024163123037	EUTRAC clip para pêndulo p/ Calha trif. cz prata	11,40
145830	4024163149723	EUTRAC roseta c/ Calha, preto	104,00
145834	4024163149747	EUTRAC roseta c/ Calha, cz prata	104,00
145990	4024163100168	EUTRAC adaptador trifásico, preto	19,70
145994	4024163100182	EUTRAC adaptador trifásico, cz prata	19,70
146000	4024163158756	PHELIA, GU10, CM, preto, max.35W	187,00
146010	4024163158749	PHELIA, E27, CP, preto, máx.23W	242,00
146332	4024163100076	DISPLAY ADL 50, GU10, cromado, max.50W, incl. caixa ligações	62,00
146682	4024163118637	DIO FLEX PLATE, LED, SP, cromado, 70lm, 45°, 3000K	106,00
146692	4024163103008	DIO FLEX PLATE, GU10, SP, cromado, max.50W	66,00
147301	4024163142403	KALU, GU10 QPAR111, saliente, branco mate, max.75W	90,00
147306	4024163142410	KALU, GU10 QPAR111, saliente, alum. max.75W	97,00
147311	4024163142427	KALU, 2xGU10 QPAR111, saliente, branco mate, max.2x75W	163,00
147316	4024163142434	KALU, 2xGU10 QPAR111, saliente, alum. max.2x75W	173,00
147321	4024163142458	KALU, 3xGU10 QPAR111, saliente, branco mate, max.3x75W	225,00
147326	4024163142441	KALU, 3xGU10 QPAR111, saliente, alum. max.3x75W	236,00
147360	4024163144551	PURI, GU10, SPT, pr.mate, max.1x50W, incl.anel decor.	41,25
147361	4024163144568	PURI, GU10, SPT, branco mate, max.1x50W, incl.anel decor.	41,25
147370	4024163144582	PURI, 2xGU10, SPT, pr.mate, max.2x50W, incl.anel decor.	83,00
147371	4024163144612	PURI, 2xGU10, SPT, branco mate, max.2x50W, incl.anel decor.	83,00
147380	4024163144599	PURI, 3xGU10, SPT, pr.mate, max.3x50W, incl.anel decor.	113,00
147381	4024163144629	PURI, 3xGU10, SPT, branco mate, max.3x50W, incl.anel decor.	113,00
147441	4024163104425	ASTO, GU10, SPT, al. escovado, max.75W	35,75
147442	4024163104432	ASTO, 2xGU10, SPT, al. escovado, max.2x75W	70,00
147443	4024163104449	ASTO, 3xGU10, SPT, al. escovado, max.3x75W	95,00
147444	4024163104456	ASTO, 4xGU10, SPT, al. escovado, max.4x75W	119,00
147529	4024163105767	DENA 30, 2xE14, SP, alum. vidro parcial/ fosco max.2x40W	103,00
147550	4024163140959	INDA, GU10, SPT, preto, max.50W	75,00
147551	4024163127394	INDA, GU10, SPT, branco mate, max.50W	75,00
147559	4024163109055	INDA, GU10, SPT, al. escovado, max.50W	82,00
148001	4024163093354	PLASTRA 105, 2xE27, ST, circ, gesso branco max2x25W	91,00
148002	4024163093408	PLASTRA 104, 2xE27, ST, quadr, gesso branco max2x25W	85,00
148004	4024163137249	PLASTRA, GU10, ST, quadr, gesso branco max.35W	67,00
148005	4024163155960	PLASTRA, LED, ST, circ, gesso branco 990lm, 3000K, DIM	133,00
148010	4024163093415	PLASTRA, E14, SP, quadr, gesso branco max.40W	52,00
148012	4024163093514	PLASTRA, R7s 78mm, CURVE, SP, gesso branco max.100W	73,00
148013	4024163093521	PLASTRA 101, E14, SP, semi-circ, gesso branco max.40W	54,00
148016	4024163137270	PLASTRA 104, G9, saliente parede, circ, gesso branco max.42W	54,00
148018	4024163143516	PLASTRA, CUBE, G9, SP, quadr, gesso branco max42W	54,00
148019	4024163145725	PLASTRA, LED, SPT, quadr, gesso branco 400lm, 3000K	216,00
148060	4024163155991	PLASTRA 2xGU10, SP, tubular, gesso branco max.2x35W	67,00
148070	4024163160612	PLASTRA, GU10, downlight, circ, gesso branco max.35W	42,25
148071	4024163160629	PLASTRA, GU10, downlight, quadr, gesso branco max.35W	42,25
148091	4024163176514	PLASTRA, LED, SPT, circ, gesso branco Ø 26cm, 400lm, 3000K	168,00
148540	4024163165341	PHELIA, GU10, SP, preto, max.35W c/ interruptor	131,00
149381	4024163121620	ENOLA, E27, SUSP, circular, branco max.60W	93,00
149387	4024163142281	ENOLA, E27, SUSP, circular, dourado, max.60W	106,00
149388	4024163142267	ENOLA, E27, SUSP, circular, preto, max.60W	93,00
149452	4024163091657	COUPA FLEX, G9+LED, SP, crm vidro fosco, 125lm 30° 3000K(G9	206,00
149471	4024163127400	WL 149, R7s 78mm, SP, quadr, branco mate, max.60W, up/down	70,00
149511	4024163172141	WL 149, LED, SP, branco mate, 1060lm, 3000K	151,00
149762	4024163156233	TRUKKO 60, LED, SP, 60cm, IP44, 450lm, 3000K	161,00
149772	4024163156240	TRUKKO 90, LED, SP, 90cm, IP44, 710lm, 3000K	191,00
151040	4024163145435	Anel distanciador decorativo para LIGHT EYE 90, preto	5,30
151041	4024163145442	Anel distanciador decorativo para LIGHT EYE 90, br	5,30
151049	4024163118026	Anel distanciador decorativo para LIGHT EYE 90, cromado	7,75
151271	4024163142236	ASSO 300, LED, SP, oval, branco 700lm, 3000K	215,00
151275	4024163142243	ASSO 300, LED, SP, oval, al. esc. 700lm, 3000K	226,00
151282	4024163089241	MIBO UP-DOWN, 2xG9, SP IP21, cromado, vidro fosco, max 2x25W	90,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
151320	4024163150903	LOGS IN, LED, SP, quadr, preto/bronze, 270lm, 100º, 3000K	131,00
151321	4024163136457	LOGS IN, LED, SP, quadr, branco 300lm, 100º, 3000K	120,00
151325	4024163136464	LOGS IN, LED, SP, quadr, alum. 300lm, 100º, 3000K	131,00
151410	4024163142205	OSSA 300, R7s 118mm, SP, oval, preto, max.120W	117,00
151411	4024163142212	OSSA 300, R7s 118mm, SP, oval, branco max.120W	117,00
151416	4024163142229	OSSA 300, R7s 118mm, SP, oval, al. esc. max.120W	132,00
151450	4024163142199	OSSA 180, R7s 78mm, SP, oval, preto, max.100W	96,00
151451	4024163128667	OSSA 180, R7s 78mm, SP, oval, branco max.100W	96,00
151456	4024163128650	OSSA 180, R7s 78mm, SP, oval, al. escovado, max.100W	102,00
151511	4024163129787	ALTRA DICE, GU10, ST, quadr, branco max.35W	68,00
151514	4024163119849	ALTRA DICE, GU10, ST, quadr, cz prata/preto, max.35W	68,00
151531	4024163129763	ALTRA DICE, 2xGU10, ST, quadr, branco max.2x50W	125,00
151534	4024163119870	ALTRA DICE, 2xGU10, ST, quadr cz prata/preto max.2x50W	125,00
151591	4024163136884	BASKET, E27, SP, c/ vidro acetinado, max.60W	97,00
151710	4024163153478	CARISO, LED, SP, preto/bronze, 200lm, 2700K, DIM	190,00
151711	4024163153485	CARISO, LED, SP, branco 390lm, 3000K, DIM	184,00
151740	4024163164252	CARISO, LED, SP, pt./dourado, 500lm IRC90 1700-2700K DIM2	315,00
151741	4024163164269	CARISO, LED, SP, br, 900lm, IRC90, 2000-3000K, DIM2WARM	309,00
151781	4024163156738	SEDO 14, LED, SP, quadr. br.mate, vidro fosco, 1200lm 3000K	242,00
151786	4024163156745	SEDO 14, LED, SP, quadr. alum. vidro fosco, 1200lm, 3000K	252,00
151791	4024163156752	SEDO 21, LED, SP, quadr, br.mate, vidro mate, 2100lm, 3000K	292,00
151796	4024163156769	SEDO 21, LED, SP, quadr, al.escov, vidro mate, 2100lm, 3000K	302,00
151800	4024163149860	ENOLA B, UP/DOWN, 2xGU10, SP, pr.mate, max.2x50W	106,00
151801	4024163125864	ENOLA B, UP/DOWN, 2xGU10, SP, branco max.2x50W	106,00
151803	4024163149532	ENOLA B, UP/DOWN, 2xGU10, SP, bronze, max.2x50W	117,00
151804	4024163125871	ENOLA B, UP/DOWN, 2xGU10, SP, cz pt/preto, max.50W	106,00
151810	4024163149853	ENOLA B, GU10, ST, pr.mate, max.35W	66,00
151811	4024163125888	ENOLA B, GU10, ST, branco max.35W	66,00
151813	4024163149501	ENOLA B, GU10, ST, bronze, max.35W	78,00
151830	4024163149907	ENOLA B, 2xGU10, SPT duplo, pr.mate, max.2x50W	176,00
151831	4024163125925	ENOLA B, 2xGU10, SPT duplo, branco max.2x50W	176,00
151840	4024163125949	Anel decorativo para ENOLA B, preto	8,95
151850	4024163149884	ENOLA B, GU10, SUSP, pr.mate, max.50W	125,00
151851	4024163141598	ENOLA B, GU10, SUSP, branco max.50W	125,00
151853	4024163149549	ENOLA B, GU10, SUSP, bronze, max.50W	131,00
151950	4024163134804	DOWNUNDER PUR 80, LED 350mA, EP, quadr, br, 180lm, 3000K	60,00
151952	4024163134866	DOWNUNDER PUR 150, LED 500mA, EP, quadr, br, 230lm, 3000K	86,00
151960	4024163134835	Moldura escastrar para DOWNUNDER PUR quadr, 80x80mm	9,05
151962	4024163134859	Moldura escastrar para DOWNUNDER PUR quadr, 120x155mm	12,90
152010	4024163149952	ENOLA B, GU10, SPT, simples, pr.mate, max.50W	83,00
152011	4024163149969	ENOLA B, GU10, SPT, simples, branco max.50W	83,00
152013	4024163149976	ENOLA B, GU10, SPT, simples, bronze, max.50W	88,00
152020	4024163149990	ENOLA B, 2xGU10, SPT, duplo, pr.mate, max.50W	142,00
152021	4024163150002	ENOLA B, 2xGU10, SPT, duplo, branco max.50W	142,00
152023	4024163150019	ENOLA B, 2xGU10, SPT, duplo, bronze, max.50W	154,00
152101	4024163137409	ENOLA C, LED, ST, circ, branco 850lm, 35º, 3000K	222,00
152230	4024163144728	BIMA, 2xGU10, C3F, preto, max.50W	94,00
152231	4024163127578	BIMA, 2xGU10, C3F, branco mate, max.50W	94,00
152232	4024163092135	BIMA, 2xGU10, C3F, cz prata, max.50W	94,00
152240	4024163144735	BIMA, GU10, C3F, preto, max.50W	65,00
152241	4024163127585	BIMA, GU10, C3F, branco mate, max.50W	65,00
152242	4024163092180	BIMA, GU10, C3F, cz prata, max.50W	65,00
152320	4024163137645	ALTRA DICE SPOT, GU10, C3F, quadr, preto, max.50W	100,00
152321	4024163137652	ALTRA DICE SPOT, GU10, C3F, quadr, branco max.50W	100,00
152330	4024163166720	KARPO 30, LED, SPT, circ, preto, 480lm, 40º, 3000K IRC90	129,00
152331	4024163166744	KARPO 30, LED, SPT, circ, branco 530lm, 40º, 3000K IRC90	129,00
152340	4024163166751	KARPO 30, LED, CC, c/ int, circ, pr, 330lm, 40º, 3000K IRC90	125,00
152341	4024163166775	KARPO 30, LED, CC, c/ int, circ, br, 380lm, 40º, 3000K IRC90	125,00
152360	4024163166836	HELIA 30, LED, SUSP, preto, 500lm, 40º, IRC90, 3000K, DIM	239,00
152361	4024163166850	HELIA 30, LED, SUSP, br, 550lm, 40º, IRC90, 3000K, DIM	239,00
152370	4024163166911	HELIA 40, LED, SUSP, preto, 700lm, 30º, IRC90, 3000K, DIM	262,00
152380	4024163170666	KARPO 30, LED 500mA, EPT, pr, 450lm 40º, 3000K IRC90	125,00



Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
152381	4024163170673	KARPO 30, LED 500mA, EPT, br, 470lm 40°, 3000K IRC90	125,00
152430	4024163137492	ENOLA C TRACK, LED, C3F, circ, preto, 900lm, 35°, 3000K	201,00
152431	4024163137508	ENOLA C TRACK, LED, C3F, circ, br, 900lm, 35°, 3000K	201,00
152600	4024163138437	KALU TRACK, LED, C3F, preto, 860lm, 85°, 3000K, DIM	245,00
152601	4024163138901	KALU TRACK, LED, C3F, branco 860lm, 85°, 3000K, DIM	245,00
152610	4024163142342	KALU TRACK, GU10 QPAR111, C3F, preto, max.75W	109,00
152611	4024163142359	KALU TRACK, GU10 QPAR111, C3F, branco max.75W	109,00
152640	4024163167932	AVO, GU10, C3F, preto, max.50W	44,50
152641	4024163167949	AVO, GU10, C3F, branco max.50W	44,50
152960	4024163169370	HELIA 50 TRACK, LED, C3F, preto, 750lm, 35°, IRC90, 3000K	127,00
152961	4024163169387	HELIA 50 TRACK, LED, C3F, br, 750lm, 35°, IRC90, 3000K	127,00
153112	4024163099394	LIGHT EYE 150, GU10 PAR111, C3F, SUSP, cromado, max.75W	143,00
153130	4024163137966	FORCHINI M 40 TRACK, E27, C3F, SUSP, preto/dourado, máx.40W	233,00
153140	4024163148504	PARA CONE 14, GU10, C3F, SUSP, pr/dourado, máx.35W	117,00
153141	4024163148511	PARA CONE 14, GU10, C3F, SUSP, br/dourado, máx.35W	117,00
153420	4024163135344	EURO SPOT 15 TRACK, GU10 PAR111, C3F, preto, max.75W	106,00
153421	4024163110907	EURO SPOT 15 TRACK, GU10 PAR111, C3F, branco max.75W	106,00
153560	4024163144940	PURI TRACK, GU10, C3F, preto, max.50W	39,50
153561	4024163127417	PURI TRACK, GU10, C3F, branco max.50W	39,50
153564	4024163127226	PURI TRACK, GU10, C3F, cz prata, max.50W	39,50
153850	4024163128858	EURO SPOT 10 TRACK, GU10, C3F, preto, max.25W	84,00
153851	4024163128841	EURO SPOT 10 TRACK, GU10, C3F, branco max.25W	84,00
155156	4024163170727	MARONA, LED, SPT, circ, alumínio escov, 1200lm, 3000K, DIM	115,00
155180	4024163121132	vidroA, 2xE27, SPT, quadr, vidro fosco, max.2x60W	137,00
155236	4024163117319	MELAN, E27, ST, circ, al. escovado, vidro fosco, max.60W	122,00
155373	4024163097529	SOPRANA, 3xE27, saliente circ, bege, max.3x60W	206,00
155490	4024163167666	FENDA, E27, CP 133.6cm, pr.mate, sem abajour, máx.40W	132,00
155492	4024163167659	FENDA, E27, CP 133.6cm, cromado, sem abajour, máx.40W	141,00
155530	4024163094382	FORCHINI 50, E27, SUSP circ, preto/dourado, max.40W	228,00
155540	4024163167642	FENDA, E27, CM 36cm, pr.mate, sem abajour, max.40W	80,00
155550	4024163166454	FENDA, E27, ST, preto, sem abajour, max.40W	46,75
155551	4024163166461	FENDA, E27, ST, branco sem abajour, max.40W	46,75
155570	4024163152105	FENDA, cobertura em vidro acrílico 29,8cm, branco	29,25
155582	4024163152129	FENDA abajour, branco Ø30 cm	53,00
155583	4024163152136	FENDA abajour, bege Ø30 cm	53,00
155592	4024163167741	FENDA abajour, D300/ H200, preto/cobre	70,00
155714	4024163158473	LISENNE, E27, luminária SUSP, basalto/ vidro, máx.23W	241,00
155752	4024163158480	LISENNE, E27, SP IP44, basalto e vidro fumado, máx.23W	241,00
155780	4024163167710	FENDA, E27, CM, preto, sem abajour, máx.60W	80,00
155785	4024163167697	FENDA, E27, CM, metal escov, sem abajour, máx.60W	90,00
155790	4024163167703	FENDA, E27, CP, preto, sem abajour, máx.60W	141,00
155795	4024163167680	FENDA, E27, CP, metal escov, sem abajour, máx.60W	155,00
155910	4024163136969	FORCHINI M, E27, SUSP, 40cm circ, preto/dourado, max.40W	228,00
155930	4024163136976	FORCHINI M, E27, SUSP, 50cm circ, preto/dourado, max.40W	251,00
156050	4024163148269	TENORA, E27, plafond saliente, preto, max.60W	187,00
156051	4024163148276	TENORA, E27, plafond saliente, branco max.60W	187,00
156100	4024163168366	Cobertura para abajour FENDA, 455 mm	44,50
156111	4024163168267	FENDA abajour, D455/ H280, br	83,00
156113	4024163168274	FENDA abajour, D455/ H280, bege	83,00
156122	4024163168359	FENDA abajour, D455/ H280, preto/cobre	88,00
156141	4024163168380	FENDA abajour, D150/ H400, cilíndrico, branco	44,75
156143	4024163168397	FENDA abajour, D150/ H400, cilíndrico, bege	44,75
156152	4024163171878	FENDA abajour, D150/ H400, cilíndrico, preto/cobre	53,00
156500	4024163169417	HELIA, LED, SPT, preto, 620lm, 35°, IRC90, 3000K, DIM	138,00
156501	4024163169424	HELIA, LED, SPT, branco 620lm, 35°, IRC90, 3000K, DIM	138,00
156510	4024163169431	HELIA, 2xLED, SPT, preto, 1200lm, 2x35°, IRC90, 3000K, DIM	195,00
156511	4024163169448	HELIA, 2xLED, SPT, branco 1200lm, 2x35°, IRC90, 3000K, DIM	195,00
158400	4024163172790	HELIA 30, LED 500mA ET, SUSP pr, 500lm 40° IRC90 3000K	195,00
158401	4024163172806	HELIA 30, LED 500mA, ET, SUSP br 550lm 40° IRC90 3000K	195,00
158410	4024163172820	HELIA 40, LED 500mA, ET, SUSP, preto, 700lm 30° IRC90 3000K	217,00
161271	4024163149563	CONTONE®, LED, ET, ori.18°, br, circ, 890lm, 30°, 2000-3000K	103,00
161291	4024163149587	CONTONE®, LED, ET, br, circ, IP44, 890lm, 30°, 2000-3000K, D	103,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
161461	4024163137928	FERA 25, LED, ST, circ, branco, 2000lm, 100º, 3000K	201,00
165358	4024163051033	PARA 380, E27, SUSP 1.5m, alum.natural, max.160W	168,00
165359	4024163136266	PARA 380, E27, SUSP 1.5m, preto, max.160W	165,00
165390	4024163157407	ROTOBALL 25, E27, SUSP, cz prata/branco max.24W	161,00
165400	4024163096218	ROTOBALL 50, E27, SUSP, cz prata/branco max.24W	222,00
165410	4024163143110	ROTOBALL 40, E27, SUSP, cz prata/branco max.24W	181,00
175060	4024163161305	Terminal p/ Calha S-TRACK, preto	2,00
175080	4024163161367	União isolada p/ Calha S-TRACK, preto	7,65
175160	4024163161626	Cabo de suspensão rígido p/ Calha S-TRACKs, preto, 1m	32,50
175180	4024163161688	União mecânica para unir a Calha S-TRACK, preto	11,90
175190	4024163161718	Gancho p/ Calha S-TRACK, preto	2,70
175210	4024163161770	Adap. mecânico de lum. SUSPs p/ Calha S-TRACK, pr	15,40
181530	4024163174237	Tensor de cabo para TENSEO, 12VAC, preto, 2 un.	28,50
181531	4024163174244	Tensor de cabo para TENSEO, 12VAC, branco 2 un.	28,50
181532	4024163000925	Tensor de cabo para TENSEO, 12VAC, cromado, 2 un.	30,75
184040	4024163165242	Suspensão de teto para EASYTEC II, preta, 10cm	23,00
184042	4024163087834	Suspensão de teto para EASYTEC II, cinza prata, 10cm	23,00
186300	4024163174138	suporte de parede, 3cm, p/ TENSEO, preto, 2 un.	28,50
186301	4024163174145	suporte de parede, 3cm, curto, p/ TENSEO, branco 2 un.	28,50
186302	4024163054645	suporte de parede, 3cm, p/ TENSEO, cromado, 2 un. 3cm	30,75
186310	4024163174152	suporte de parede flexível, p/ TENSEO, preto, 2 un.	40,50
186311	4024163174169	suporte de parede flexível, p/ TENSEO, branco 2 un.	40,50
186312	4024163054652	suporte de parede flexível, p/ TENSEO, cromado, 2 un. 10cm	42,75
186330	4024163174176	Suporte de teto curto para TENSEO, preto, 2 un. 6cm	24,50
186331	4024163174183	Suporte de teto curto para TENSEO, branco 2 un. 6cm	24,50
186332	4024163054676	Suporte de teto curto para TENSEO, cromado, 2 un. 6cm	28,50
186340	4024163174190	Suporte de teto longo para TENSEO, preto, 2 un. 16cm	28,50
186341	4024163174206	Suporte de teto longo para TENSEO, branco 2 un. 16cm	28,50
186342	4024163054683	Suporte de teto longo para TENSEO, cromado, 2 un. 16cm	30,75
186350	4024163174091	Alimentador p/ TENSEO, preto, 2 un. max.25A	12,20
186351	4024163174107	Alimentador p/ TENSEO, branco 2 un. max.25A	12,20
186352	4024163054690	Alimentador p/ TENSEO, cromado, 2 un. max.25A	13,70
186360	4024163174114	Conetor isolado para TENSEO, preto, 2 un. 6cm, max.25A	22,75
186361	4024163174121	Conetor isolado para TENSEO, branco 2 un. 6cm, max.25A	22,75
186362	4024163054799	Conetor isolado para TENSEO, cromado, 2 un. 6cm, max.25A	24,50
186640	4024163174213	Defletor, p/ TENSEO, preto, 2 un. 16cm	92,00
186641	4024163174220	Defletor, p/ TENSEO, branco 2 un. 16cm	92,00
186642	4024163094122	Defletor, p/ TENSEO, cromado, 2 un. 16cm	99,00
210060	4024163160186	roseta de teto, pr.mate, 8.5x8.5x2.7cm, c/ redutor esforço	32,00
210061	4024163160193	roseta de teto, br mate, 8.5x8.5x2.7cm, c/ redutor esforço	32,00
210064	4024163160209	roseta de teto, cz prata, 8.5x8.5x2.7cm, c/ redutor esforço	32,00
220000	4024163096119	Fita adesiva de dupla face 9mm, transparente, 3m	15,00
227176	4024163114080	KERAS ELT, E27, SP IP54, ant, max.25W	162,00
227195	4024163113304	WALLYX, GU10, SP IP44, ant, max.50W	119,00
227219	4024163157414	ROTOBALL 25, E27, SC IP44, branco max.24W	161,00
227220	4024163140669	ROTOBALL 40, E27, SC IP44, cz prata/branco max.24W	181,00
227221	4024163134606	ROTOBALL 50, E27, SC IP44, cz prata/branco max.24W	242,00
227410	4024163107143	NAUTILUS 15, GU10, proj IP65 pr, max.11W c/ 1.5m e ficha	39,50
227418	4024163096836	NAUTILUS 10, GU10, proj IP65 cz prata max.35W c/1.5m e ficha	35,50
227462	4024163119290	TRAIL-LITE, LED 12VAC, EPC IP65, inox 316, 10lm, 3000K	70,00
227504	4024163163750	SYNA, LED, proj c/ estaca IP55 cinza 470lm 50º 3000K c/shuko	80,00
227505	4024163163767	SYNA, LED, proj c/ estaca IP55 ant, 470lm 50º 3000K c/shuko	80,00
227507	4024163163774	SYNA, LED proj c/ estaca IP55 ferrug 470lm 50º 3000K c/shuko	80,00
227600	4024163142106	ROCCI, LED, EC IP67 IK08, aro circ inox 316 580lm 120º 3000K	167,00
227604	4024163142137	ROCCI, LED, EC IP67 IK08 aro quadr inox 316 580lm 120º 3000K	167,00
227680	4024163147903	EARTHLUX, GU10, EC, aro circ, inox 316, max.6W	70,00
227684	4024163147910	EARTHLUX, GU10, EC, aro quadr, inox 316, max.6W	70,00
227922	4024163066211	Estaca p/ TRUST, NAILS, BIG NAILS, BIG NAILS PLUS e ENERGY P	53,00
228100	4024163167543	TRUST 30, LED, balizador IP55 IK07, inox 316 400lm 3000K	259,00
228110	4024163167550	TRUST 60, LED, balizador IP55 IK07, inox 316 400lm 3000K	332,00
228130	4024163172363	Grelha em inox 316 para lum. TRUST	97,00
228332	4024163112093	POWER TRAIL-LITE LED 350mA EPC IP67, circ inox 316 3000K	80,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
228342	4024163127660	POWER TRAIL-LITE, LED 350mA, EPC IP67, quadr inox 316 3000K	80,00
228412	4024163138048	DASAR® FLAT 80, LED, EC IP67, circ, br, inox 304, 3000K	128,00
228430	4024163124751	DASAR® EXACT 116, GU10, EC IP67, circ, inox 316, max.35W	139,00
228434	4024163124768	DASAR® EXACT 116, GU10, EC IP67, quadr, inox 316 max.35W	139,00
228555	4024163172905	HELIA SPOT, LED, proj IP55, ant, 1050lm, 50° 3000K DIM	250,00
228560	4024163172912	Estaca para HELIA SPOT, inox 304, 17cm	26,50
228712	4024163071925	Acessórios para ancorar em betão lum. de jardim	64,00
228722	4024163071932	Estaca, aço galvanizado	58,00
228725	4024163106627	Ligador IP68, 5 polos, preto	17,90
228726	4024163136327	Caixa de derivação IP68, 3 polos, preto	27,25
228730	4024163086417	Ligador IP68, 3 polos, preto	17,90
228752	4024163071963	Jogo de parafusos M6 em inox	6,65
228753	4024163116398	Jogo de parafusos M8 em inox	8,95
228754	4024163133784	Jogo de parafusos M5 em inox	4,00
228771	4024163130042	ASTINA, UP/DOWN, 2xGU10, SP IP44, br, max.2x11W	83,00
228775	402416311898	ASTINA, UP/DOWN, 2xGU10, SP IP44, ant, max.2x11W	83,00
228776	402416311997	ASTINA, UP/DOWN, 2xGU10, SP IP44, al. escovado, max.2x11W	88,00
228925	4024163107884	ALPA CONE 100, E27, balizador IP55, cz pedra, max.24W	191,00
228935	4024163119344	ALPA MUSHROOM 45, E27, balizador IP55, cz pedra, max.24W	131,00
228945	4024163098212	ALPA MUSHROOM 75, E27, balizador IP55, cz pedra, max.24W	161,00
228960	4024163120890	Estaca para ADEGAN	36,00
228965	4024163120449	ADEGAN, E27, CP IP54, antracite/branco, max.24W	303,00
229020	4024163090155	RUSTY® 40, E27, BZ circ, IP55, Aço corten, max.11W	323,00
229021	4024163090162	RUSTY® 70, E27, BZ circ, IP55, Aço corten, max.11W	393,00
229022	4024163090179	Estaca para RUSTY® 40/70, aço galvanizado, comp. 50cm	49,50
229062	4024163090445	BRICK DOWNUNDER, E14, ET na parede IP44, cinza pt, max 40W	41,50
229071	4024163102490	BULAN, E14, SPT IP44, circ, branco vidro fosco max.60W	66,00
229072	4024163090933	BULAN, E14, SPT IP44, circ, cz pt, vidro fosco, max.60W	66,00
229075	4024163140188	BULAN, E14, SPT IP44, circ, ant, vidro fosco, max.60W	66,00
229081	4024163110945	BULAN GRID, E27, SPT IP44, circ, branco grelha PC max.2x25W	70,00
229085	4024163110938	BULAN GRID, E27, SPT IP44, circ, ant, grelha PC max.2x25W	70,00
229090	4024163090421	NAUTILUS, MR16 12VAC, inox 304, IP67, max.35W	106,00
229110	4024163141932	BRICK MESH, LED, EP IP54, inox 316, 52lm, 3000K	248,00
229162	4024163098373	BIG NAILS 50, E27, balizador IP44 IK05, inox 304, max.15W	162,00
229172	4024163098380	BIG NAILS 80, E27, balizador IP44 IK05, inox 304, max.15W	186,00
229200	4024163094696	DASAR® 215, E27, IP67, EPC circ, gimbal, inox 316, max.11W	256,00
229230	4024163094795	DASAR® 215, GU10 QPAR111 EPC IP67 circ gimb inox 316 max.75W	268,00
229234	4024163094801	DASAR® 215, GU10 QPAR111 EPC IP67 quadr gimb inox316 max.75W	268,00
229320	4024163113366	DASAR® 80, GU10, ET circ. IP67, inox 316, max.35 W	128,00
229324	4024163113373	DASAR® 80, GU10, ET quadr. IP67, inox 316, max.35 W	128,00
229374	4024163113380	DASAR® 70, GU10, ET quadr. IP67, aro inox 304, max.35W	128,00
229381	4024163159197	DASAR® 255, LED, ET quadr. IP67, assi, inox 316 1620lm 4000K	403,00
229383	4024163141642	DASAR® 255, LED, ET quadr. IP67, assi, inox 316 1620lm 3000K	403,00
229410	4024163107563	RUSTY® SLOT 50, E27, BZ quadr, IP44, Aço corten, max.11W	319,00
229411	4024163107556	RUSTY® SLOT 80, E27, BZ quadr, IP44, Aço corten, max.11W	393,00
229420	4024163101400	RUSTY® 40, E27, BZ quadr, IP55, Aço corten, max.11W	323,00
229421	4024163101417	RUSTY® 70, E27, BZ quadr, IP55, Aço corten, max.11W	393,00
229422	4024163101448	Estaca p/ RUSTY quadr, RUSTY PATHLIGHT, ARROCK 40/70 aço gal	45,50
229423	4024163117609	Estaca para RUSTY® CONE 40/70, aço galvanizado, 50cm	49,50
229430	4024163110846	RUSTY® CONE 24, E14, BZ, IP54, Aço corten, max.40W	276,00
229431	4024163116251	RUSTY® CONE 40, E27, BZ, IP54, Aço corten, max.11W	478,00
229432	4024163116268	RUSTY® CONE 70, E27, BZ, IP54, Aço corten, max.11W	575,00
229524	4024163151924	THEO, GU10, SP IP44, quadr, cinzento prata, max.35W	86,00
229525	4024163151931	THEO, GU10, SP IP44, quadr, antracite, max.35W	86,00
229531	4024163128797	THEO UP/DOWN, 2xGU10, SP IP44, quadr, branco max.2x35W	104,00
229532	4024163097208	THEO UP/DOWN, 2xGU10, SP IP44, quadr, cz pt, max.2x35W	104,00
229535	4024163141789	THEO UP/DOWN, 2xGU10, SP IP44, quadr, ant, max.2x35W	104,00
229551	4024163112697	BIG THEO, GU10 PAR111, ST IP44, quadr, branco max.75W	124,00
229554	4024163112567	BIG THEO, GU10 PAR111, ST IP44, quadr, cz prata, max.75W	124,00
229555	4024163151900	BIG THEO, GU10 PAR111, ST IP44, quadr, ant, max.75W	124,00
229564	4024163100458	BIG THEO, GU10 PAR111, SP IP44, quadr, cz pt, max.75W	113,00
229565	4024163151894	BIG THEO, GU10 PAR111, SP IP44, quadr, ant, max.75W	113,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
229574	4024163100472	BIG THEO UP/DOWN, 2xGU10 PAR111 SP IP44 quadr czpt max.2x75W	181,00
229575	4024163151887	BIG THEO UP/DOWN, 2xGU10 PAR111, SP IP44 quadr ant max.2x75W	181,00
229664	4024163149600	OUT BEAM UP/FLOOD DOWN, LED, SP IP44, cz pt, 50/690lm, 3000K	274,00
229665	4024163149617	OUT BEAM UP/FLOOD DOWN, LED, SP IP44, ant, 50/690lm, 3000K	274,00
229702	4024163102957	BRICK DOWNUNDER, LED, EP IP54, cz pt, 30lm, 3000K	67,00
229740	4024163137195	NAUTILUS 10, GU10 SE IP55, inox 316 max.35W1.5m estaca ficha	117,00
229741	4024163174435	NAUTILUS 10 SPOT, GU10, SE IP55, inox 316, max.35W,cabo 1.5m	117,00
229931	4024163147965	TERANG 200, LED, SPT IP44, oval, branco 680lm, 120°, 3000K	80,00
229935	4024163147989	TERANG 200, LED, SPT IP44, oval, ant, 680lm, 120°, 3000K	80,00
229961	4024163167185	AINOS, LED, SPT IP44, circ, branco 1430lm, 120°, 3000K	149,00
229965	4024163167192	AINOS, LED, SPT IP44, circ, ant, 1430lm, 120°, 3000K	149,00
229971	4024163167208	AINOS, LED, SPT IP44, circ, branco c/ PIR, 1430lm 120° 3000K	195,00
229975	4024163167215	AINOS, LED, SPT IP44, circ, ant, c/ PIR, 1430lm, 120°, 3000K	195,00
230030	4024163128353	PEMA®, E27, SP IP44 (voltado p/ baixo), preto, max.15W	106,00
230034	4024163127851	PEMA®, E27, SP IP44 (voltado p/ baixo), cz pt, max.15W	106,00
230044	4024163123884	MERIDIAN BOX, E27, SP IP54, cinza prata, max.25W	100,00
230045	4024163123891	MERIDIAN BOX, E27, SP IP54, antracite, max.25W	100,00
230060	4024163125468	Estaca p/ VAP SLIM, BERRA, SITRA 360 e SITRA, inox 304	53,00
230061	4024163125475	Acessórios p/ maço betão, p/ VAP SLIM, BERRA e SITRA, inox	26,25
230063	4024163124591	VAP SLIM 30, E27, balizador IP44, inox escovado, max.20W	171,00
230066	4024163124607	VAP SLIM 60, E27, balizador IP44, inox escovado, max.20W	191,00
230069	4024163124614	VAP SLIM 90, E27, balizador IP44, inox escovado, max.20W	222,00
230084	4024163136143	MERIDIAN BOX, E27, SP IP54, cz pt, max.25W, c/ sensor mov.	166,00
230085	4024163136150	MERIDIAN BOX, E27, SP IP54, ant, max.25W, c/ sensor mov.	166,00
230090	4024163124683	RUSTY® PATHLIGHT, GX53, BZ, IP44, Aço corten, max.9W	312,00
230355	4024163109604	SITRA, GX53, SP IP44, ant, max.9W	70,00
230365	4024163109635	SITRA UP/DOWN, GX53, SP IP44, ant, max.9W	100,00
230435	4024163105156	CONE, E27, SC IP54, ant, max.100W	100,00
230444	4024163105163	MERIDIAN 2, E27, SP, IP54, cinzento prata, max.25W	79,00
230445	4024163105170	MERIDIAN 2, E27, SP, IP54, antracite, max.25W	79,00
230465	4024163105217	OTOS GLAS, E27, balizador IP43, ant, max.15W	144,00
230655	4024163156127	MERIDIAN BOX, E27, SP, IP54, ant, max.25W	112,00
230657	4024163156134	MERIDIAN BOX, E27, SP, IP54, ferrugem, max.25W	112,00
231010	4024163150651	PEMA®, LED, SP IP44, branco 125lm, 3000K	118,00
231012	4024163004589	PEMA®, LED, SP IP44, cz pt, 125lm, 3000K	118,00
231015	4024163150668	PEMA®, LED, SP IP44, ant, 125lm, 3000K	118,00
231035	4024163140775	NAUTILUS 10, LED, SC IP65, estaca, ant quadr 520lm 45° 3000K	164,00
231072	4024163168977	FLAC BEAM®, LED, proj IP65, cz pedra, 1800lm, 60°, 3000K	492,00
231205	4024163096515	GRAFIT, E27, SP IP44, ant, max.11W	80,00
231215	4024163097611	GRAFIT 30, E27, balizador IP44, ant, max.11W	80,00
231225	4024163096522	GRAFIT 60, E27, balizador IP44, ant, max.11W	100,00
231230	4024163100199	Estaca p/ GRAFIT SL, RUSTY SLOT e LOGS, aço galvanizado 48cm	45,50
231231	4024163130431	Estaca para IPERI 50, aço galv. comp 50cm, incl. parafusos	49,50
231233	4024163133265	Estaca para ARROCK ARC GU10, aço galvanizado, comp 50cm	49,50
231234	4024163133401	Estaca p/ ROX POLE, ARCOLOS UP, POLE quadr, GLOO PURE, inox	52,00
231235	4024163139038	Estaca para ARROCK SLOT GU10, aço galvanizado	49,50
231305	4024163126861	IPERI 50, LED, BZ IP44, ant, 320lm, IRC70, 4000K	151,00
231315	4024163126885	IPERI, LED, SP IP44 (luz p/ baixo), ant, 320lm, IRC70, 4000K	131,00
231351	4024163143561	ANGOLUX, LED, SP IP44(luz p/ baixo), br 500lm, 120°, 3000K	161,00
231355	4024163143578	ANGOLUX, LED, SP IP44(luz p/ baixo), ant, 500lm, 120° 3000K	161,00
231370	4024163156363	ARROCK STONE 50, LED baliz. IP44 basalto /inox 304 50cm3000K	413,00
231371	4024163156370	ARROCK STONE 70, LED baliz. IP44 basalto /inox 304 75cm3000K	474,00
231410	4024163110136	ARROCK GRANITE 40, E27 baliz. IP44 granito /inox 304 max.15W	359,00
231411	4024163110167	ARROCK GRANITE 70, E27 baliz. IP44 granito /inox 304 max.15W	434,00
231420	4024163130929	ARROCK ARC, GU10, balizador IP44, granito /inox 304, max.35W	359,00
231440	4024163136372	ARROCK SLOT, GU10 LED, baliz. IP44 granito/inox304 max.4WLED	413,00
231455	4024163131308	SLOTS 65, LED, balizador IP44, ant, 200lm, 3000K	191,00
231457	4024163150842	SLOTS 65, LED, balizador IP44, ferrugem, 200lm, 3000K	191,00
231475	4024163129404	C-POL, E27, balizador IP54, ant, max.24W	201,00
231505	4024163127936	SITRA 360, 2xGX53, SC IP44 c/ base, ant, max.2x9W	162,00
231515	4024163127905	SITRA 360, GX53, SPT IP44, ant, max.9W	78,00
231525	4024163134477	SITRA 360 SPIKE, GX53, EPC c/ estaca IP44, ant, max.9W	64,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
231535	4024163134460	SITRA 360 SPIKE, 2xGX53, EPC c/ estaca IP44, ant, max.2x9W	191,00
231541	4024163134439	SITRA, GX53, ST IP44, circ, branco max.9W	90,00
231545	4024163134453	SITRA, GX53, ST IP44, circ, ant, max.9W	90,00
231585	4024163140270	F-POL, E27, SP IP54, ant, max.20W	141,00
231595	4024163140287	F-POL, E27, balizador IP54, ant, max.20W	191,00
231805	4024163150880	SLOTS, LED, SP IP44, ant, 140lm, 3000K	171,00
231807	4024163150873	SLOTS, LED, SP IP44, ferrugem, 140lm, 3000K	171,00
231815	4024163150859	SLOTS 45, LED, balizador IP44, ant, 200lm, 3000K	181,00
231817	4024163150866	SLOTS 45, LED, balizador IP44, ferrugem, 200lm, 3000K	181,00
231960	4024163166393	Cabo de alimentação para GALEN, preto, 5m	27,00
231961	4024163166416	Cabo de interligação para GALEN, preto, c/ 2 fichas, 1m	17,50
232045	4024163166065	PHOTONIA, E27, SP IP55 IK03, circ, ant, vidro transp máx.60W	212,00
232055	4024163166072	PHOTONIA, E27, ST IP55 IK03, circ, ant, vidro transp máx.60W	206,00
232065	4024163166089	PHOTONIA, E27, SUSP IP44 IK03, circ ant vidro transp máx.60W	242,00
232075	4024163166096	PHOTONIA, E27, baliz IP55 IK03 circ ant vidro transp máx.60W	292,00
232085	4024163166102	Âncora para betão, para PHOTONIA, inox	49,50
232095	4024163173803	PHOTONIA, E27, CM IP44 IK03, ant, vidro transp máx.60W 5m sh	232,00
232101	4024163131339	LOGS, LED, SP IP44 UP/DOWN, branco 650lm, 3000K	217,00
232105	4024163131353	LOGS, LED, SP IP44 UP/DOWN, ant, 420lm, 3000K	217,00
232115	4024163132442	LOGS 40, LED, balizador IP44, quadr, ant, 420lm, 3000K	270,00
232119	4024163167178	Âncora para betão, para LOGS 40 e LOGS 70, inox	61,00
232125	4024163131414	LOGS 70, LED, balizador IP44, quadr, ant, 420lm, 3000K	324,00
232135	4024163140485	SLOTBOX 40, LED, balizador IP44, ant, 40cm, 160lm, 3000K	201,00
232145	4024163140478	SLOTBOX 70, LED, balizador IP44, ant, 70cm, 160lm, 3000K	242,00
232155	4024163167772	H-POL 30, LED, BZ IP55, antracite, 36cm, 350lm, 3000K	242,00
232165	4024163167796	H-POL 60, LED, BZ IP55, antracite, 66cm, 700lm, 3000K	353,00
232175	4024163167765	H-POL TWIN 30, LED, BZ IP55, antracite, 36cm, 2x350lm 3000K	333,00
232185	4024163167789	H-POL TWIN 60, LED, BZ IP55, antracite, 66cm, 2x700lm 3000K	464,00
232195	4024163175487	Caixa de encastramento para H-POL, antracite	49,50
232285	4024163111584	QUADRASYL, GX53, SP IP44, ant, max.11W	64,00
232294	4024163111652	QUADRASYL 75, GX53, SP IP44, cinz.prata, max11W	166,00
232295	4024163111744	QUADRASYL 75, GX53, SP IP44, ant, max.11W	166,00
232431	4024163148634	QUAD, LED, SP IP44, branco 290lm, 110°, 3000K	132,00
232435	4024163148641	QUAD, LED, SP IP44, ant, 260lm, 110°, 3000K	132,00
232441	4024163148658	QUAD UP/DOWN, LED, SP IP44, branco 580lm, 2x110°, 3000K	149,00
232445	4024163148665	QUAD UP/DOWN, LED, SP IP44, ant, 520lm, 2x110°, 3000K	149,00
232461	4024163129299	QUAD, LED, SP IP44, branco 100lm, 90°, 3000K	92,00
232465	4024163129305	QUAD, LED, SP IP44, ant, 80lm, 90°, 3000K	92,00
232485	4024163129343	BOX, UP/DOWN, R7s 78mm, SP IP44, ant, max.80W	100,00
232491	4024163129367	BOX-L, E27, SP IP44 IK05, branco max.18W	104,00
232495	4024163129374	BOX-L, E27, SP IP44 IK05, ant, max.18W	104,00
232497	4024163129381	BOX-L, E27, SP IP44 IK05, ferrugem, max.18W	104,00
232531	4024163112505	SITRA CUBE, GX53, SP IP44, branco quadr, max.9W	78,00
232535	4024163112512	SITRA CUBE, GX53, SP IP44, ant, quadr, max.9W	78,00
232537	4024163112543	SITRA CUBE, GX53, SP IP44, ferrugem, quadr, max.9W	78,00
232905	4024163151337	ORDI, LED, SP IP44, ant, 500lm, 120°, 3000K	131,00
232915	4024163151344	ORDI S, LED, SP IP44, ant, 500lm, 120°, 3000K, c/ PIR	151,00
233094	4024163157452	MYRA, 2xGU10, SP IP55, cz pt, max.2x50W	192,00
233095	4024163157469	MYRA, 2xGU10, SP IP55, ant, max.2x50W	192,00
233104	4024163140294	MYRA, GU10, SP IP55, cz pt, max.50W	103,00
233105	4024163140300	MYRA, GU10, SP IP55, ant, max.50W	103,00
233114	4024163140317	MYRA UP/DOWN, 2xGU10, SP IP55, cz pt, max.2x35W	125,00
233115	4024163140324	MYRA UP/DOWN, 2xGU10, SP IP55, ant, max.2x35W	121,00
233134	4024163140362	MYRA DISPLAY, GU10, braço curvo IP55, cz prata, max.50W	181,00
233135	4024163140355	MYRA DISPLAY, GU10, braço curvo IP55, ant, max.50W	181,00
233145	4024163140447	Base para balizador MYRA (chão), antracite	26,75
233165	4024163140423	Extensão tubular 30cm para balizador MYRA (chão), ant	26,75
233185	4024163140409	MYRA, 2xGU10, balizador IP44, ant, max.2x4W	192,00
233214	4024163157186	Moldura saliente para família MYRA	21,75
233215	4024163157179	Acessório de montagem saliente para MYRA e ENOLA C, ant	21,75
233245	4024163167109	HELIA, LED, SP IP55, antracite, 450lm, 38°, 3000K, DIM	195,00
233255	4024163167123	HELIA, 2xLED, SP IP55, duplo, ant, 2x450lm, 2x38°, 3000K DIM	343,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
233275	4024163167154	HELIA, LED, BZ, IP55, simples, ant, 450lm, 38°, 3000K, DIM	205,00
233285	4024163167161	HELIA, LED, BZ, IP55, duplo, ant, 2x450lm, 38°, 3000K, DIM	257,00
233302	4024163148313	ASTINA STEEL, 2xGU10, SP IP44, inox 304, max.2x35W	124,00
233407	4024163157476	RUSTY@ 40, LED, BZ circ, IP55, Aço corten, 70lm 3000K	333,00
233417	4024163157483	RUSTY@ 70, LED, BZ circ, IP55, Aço corten, 70lm 3000K	404,00
233427	4024163157490	RUSTY@ 40, LED, BZ quadr, IP55, Aço corten, 70lm 3000K	333,00
233437	4024163157506	RUSTY@ 70, LED, BZ quadr, IP55, Aço corten, 70lm 3000K	404,00
233447	4024163157513	RUSTY@ SLOT 50, LED, BZ quadr, IP55, Aço corten, 30lm 3000K	329,00
233457	4024163157520	RUSTY@ SLOT 80, LED, BZ quadr, IP55, Aço corten, 30lm 3000K	404,00
233500	4024163145503	DASAR@ 920, LED 12/24V DC EPC IP67 circ inox 316 360lm 3000K	151,00
233520	4024163145527	DASAR@ 920, LED, EPC IP67, circ, aro inox 316 300lm 3000K	197,00
233540	4024163158787	DASAR@ 370, LED 12/24VDC, EC circ. IP67 inox 316 120lm 3000K	171,00
233570	4024163164412	DASAR@, proj LED 12/24VDC, inox 316, IP68, 360lm, 40°, 3000K	242,00
233571	4024163164429	DASAR@, proj LED, inox 316, IP67, 300lm, 40°, 3000K	302,00
233580	4024163164436	Estaca para DASAR@ LED proj, inox 316	19,00
233582	4024163164450	Acess. p/ montagem saliente (placa) p/ DASAR@ LED, inox 316	26,00
233601	4024163148078	DOWNUNDER OUT S, LED, EP IP55, branco 40lm, 3000K	63,00
233605	4024163148092	DOWNUNDER OUT S, LED, EP IP55, ant, 25lm, 3000K	63,00
233611	4024163148108	DOWNUNDER OUT L, LED, EP IP55, branco 155lm, 3000K	89,00
233615	4024163148146	DOWNUNDER OUT L, LED, EP IP55, ant, 85lm, 3000K	89,00
233621	4024163148115	DOWNUNDER OUT M, LED, EP IP55, branco 155lm, 3000K	75,00
233625	4024163148153	DOWNUNDER OUT M, LED, EP IP55, ant, 85lm, 3000K	75,00
233635	4024163169561	ADI, LED, EP IP55, ant, 870lm, 3000K	262,00
233639	4024163169578	Caixa de encastramento para ADI LED, preto	19,70
233650	4024163164467	BRICK, LED, EP IP65, simétrico, aro inox 316L, 950lm, 40°, 3	303,00
233660	4024163164481	BRICK, LED, EP IP65, assimétrico, aro inox 316L, 850lm, 3000	303,00
233792	4024163172301	DASAR@ PREMIUM DN160, tubo de encastramento	54,00
234340	4024163167338	Braço para FLOODI e SPOODI, preto, 50cm	52,00
234350	4024163167369	Braço para FLOODI e SPOODI, preto, 80cm	64,00
234505	4024163175715	BIG THEO FLOOD UP/DOWN, LED, SP IP44, ant, 2x24°, 3000K	314,00
234515	4024163175746	BIG THEO FLOOD DOWN/ BEAM UP, LED, SP IP44, ant, 24°/2°, 300	278,00
234525	4024163175777	BIG THEO, LED, SP IP44, antracite, 24°, 2000lm, 3000K	224,00
234535	4024163175807	BIG THEO, LED, ST, IP44, antracite, 24°, 2000lm, 3000K	207,00
240000	4024163162906	P-LIGHT, iluminação de segurança, SPT, br, dupla face, 3.5W,	133,00
240002	4024163162920	P-LIGHT, iluminação de segurança, SPT, br, dupla face, 4W, 3	168,00
240004	4024163162944	P-LIGHT, iluminação de segurança IP65, saliente ou ET na par	179,00
240006	4024163162968	P-LIGHT, iluminação de segurança, ET, br, espaços abertos, 5	168,00
240007	4024163162975	P-LIGHT, iluminação de segurança, conjunto de 5 pictogramas	36,25
240008	4024163162982	P-LIGHT, iluminação de segurança, conjunto de 5 pictogramas	40,00
240009	4024163162999	P-LIGHT, iluminação de segurança, conjunto de 3 pictogramas	28,00
240010	4024163163002	P-LIGHT, iluminação de segurança, conjunto de pictogramas (C	23,00
240020	4024163165983	Bat recarregável p/ P-LIGHT 240000 e 240001, Ni-Mh 3.6V, 900	19,70
240021	4024163165990	Bat recarregável p/ P-LIGHT 240002 e 240003, Ni-Mh 3.6V, 100	21,75
240022	4024163166003	Bat recarregável p/ P-LIGHT 240004, Ni-Cad 3.6V, 1000 mA, 2u	39,00
240024	4024163166027	Bat recarregável p/ P-LIGHT 240006, Ni-Mh 7.2V, 1000 mA	46,00
461060	4024163066532	Transformador linear 10-60VA, 12VAC, branco DIM	20,50
464107	4024163137300	LED Driver 350mA, 3VA, c/ ficha, incl. redutor esforço	21,50
464108	4024163102179	LED Driver 320mA, 3W, incl. redutor esforço	26,00
464140	4024163145169	LED Driver 350mA, 5.95-10.15W, br. incl. redutor esforço DIM	37,25
464142	4024163164887	LED Driver 700mA, 6-10.5W, branco incl. redutor esforço, DIM	37,25
464144	4024163145220	LED Driver 500mA, 9.1-15W, branco incl. redutor esforço, DIM	37,25
464147	4024163160223	LED Driver 700mA 9.1-14.7W DIM	37,25
464200	4024163108416	LED Driver 700mA, 1-3W, branco incl. redutor esforço	26,00
464804	4024163157735	LED Driver 1050mA, 40W, br incl redutor esforço 2 saídas DIM	57,00
470500	4024163090902	Tranformador linear 100W, 24VDC, preto, 2 saídas	137,00
470505	4024163099677	Reóstato (DIMMER) 1-10V, branco max.10W, para aparelhagem	13,40
470548	4024163159128	Transformador linear 150W, 24VDC, preto, IP44	191,00
631337	4024163177115	BENA 120, LED, SPT, branco 3200lm, 3000K	174,00
631339	4024163177122	BENA 150, LED, SPT, branco 4400lm, 3000K	211,00
631347	4024163177139	BENA 120, LED, SPT, branco 3400lm, 4000K	174,00
631349	4024163177146	BENA 150, LED, SPT, branco 4600lm, 4000K	211,00
900011	4024163110013	Estaca para NAUTILUS/DASAR, plástico, preto, 17.5cm	4,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
955135	4024163053952	Casquilho GU10, condutores brs c/ 15 cm	2,05
961034	4024163159142	Limitador p/ cabo aço max 0.75mm² incl parafusos M4x5, 10 un	27,25
961037	4024163152051	Cabo aço 1mmx5m, ligação unilateral, incl. 3 clips fixação	20,50
961250		Cabo c/ bainha transparente, isolado, 3x0,75mm² max.300V 10m	27,25
961270	4024163144209	Cabo c/ bainha em tecido, preto, 3x0,75mm², 10m	54,00
1000127	4024163177450	KALU, LED, SPT, preto, 1000lm, 60°, 3000K, DIM	168,00
1000128	4024163177467	KALU, LED, SPT, br/preto, 1000lm, 60°, 3000K, DIM	168,00
1000129	4024163177443	KALU, LED, SPT duplo, preto, 2000lm, 60°, 3000K, DIM	282,00
1000130	4024163177474	KALU, LED, SPT duplo, br/preto, 2000lm, 60°, 3000K, DIM	282,00
1000131	4024163177481	KALU, LED, SPT tripo, preto, 3000lm, 60°, 3000K, DIM	424,00
1000132	4024163177498	KALU, LED, SPT tripo, br/preto, 3000lm, 60°, 3000K, DIM	424,00
1000135	4024163177528	KALU, LED, SPT quad 2x2, preto, 4000lm, 60°, 3000K, DIM	535,00
1000136	4024163177535	KALU, LED, SPT quad 2x2, br/preto, 4000lm, 60°, 3000K, DIM	535,00
1000327	4024163180733	THEO UP/DOWN, GU10, SP, branco, max.2x50W	115,00
1000329	4024163180757	THEO UP/DOWN, GU10, SP, alumínio, max.2x50W	122,00
1000330	4024163180702	THEO UP/DOWN, GU10, SP, antracite, max.2x50W	115,00
1000331	4024163180764	THEO UP/DOWN, GU10, SP, IP44, alumínio escovado, max.2x35W	104,00
1000332	4024163180771	ROX, GU10 QPAR111, ST, IP44, alum. max.50W	131,00
1000333	4024163180788	ROX, GU10 QPAR111, SP, IP44, alum. max.50W	151,00
1000334	4024163180795	ROX UP/DOWN, 2xGU10 QPAR111, SP, IP44, alum. max.2x50W	191,00
1000335	4024163180801	QUAD TURN, G9, QT14, SP, IP44, cz pt, max.42W	211,00
1000336	4024163180818	QUAD WL, E27, SP, IP44, inox 304, max.20W	224,00
1000339	4024163180849	ROX, GX53, TCR-TSE, ST, IP44, alum. max.11W	161,00
1000340	4024163180856	DELWA, LED, SP, IP44 IK02, br, 910lm, 100°, 3000K	212,00
1000342	4024163180870	DELWA, LED, SP, IP44 IK02, ant, 910lm, 100°, 3000K	212,00
1000343	4024163180887	Âncora para betão, para balizador quadrado POLE	54,00
1000344	4024163180894	QUAD POLE 30, E27, balizador IP44, inox 304, max.20W	232,00
1000345	4024163180900	QUAD POLE 60, E27, balizador IP44, inox 304, max.20W	292,00
1000346	4024163180917	QUAD POLE 90, E27, balizador IP44, inox 304, max.20W	343,00
1000384	4024163186766	GIMBLE OUT, LED, EPC, IP67 IK08, inox 316L, 1000lm 36° 3000K	384,00
1000398	4024163186902	Roseta de teto para PHOTONIA, SUSP, ant, IP44	80,00
1000422	4024163187145	SHELL 15, LED, SP, br, 1400lm, 120°, 3000K, DIM	252,00
1000423	4024163187152	SHELL 30, LED, SP, br, 5600lm, 120°, 3000K, DIM	378,00
1000457	4024163187497	GRAZIA 10, ET, 2m, p/STRIP até 1cm, alum. anodizado	28,50
1000458	4024163187503	GRAZIA 10, ET, 2m, p/STRIP até 1cm, branco	28,50
1000459	4024163187510	GRAZIA 10, ET, 2m, p/STRIP até 1cm, preto	28,50
1000460	4024163187527	GRAZIA 10, ST, 2m, plano, p/STRIP 1cm, alum. anodizado	28,50
1000461	4024163187534	GRAZIA 10, ST, 2m, plano, p/STRIP 1cm, branco	28,50
1000462	4024163187541	GRAZIA 10, ST, 2m, plano, p/STRIP 1cm, preto	28,50
1000463	4024163187558	GRAZIA 10, ST, 2m, padrão, p/STRIP 1cm, alum. anodizado	28,50
1000464	4024163187565	GRAZIA 10, ST, 2m, padrão, p/STRIP 1cm, branco	28,50
1000465	4024163187572	GRAZIA 10, ST, 2m, padrão, p/STRIP 1cm, preto	28,50
1000466	4024163187589	GRAZIA 10, 2m, difusor plano, PC leitoso	18,00
1000467	4024163187596	GRAZIA 10, 2m, difusor plano, PC transparente	18,00
1000468	4024163187602	GRAZIA 10, 2m, difusor plano, PMMA translúcido	24,00
1000469	4024163187619	GRAZIA 10, 2m, difusor plano, PMMA acetinado	24,00
1000470	4024163187626	GRAZIA 10, 2m, difusor elevado, PC translúcido	24,00
1000471	4024163187633	GRAZIA 10, 2m, difusor elevado, PC satinado	27,75
1000472	4024163187640	GRAZIA 10, terminal para perfil de ET, 2 un, al anodizado	6,85
1000473	4024163187657	GRAZIA 10, terminal para perfil de ET, 2 un, branco	6,85
1000474	4024163187664	GRAZIA 10, terminal para perfil de ET, 2 un, preto	6,85
1000475	4024163187671	GRAZIA 10, p/ perfil plano c/ difusor plano, 2un, al anod	6,85
1000476	4024163187688	GRAZIA 10, p/ perfil plano c/ difusor plano, 2un, branco	6,85
1000477	4024163187695	GRAZIA 10, p/ perfil plano c/ difusor plano, 2un, preto	6,85
1000478	4024163187701	GRAZIA 10, p/ perfil padrão c/ difusor plano, 2un, al anod	6,85
1000479	4024163187718	GRAZIA 10, p/ perfil padrão c/ difusor plano, 2un, branco	6,85
1000480	4024163187725	GRAZIA 10, p/ perfil padrão c/ difusor plano, 2un, preto	6,85
1000481	4024163187732	GRAZIA 10, p/ perfil plano c/ difusor elevado, 2un, al anod	6,85
1000482	4024163187749	GRAZIA 10, p/ perfil plano c/ difusor elevado, 2un, branco	6,85
1000483	4024163187756	GRAZIA 10, p/ perfil plano c/ difusor elevado, 2un, preto	6,85
1000484	4024163187763	GRAZIA 10, p/ perfil padrão c/ difusor elevado, 2un, al anod	6,85
1000485	4024163187770	GRAZIA 10, p/ perfil padrão c/ difusor elevado, 2un, branco	6,85

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1000486	4024163187787	GRAZIA 10, p/ perfil padrão c/ difusor elevado, 2un, preto	6,85
1000487	4024163187794	GRAZIA 10, grampo de montagem não visível, 2un, inox	4,30
1000489	4024163187817	GRAZIA 10, grampo de montagem 45°, 2un, inox	5,40
1000496	4024163187886	GRAZIA 20, ET, 3m, p/STRIP até 2cm, alumínio anodizado	103,00
1000497	4024163187893	GRAZIA 20, ET, 3m, p/STRIP até 2cm, branco	103,00
1000498	4024163187909	GRAZIA 20, ET, 3m, p/STRIP até 2cm, preto	103,00
1000505	4024163187978	GRAZIA 20, ST, 3m, plano estriado, p/STRIP até 2cm, al anod	70,00
1000506	4024163187985	GRAZIA 20, ST, 3m, plano estriado, p/STRIP até 2cm, branco	70,00
1000507	4024163187992	GRAZIA 20, ST, 3m, plano estriado, p/STRIP até 2cm, preto	70,00
1000514	4024163188067	GRAZIA 20, ST, 3m, padrão estriado, p/STRIP até 2cm, al anod	91,00
1000515	4024163188074	GRAZIA 20, ST, 3m, padrão estriado, p/STRIP até 2cm, branco	91,00
1000516	4024163188081	GRAZIA 20, ST, 3m, padrão estriado, p/STRIP até 2cm, preto	91,00
1000523	4024163188159	GRAZIA 20, ST, 3m, padrão liso, p/STRIP até 2cm, al anod	91,00
1000524	4024163188166	GRAZIA 20, ST, 3m, padrão liso, p/STRIP até 2cm, branco	91,00
1000525	4024163188173	GRAZIA 20, ST, 3m, padrão liso, p/STRIP até 2cm, preto	91,00
1000532	4024163188241	GRAZIA 20, ST, 3m, plano liso, p/STRIP até 2cm, al anod	70,00
1000533	4024163188258	GRAZIA 20, ST, 3m, plano liso, p/STRIP até 2cm, branco	70,00
1000534	4024163188265	GRAZIA 20, ST, 3m, plano liso, p/STRIP até 2cm, preto	70,00
1000535	4024163188272	GRAZIA 20, kit suspensão, 2 unidades, 2m, inox	28,50
1000536	4024163188289	GRAZIA 20, grampo de montagem não visível, 2 unidades, inox	4,30
1000537	4024163188296	GRAZIA 20, grampo de montagem visível, 2 unidades, inox	4,30
1000540	4024163188326	GRAZIA 20, 3m, difusor plano, PC acetinado	30,00
1000546	4024163188388	GRAZIA 20, 3m, difusor plano, PMMA translúcido	41,75
1000549	4024163188418	GRAZIA 20, 3m, difusor plano, PMMA leitoso	41,75
1000552	4024163188449	GRAZIA 20, 3m, difusor elevado, PC leitoso	41,75
1000555	4024163188470	GRAZIA 20, 3m, difusor elevado, PMMA acetinado	52,00
1000556	4024163188487	GRAZIA 20, term p/ perfil de ET, 2 un, alumínio anodizado	9,60
1000557	4024163188494	GRAZIA 20, term p/ perfil de ET, 2 un, branco	9,60
1000558	4024163188500	GRAZIA 20, term p/ perfil de ET, 2 un, preto	9,60
1000559	4024163188517	GRAZIA 20, term p/ perfil sal. plano c/ dif. plano, 2 un, al	9,60
1000560	4024163188524	GRAZIA 20, term p/ perfil sal. plano c/ dif. plano 2 un, br	9,60
1000561	4024163188531	GRAZIA 20, term p/ perfil sal. plano c/ dif. plano, 2 un, pr	9,60
1000562	4024163188548	GRAZIA 20, term p/ perfil sal. plano c/ dif. alto, 2 un, al	9,60
1000563	4024163188555	GRAZIA 20, term p/ perfil sal. plano c/ dif. alto, 2 un br	9,60
1000564	4024163188562	GRAZIA 20, term p/ perfil sal. plano c/ dif. alto, 2 un, pr	9,60
1000565	4024163188579	GRAZIA 20, term p/ perfil sal. padrão c/ dif. plano, 2 un al	9,60
1000566	4024163188586	GRAZIA 20, term p/ perfil sal. padrão c/ dif. plano 2 un br	9,60
1000567	4024163188593	GRAZIA 20, term p/ perfil sal. padrão c/ dif. plano, 2 un pr	9,60
1000568	4024163188609	GRAZIA 20, term p/ perfil sal. padrão c/ dif. alto, 2 un, al	9,60
1000569	4024163188616	GRAZIA 20, term p/ perfil sal. padrão c/ dif. alto, 2 un br	9,60
1000570	4024163188623	GRAZIA 20, term p/ perfil sal. padrão c/ dif. alto, 2 un, pr	9,60
1000571	4024163188630	GRAZIA 20, união longitudinal, 2 un, alumínio anodizado	12,60
1000574	4024163188661	FRAME CURVE, LED, EPT, branco 100lm, 2700K	77,00
1000575	4024163188678	FRAME CURVE, LED, EPT, prateado, 100lm, 2700K	77,00
1000576	4024163188685	FRAME BASIC, LED, EPT, branco 100lm, 2700K	71,00
1000577	4024163188692	FRAME BASIC, LED, EPT, prateado, 100lm, 2700K	71,00
1000579	4024163188715	FENDA abajour, branco Ø70 cm	112,00
1000580	4024163188722	FENDA abajour, preto/cobre, Ø70 cm	129,00
1000613	4024163189057	MANA, LED, base SP 96mm, br, 320lm, 2000K-3000K DIM2WARM	145,00
1000614	4024163189064	MANA, LED, base SP 200mm, br, 700lm, 2000K-3000K DIM2WARM	168,00
1000615	4024163189071	MANA, LED, base SP 200mm, br/crom, 490lm IRC90 3000K	215,00
1000616	4024163189088	MANA, abajour 12, madeira, cz/castanho, p/ base 1000613	51,00
1000618	4024163189101	MANA, abajour 12, alumínio, br, p/ base 1000613	51,00
1000621	4024163189132	MANA, abajour 29, madeira cz/cast p/ base 1000614 ou 1000615	61,00
1000623	4024163189156	MANA, abajour 29, alumínio, br, p/ base 1000614 ou 1000615	61,00
1000634	4024163189262	ASSO 300, LED, SP, br, 1040lm, IRC90, 2000K-3000K DIM2WARM	252,00
1000635	4024163189279	ASSO 300, LED, SP, al escov/br, 1040lm IRC90 2000K-3000K D2W	262,00
1000638	4024163189309	LOGS IN, LED, SP, quadr, pr/dourado 290lm IRC90 2000K-3000K	174,00
1000639	4024163189316	LOGS IN, LED, SP, quadr, br, 490lm, IRC90, 2000K-3000K D2W	168,00
1000640	4024163189323	LOGS IN, LED, SP, quadr, al./br 490lm, IRC90 2000K-3000K D2W	174,00
1000655	4024163189477	DASAR® PREMIUM DN160, pote de encastramento	72,00
1000665	4024163189576	LISENNE 40, E27 balizador IP54 basalto /vidro fumado máx.23W	400,00



Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1000666	4024163189583	LISENNE 70, E27 balizador IP54 basalto /vidro fumado máx.23W	458,00
1000668	4024163189606	Q-LINE, LED, SP, br, 3800lm, 110º, 3000K	464,00
1000669	4024163189613	Q-LINE, LED, SP, preto, 3800lm, 110º, 3000K	464,00
1000670	4024163189620	Q-LINE, LED, SP, cz pt, 3800lm, 110º, 3000K	464,00
1000682	4024163189743	APONI 90, LED, balizador IP65, ant, 440lm, 3000K, DIM	259,00
1000683	4024163189750	APONI 120, LED, balizador IP65, ant, 440lm, 3000K, DIM	320,00
1000685	4024163189774	Q-LINE, LED, ST, 1m, br, UGR10, 2100lm, 30º, IRC90 3000K DIM	464,00
1000686	4024163189781	Q-LINE, LED, ST, 1m, preto, UGR10 2100lm 30º IRC90 3000K DIM	464,00
1000688	4024163189804	Q-LINE, LED, ST, 1m, br, UGR10, 2300lm, 30º, IRC90 4000K DIM	464,00
1000689	4024163189811	Q-LINE, LED, ST, 1m, preto, UGR10 2300lm 30º IRC90 4000K DIM	464,00
1000691	4024163189835	Q-LINE, LED, ST, 2m, br, UGR10, 4200lm, 30º, IRC90 3000K DIM	696,00
1000692	4024163189842	Q-LINE, LED, ST, 2m, preto, UGR10 4200lm 30º IRC90 3000K DIM	696,00
1000694	4024163189866	Q-LINE, LED, ST, 2m, br, UGR10, 4600lm, 30º, IRC90 4000K DIM	696,00
1000695	4024163189873	Q-LINE, LED, ST, 2m, pr, UGR10, 4600lm, 30º, IRC90 4000K DIM	696,00
1000702	4024163189941	KALU, GU10 QPAR111, SPT, preto, max.75W	90,00
1000703	4024163189958	KALU, 2xGU10 QPAR111, SPT duplo, pr, max.2x75W	163,00
1000704	4024163189965	KALU, 3xGU10 QPAR111, SPT triplo, pr, max.3x75W	225,00
1000707	4024163189996	LIGHT EYE 150, GU10 QPAR111, C3F, pr/crom, max.75W	132,00
1000708	4024163190008	LIGHT EYE 150, GU10 QPAR111, C3F, br/cromado, max.75W	132,00
1000709	4024163190015	LIGHT EYE 150, GU10 QPAR111, C3F, SUSP, pr/crom, max.75W	132,00
1000711	4024163190039	ENOLA C TRACK, LED, C1F, preto, 900lm, 35º, 3000K	201,00
1000712	4024163190046	ENOLA C TRACK, LED, C1F, preto, 900lm, 55º, 3000K	201,00
1000713	4024163190053	LIGHT EYE 150, GU10 QPAR111, C1F, SUSP, pr/crom, max.75W	132,00
1000714	4024163190060	PIKA, GU10, ET, aro circ, fixo, br, max.50W	12,70
1000715	4024163190077	PIKA, GU10, ET, aro circ, fixo, cromado, max.50W	18,20
1000716	4024163190084	PIKA, GU10, ET, aro circ, fixo, latão polido, max.50W	18,20
1000717	4024163190091	PIKA, GU10, ET, aro circ, fixo, cz prata, max.50W	12,70
1000718	4024163190107	PIKA, GU10, ET, aro circ, orientável 30º, br, max.50W	18,20
1000719	4024163190114	PIKA, GU10, ET, aro circ, orientável 30º, cromado, max.50W	20,50
1000720	4024163190121	PIKA, GU10, ET, aro circ orientável 30º latão polido max.50W	20,50
1000721	4024163190138	PIKA, GU10, ET, aro circ, orientável 30º, cz prata, max.50W	18,20
1000725	4024163190176	MEDO 60, LED, saliente, quadr pr UGR22 3300lm 3000K 1-10VDIM	555,00
1000726	4024163190183	MEDO 60, LED, saliente, quadr br UGR22 3300lm 3000K 1-10VDIM	555,00
1000727	4024163190190	MEDO 60, LED salient quadr cz pt UGR22 3300lm 3000K 1-10VDIM	555,00
1000729	4024163190213	ENOLA B, GU10, saliente, c/ int. preto, max.50W	92,00
1000730	4024163190220	ENOLA B, GU10, saliente, c/ int. br, max.50W	92,00
1000731	4024163190237	ENOLA B, GU10, saliente, c/ int. bronze, max.50W	100,00
1000735	4024163190275	HELIA SPOT, LED, proj IP55, ant, 480lm, 35º, 3000K, DIM	195,00
1000736	4024163190282	Estaca para HELIA SPOT, inox 304, 12.6cm	21,75
1000746	4024163190381	BATO 35, E27, SPT, preto, max.60W	183,00
1000748	4024163190404	BATO 35, E27, SPT, latão escovado, max.60W	194,00
1000763	4024163190558	FENDA BOW BASIS, CP, E27, cromado, c/ int. de pé, max25W	262,00
1000764	4024163190565	FENDA, abajour, br, Ø 40 cm, máx.60W	102,00
1000773	4024163190657	FENDA, abajour em vidro esfumado, máx.40W(E27)	65,00
1000777	4024163190695	DORISA 30, LED, p/ espelhos IP44, cromado, 280lm, 110º 4000K	115,00
1000780	4024163190725	DORISA 50, LED, p/ espelhos IP44, cromado, 370lm 4000K	127,00
1000783	4024163190756	PANEL 60, LED, ST, circ, br, 3150lm, 110º, UGR22, 3000K, DIM	292,00
1000784	4024163190763	PANEL 60, LED, ST, circ, br, 3350lm, 110º, UGR22, 4000K, DIM	292,00
1000785	4024163190770	PANEL 60, LED, ST, cz prata, br, 3150lm 110º UGR22 3000K DIM	292,00
1000797	4024163190893	RASCALI, LED, SP IP54, ant, 330lm, 3000K	133,00
1000799	4024163190916	RASCALI 45, LED, balizador IP65, ant, 45cm, 360lm, 3000K	184,00
1000801	4024163190930	RASCALI 65, LED, balizador IP65, ant, 65cm, 360lm, 3000K	207,00
1000807	4024163190992	ANELA, LED, ST, preto, 200-620lm, IRC90, 3000K, DIM	173,00
1000808	4024163191005	ANELA, LED, ST, br, 200-620lm, IRC90, 3000K, DIM	173,00
1000809	4024163191012	ANELA, reflector 28º, dourado	19,70
1000810	4024163191029	ANELA, reflector 28º, cinzento prata	19,70
1000811	4024163191036	ANELA, reflector 28º, preto	19,70
1000812	4024163191043	ANELA, reflector 28º, branco	19,70
1000813	4024163191050	ANELA, LED, SUSP, preto, 200-620lm, IRC90, 3000K, DIM	210,00
1000820	4024163191128	MOLAT, E27, SP IP44, ant, max.60W	106,00
1000821	4024163191135	MOLAT, E27, SUSP IP44, ant, max.60W	147,00
1000822	4024163191142	MOLAT, E27, balizador IP44, ant, max.60W	181,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1000823	4024163191159	MOLAT, E27, ST IP44, ant, max.60W	132,00
1000824	4024163191166	MANA, abajour, gesso, br, p/ base 1000613	36,00
1000825	4024163191173	MANA, abajour, gesso, br, p/ base 1000614 ou 1000615	33,75
1000833	4024163191258	KINI, LED, ET IP65, br, 850lm, 60°, 3000K, DIM	103,00
1000855	4024163191470	MEDO 30 LED saliente preto UGR25 1000lm 105° 3000K 1-10V DIM	268,00
1000856	4024163191487	MEDO 30 LED saliente br UGR25 1000lm 105° 3000K 1-10V DIM	268,00
1000857	4024163191494	MEDO 30 LED saliente cz prata UGR25 1000lm 3000K 1-10V DIM	268,00
1000864	4024163191562	MEDO 40 LED saliente preto UGR25 2000lm 105° 3000K 1-10V DIM	312,00
1000865	4024163191579	MEDO 40 LED saliente br UGR25 2000lm 105° 3000K 1-10V DIM	312,00
1000866	4024163191586	MEDO 40 LED saliente cz prata UGR25 2000lm 3000K 1-10V DIM	312,00
1000880	4024163191722	TODAY LED vitrinismo 80cm IP65 preto 2600lm 140° 4000K	228,00
1000881	4024163191739	TODAY LED vitrinismo 80cm IP65 br 2600lm 140° IRC>70 4000K	228,00
1000886	4024163191784	AVO, GU10, simples, SPT, preto, max.50W	45,25
1000887	4024163191791	AVO, GU10, simples, SPT, branco max.50W	45,25
1000889	4024163191814	AVO, 2xGU10, duplo, SPT, preto, max.2x50W	94,00
1000890	4024163191821	AVO, 2xGU10, duplo, SPT, branco max.2x50W	94,00
1000892	4024163191845	AVO, 3xGU10, Triplo, SPT, preto, max.3x50W	117,00
1000893	4024163191852	AVO, 3xGU10, Triplo, SPT, branco max.3x50W	117,00
1000895	4024163191876	AVO, 4xGU10, Quad, SPT, preto, max.4x50W	140,00
1000896	4024163191883	AVO, 4xGU10, Quad, SPT, branco max.4x50W	140,00
1000909	4024163192019	Casquilho GU10 c/ caixa de derivação	7,75
1000910	4024163192026	SOLID CUBE, G9, SP, betão cz, max.25W	97,00
1000911	4024163192033	SOLID CUBE, G9, SP, arenito preto, max.25W	97,00
1000914	4024163192064	HORN MINI, LED 350mA, ET, br, 70lm, 12°, IRC90, 3000K	40,25
1000915	4024163192071	HORN MINI, LED 350mA, ET, preto, 70lm, 12°, IRC90, 3000K	40,25
1000917	4024163192095	HORN MINI, LED 350mA, ET, pr/dourado, 70lm, 12°, IRC90 3000K	43,75
1000918	4024163192101	Reflector para PARA FLAC LED SUSP	53,00
1000926	4024163192163	Q-LINE, LED, SUSP, 1m, br, UGR10, 2100lm 30° IRC90 3000KDIM	484,00
1000927	4024163192170	Q-LINE, LED, SUSP, 1m, pr, UGR10, 2100lm 30° IRC90 3000KDIM	484,00
1000929	4024163192194	Q-LINE, LED SUSP 2m br UGR10 4200lm 30° IRC90 3000K DIM	726,00
1000930	4024163192200	Q-LINE, LED SUSP 2m pr UGR10 4200lm 30° IRC90 3000K DIM	726,00
1000932	4024163192224	Q-LINE, LED SUSP 1m br UGR10 2300lm 30° IRC90 4000K DIM	484,00
1000933	4024163192231	Q-LINE, LED SUSP 1m pr UGR10 2300lm 30° IRC90 4000K DIM	484,00
1000935	4024163192255	Q-LINE, LED SUSP 2m br UGR10 4600lm 30° IRC90 4000K DIM	726,00
1000936	4024163192262	Q-LINE, LED SUSP 2m pr UGR10 4600lm 30° IRC90 4000K DIM	726,00
1000957	4024163192477	FENDA, cobertura, Ø70 cm	94,00
1001015	4024163194624	KAMUELA ECO, LED ET IP65 resist fogo pr 400lm 38° 3000K DIM	35,50
1001016	4024163192996	KAMUELA ECO, LED ET IP65 resist fogo br 400lm 38° 3000K DIM	35,50
1001017	4024163193009	KAMUELA ECO, LED ET IP65 resist fogo pr 400lm 38° 4000K DIM	35,50
1001018	4024163193016	KAMUELA ECO, LED ET IP65 resist fogo br 400lm 38° 4000K DIM	35,50
1001019	4024163193023	LONG grelha, rotação simples, SPT, br, 1600lm, 110°, 3000K	297,00
1001020	4024163193030	LONG grelha, rotação simples, SPT, pt. 1600lm, 110°, 3000K	297,00
1001155	4024163194723	LIGHTPOINT, LED 350mA, ET, circ, al.escov, 100lm, 3000K	36,25
1001156	4024163194730	LIGHTPOINT, LED 350mA, ET, circ, branco 100lm, 3000K	30,50
1001165	4024163194822	DOLIX OUT, GU10, ET IP65, circ, branco máx.50W	35,50
1001166	4024163194839	DOLIX OUT, GU10, ET IP65, circ, cromado, máx.50W	39,50
1001167	4024163194846	DOLIX OUT, GU10, ET IP65, circ, cz prata, máx.50W	35,50
1001168	4024163194853	DOLIX OUT, GU10, ET IP65, circ, cromado mate, máx.50W	39,50
1001169	4024163194860	DOLIX OUT, GU10, ET IP65, quadr, branco máx.50W	35,50
1001171	4024163194884	DOLIX OUT, GU10, ET IP65, quadr, cz prata, máx.50W	35,50
1001172	4024163194891	DOLIX OUT, GU10, ET IP65, quadr, cromado mate, máx.50W	39,50
1001250	4024163195546	VALETO®, LED PANEL,ET 60x60 UGR<19 2700-6500K KELVIN CONTROL	202,00
1001251	4024163195553	VALETO®, LED PANEL,ET 62x62 UGR<19 2700-6500K KELVIN CONTROL	224,00
1001254	4024163195584	BIG PLOT, Cobertura, 2 aberturas, inox 316	198,00
1001255	4024163195591	BIG PLOT, Cobertura, 4 aberturas, inox 316	198,00
1001256	4024163195607	BIG PLOT, LED, EPT IP67 IK06, alumínio, cz pt, 460lm, 3000K	92,00
1001262	4024163195669	BIG PLOT, Cobertura, 2 aberturas, alumínio, ant	56,00
1001263	4024163195676	BIG PLOT, Cobertura, 4 aberturas, alumínio, ant	56,00
1001264	4024163195683	AKALO 83 DL branco 3000/4000/5700K	40,25
1001272	4024163195751	FENDA, E27, base, SP, br, max.40W	52,00
1001273	4024163195768	Abajour para FENDA 1001272, preto	38,50
1001274	4024163195775	Abajour para FENDA 1001272, preto/cobre	44,75

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1001275	4024163195782	Abajour para FENDA 1001272, branco	38,50
1001276	4024163195799	Abajour para FENDA 1001272, bege	38,50
1001283	4024163195874	SIGHT 60, LED, SPT, c/ int. 600 mm, pt, 1490lm, UGR28 3000K	232,00
1001284	4024163195881	SIGHT 60, LED, SPT, c/ int. 600 mm, br, 1490lm, UGR28 3000K	232,00
1001286	4024163195904	SIGHT 115, LED, SPT, 1200 mm, preto, 3100lm, UGR28, 3000K	323,00
1001287	4024163195911	SIGHT 115, LED, SPT, 1200 mm, branco, 3100lm, UGR28, 3000K	323,00
1001299	4024163196024	L-LINE 60, LED, SP IP44, branco, 820lm, 120º, 3000K	239,00
1001300	4024163196031	L-LINE 60, LED, SP IP44, prateado, 820lm, 120º, 3000K	239,00
1001303	4024163196055	L-LINE 120, LED, SP IP44, branco, 1650lm, 120º, 3000K	330,00
1001304	4024163196062	L-LINE 120, LED, SP IP44, cz pt, 1650lm, 120º, 3000K	330,00
1001309	4024163196116	Q-LINE, LED, SUSP, preto, 1500 mm, 3700lm, 120º, 3000K, DALI	580,00
1001314	4024163196147	IMPERVA 120, LED, SPT IP66 IK08, cz pt, 4200lm, 120º, 3000K	110,00
1001315	4024163196154	IMPERVA 120, LED, SPT IP66 IK08, cz pt, 4600lm, 120º, 4000K	110,00
1001317	4024163196178	IMPERVA 150, LED, SPT IP66 IK08, cz pt, 7100lm, 120º, 4000K	131,00
1001359	4024163196567	BIG PLOT, LED, EPT IP67 IK06, inox 316L, 460lm, 3000K	133,00
1001380	4024163196741	Terminal p/ Calha S-TRACK, branco	2,00
1001382	4024163196765	Conetor intermédio p/ Calha S-TRACK, isolado, branco	7,65
1001390	4024163196840	Suspensão rígida p/ Calha S-TRACK, branco 100cm	32,50
1001392	4024163196864	União mecânica p/ Calha S-TRACK, branco	11,90
1001393	4024163196871	Gancho para Calha electrificada trifásica	2,70
1001395	4024163196895	Adaptador mecânico p/ Calha S-TRACK, branco	15,40
1001400	4024163196949	GLENOS® 1m PD preto 2850lm UGR28 3000K 1-10V DIM	393,00
1001403	4024163196970	GLENOS® 1m PD preto 3300lm UGR28 4000K 1-10V DIM	393,00
1001406	4024163197007	GLENOS® 1m PD preto 5700lm UGR28 3000K 1-10V DIM	540,00
1001409	4024163197038	GLENOS® 1m PD preto 6600lm UGR28 4000K 1-10V DIM	540,00
1001460	4024163199445	KARPO LED CM br reg. int. 3 níveis 400lm 40º, 3000K IRC90	186,00
1001461	4024163199452	KARPO LED CM preto reg. int. 3 níveis 330lm 40º, 3000K IRC90	186,00
1001462	4024163199469	KARPO LED CP br reg. int. 3 níveis 400lm 40º, 3000K IRC90	242,00
1001463	4024163199476	KARPO LED CP preto reg. int. 3 níveis 330lm 40º, 3000K IRC90	242,00
1001468	4024163199520	MERADO FLOOD, LED, SPT, br, 3000lm, 40º, 3000K, DIM	247,00
1001472	4024163199568	MERADO FLOOD, LED, SPT, br, 3200lm, 40º, 4000K, DIM	247,00
1001488	4024163199728	ROX ACRYL 30, E27, balizador IP44, inox 304, 30cm, max 20W	161,00
1001489	4024163199735	ROX ACRYL 60, E27, balizador IP44, inox 304, 60cm, max 20W	191,00
1001490	4024163199742	ROX ACRYL 90, E27, balizador IP44, inox 304, 90cm, max 20W	211,00
1001494	4024163199780	Âncora para betão para balizador ROX ACRYL	29,50
1001505	4024163199896	PANEL, LED, ST, branco, 120x30, 3100lm, UGR19 3000K TRIAC	278,00
1001506	4024163199902	PANEL, LED, ST, cinza, 120x30, 3100lm, UGR19 3000K TRIAC	278,00
1001508	4024163199926	PANEL, LED, ST, branco, 120x30, 3400lm, UGR19 4000K TRIAC	278,00
1001509	4024163199933	PANEL, LED, ST, cinza, 120x30, 3400lm, UGR19 4000K TRIAC	278,00
1001510	4024163199940	EUTRAC, Calha saliente de 3 circuitos (Trifásico), br, 1m	49,50
1001511	4024163199957	EUTRAC, Calha saliente de 3 circuitos (Trifásico), br, 2m	90,00
1001512	4024163199964	EUTRAC, Calha saliente de 3 circuitos (Trifásico), br, 3m	141,00
1001513	4024163199971	EUTRAC, Alimentador, Terra Esq. branco	19,70
1001514	4024163199988	EUTRAC, Alimentador, Terra dta. branco	19,70
1001515	4024163199995	EUTRAC, Alimentação Central, branco	44,75
1001516	4024163200004	EUTRAC, união longitudinal, electrificada, branco	19,70
1001517	4024163200011	EUTRAC, união c/ possível alimentação, branco	78,00
1001518	4024163200028	EUTRAC, Conetor T, Terra Esq. branco	89,00
1001519	4024163200035	EUTRAC, Conetor T, Terra Dta. branco	89,00
1001520	4024163200042	EUTRAC, União em L, Terra Exterior, branco	65,00
1001521	4024163200059	EUTRAC, união em L, Terra Interior, branco	65,00
1001522	4024163200066	EUTRAC, conetor em X, branco	130,00
1001523	4024163200073	EUTRAC, união mecânica p/ calha trifásica 3F, branco	21,75
1001524	4024163200080	EUTRAC, união flexível, branco	89,00
1001525	4024163200097	EUTRAC, adaptador c/ tomada shuko, branco	94,00
1001526	4024163200103	EUTRAC, Calha adaptador saliente, branco	104,00
1001527	4024163200110	EUTRAC, terminal p/ calha trifásica 3F, branco	4,00
1001528	4024163200127	EUTRAC, suspensão rígida p/ Calha trif. br, 120cm	44,75
1001529	4024163200134	EUTRAC, suspensão rígida p/ Calha trif. br, 60cm	39,00
1001530	4024163200141	EUTRAC, clip para pêndulo p/ Calha trif, branco	11,40
1001531	4024163200158	EUTRAC, Calha ET de 3 circuitos (Trifásico), br, 2m	121,00
1001532	4024163200165	EUTRAC, Calha ET de 3 circuitos (Trifásico), br, 3m	201,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1001533	4024163200172	EUTRAC alimentador p/ Calha trif. ET, br, Terra Esq	32,50
1001534	4024163200189	EUTRAC alimentador p/ Calha trif. ET, br, Terra Dta	32,50
1001536	4024163200202	EUTRAC união em L p/ Calha trif. ET, br, Terra Exterior	78,00
1001537	4024163200219	EUTRAC união em L p/ Calha trif. ET, br, Terra Interior	78,00
1001538	4024163200226	EUTRAC terminal p/ Calha trif. ET, br	7,65
1001539	4024163200233	EUTRAC, união longitudinal p/ calha trif. br c/ reforço mec.	27,25
1001542	4024163200257	EUTRAC, adapt trifásico p/ calha trifásica 3F, br incl. Aces	19,70
1001574	8719514307186	LED MR16 12VAC 5W 450lm 36° 2700K DIM (APENAS TRANF FERR.)	37,25
1001575	8719514307209	LED MR16 12VAC 5W 460lm 36° 3000K DIM (APENAS TRANF FERR.)	37,25
1001691	4024163201629	Reflector translúcido p/ PARA FLAC	67,00
1001692	4024163201636	Difusor para PARA FLAC	33,50
1001701	4024163201674	FORCHINI L 70 E27 PD preto/dourado	403,00
1001818	4024163220712	FITU, roseta tripla, aço, preto	96,00
1001819	4024163220729	FITU, roseta tripla, aço, branco	96,00
1001820	4024163220736	FITU, roseta quintupla, aço, preto	125,00
1001821	4024163220743	FITU, roseta quintupla, aço, branco	125,00
1001823	4024163220767	RUSTY® PATHLIGHT 40, LED BZ IP55 IK06 Aço corten 400lm 3000K	323,00
1001824	4024163220774	RUSTY® PATHLIGHT 70, LED BZ IP55 IK06 Aço corten 400lm 3000K	419,00
1001861	4024163221108	EURO SPOT TRACK, GU10, C1F, preto, máx.25W	77,00
1001862	4024163221115	NOBLO SPOT, LED, C1F, preto, 620lm, 36°, 2700K	70,00
1001863	4024163221122	NOBLO SPOT, LED, C1F, br, 620lm, 36°, 2700K	70,00
1001864	4024163221139	NOBLO SPOT, LED, C1F, cz prata, 620lm, 36°, 2700K	70,00
1001865	4024163221146	NOBLO SPOT, LED, C3F, preto, 620lm, 36°, 2700K	70,00
1001866	4024163221153	NOBLO SPOT, LED, C3F, br, 620lm, 36°, 2700K	70,00
1001868	4024163221177	PURI TRACK, GU10, C1F, vidro, preto, max.50W	45,25
1001869	4024163221184	PURI TRACK, GU10, C1F, vidro, br, max.50W	45,25
1001871	4024163221207	PURI TRACK, GU10, C3F, vidro, preto, max.50W	45,25
1001872	4024163221214	PURI TRACK, GU10, C3F, vidro, br, max.50W	45,25
1001877	4024163221269	MEDO 30 LED SPT pr switch 1600/1800lm 3000/4000K Triac DIM	292,00
1001878	4024163207720	MEDO 90 CORONA, LED, ST, preto 9500lm, 3000/4000K TRIAC	1 211,00
1001879	4024163207737	MEDO 90 CORONA, LED, ST, branco 9500lm, 3000/4000K TRIAC	1 211,00
1001880	4024163207744	MEDO 90 CORONA, LED, ST, cinza 9500lm, 3000/4000K TRIAC	1 211,00
1001881	4024163221276	MEDO 30 LED SPT br switch 1600/1800lm 3000/4000K Triac DIM	292,00
1001882	4024163221283	MEDO 30 LED SPT cz pt switch 1600/1800lm 3000/4000K TriacDIM	292,00
1001883	4024163221290	MEDO 40 LED SPT pr switch 3100/3200lm 3000/4000K Triac DIM	323,00
1001884	4024163221306	MEDO 40 LED SPT br switch 3100/3200lm 3000/4000K Triac DIM	323,00
1001885	4024163221313	MEDO 40 LED SPT cz pt switch 3100/3200lm 3000/4000K TriacDIM	323,00
1001886	4024163221320	MEDO 60 LED SPT pr switch 3800/4200lm 3000/4000K Triac DIM	615,00
1001887	4024163221337	MEDO 60 LED SPT br switch 3800/4200lm 3000/4000K Triac DIM	615,00
1001888	4024163221344	MEDO 60 LED SPT cz pt switch 3800/4200lm 3000/4000K TriacDIM	615,00
1001889	4024163221351	MEDO 30 LED SPT pr switch 1600/1800lm 3000/4000K DALI DIM	323,00
1001890	4024163207843	MEDO 90 CORONA, DALI LED, ST, preto 9500lm, 3000/4000K	1 504,00
1001891	4024163207850	MEDO 90 CORONA, DALI LED, ST, branco 9500lm, 3000/4000K	1 504,00
1001892	4024163207867	MEDO 90 CORONA, DALI LED, ST, cinza 9500lm, 3000/4000K	1 504,00
1001893	4024163221368	MEDO 30 LED SPT br switch 1600/1800lm 3000/4000K DALI DIM	323,00
1001894	4024163221375	MEDO 30 LED SPT cz pt switch 1600/1800lm 3000/4000K DALI DIM	323,00
1001895	4024163221382	MEDO 40 LED SPT pr switch 3100/3200lm 3000/4000K DALI DIM	430,00
1001896	4024163221399	MEDO 40 LED SPT br switch 3100/3200lm 3000/4000K DALI DIM	430,00
1001897	4024163221405	MEDO 40 LED SPT cz pt switch 3100/3200lm 3000/4000K DALI DIM	430,00
1001898	4024163221412	MEDO 60 LED SPT pr switch 3800/4200lm 3000/4000K DALI DIM	662,00
1001899	4024163221429	MEDO 60 LED SPT br switch 3800/4200lm 3000/4000K DALI DIM	662,00
1001900	4024163221436	MEDO 60 LED SPT cz pt switch 3800/4200lm 3000/4000K DALI DIM	662,00
1001901	4024163221443	MEDO 30 LED 350mA ET s/aro 1600/1800lm 3000/4000K sem driver	212,00
1001902	4024163221450	MEDO 40 LED 700mA ET s/aro 3100/3200lm 3000/4000K sem driver	235,00
1001903	4024163221467	MEDO 60 LED 1000mA ET s/aro 3800/4200lm 3000/4000K s/ driver	498,00
1001904	4024163207980	MEDO 90 ET LED 1000mA 2drv, branco, s/ aro 9500lm 3000/4000K	1 100,00
1001905	4024163221474	MEDO 30 LED 350mA ET c/aro 1600/1800lm 3000/4000K sem driver	222,00
1001906	4024163221481	MEDO 40 LED 700mA ET c/aro 3100/3200lm 3000/4000K sem driver	248,00
1001907	4024163221498	MEDO 60 LED 1000mA ET c/aro 3800/4200lm 3000/4000K s/ driver	551,00
1001908	4024163208024	MEDO 90, ET, LED 1000mA, branco, c/ aro, 9500lm, 3000/4000K	1 100,00
1001930	4024163221689	VARU, GU10, ET IP65, preto, máx 5WLED	41,00
1001931	4024163221696	VARU, GU10, ET IP65, preto/br, máx 5WLED	41,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1001937	4024163221733	NAUTILUS 10, LED, SE IP65 c/ estaca, enfer, 520lm, 45° 3000K	164,00
1001939	4024163221757	FERA 25, LED, ST, circ, preto, 2000lm, 100°, 3000K	201,00
1001950	4024163221825	Suspensão de cabo c/ 5m e roseta, br	100,00
1001951	4024163221832	Suspensão de cabo c/ 5m e roseta, cz prata	100,00
1001952	4024163221849	Suspensão de cabo c/ 5m e roseta, preto	100,00
1001962	4024163221931	NAUTILUS, LED, SE P55 IK03, inox 316, 520lm, 106°, 3000K	131,00
1001963	4024163221948	NAUTILUS, acessório montagem saliente p/1001962, inox 316	9,05
1001964	4024163221955	NAUTILUS 15, GU10, SE IP65 c/ estaca, cor enferruj. max.11W	39,50
1001965	4024163221962	NAUTILUS 15, GU10, SE IP65 c/ estaca, verde, max.11WLED	39,50
1001968	4024163221979	PARA CONE 14, GU10, C1F, SUSP, cobre, máx.35W	124,00
1001969	4024163221986	ANGOLUX S LED SP IP44(luz para baixo) br 500lm 120° 3000KPIR	181,00
1001970	4024163221993	ANGOLUX S LED SP IP44(luz para baixo) ant 500lm 20° 3000KPIR	181,00
1001978	4024163222068	NEW TRIA 68, LED, ET, circ, preto, 890lm 38° IRC90 3000K D2W	87,00
1001980	4024163222075	NEW TRIA 68, GU10, ET, circ, preto, max.50W	29,00
1001981	4024163222082	NEW TRIA 68, GU10, ET, circ, br, 50W	29,00
1001982	4024163222099	NEW TRIA 68, GU10, ET, circ, alumínio escovado, max.50W	32,50
1001989	4024163222105	NEW TRIA 68, LED, ET, circ, br, 890lm, 38°, IRC90, 3000K D2W	87,00
1001990	4024163222112	NEW TRIA 68, LED ET circ al. esc 890lm 38° IRC90, 3000K, D2W	93,00
1001991	4024163222129	NEW TRIA 68, LED, ET, quadr, preto 890lm 38° IRC90 3000K D2W	87,00
1001992	4024163222136	NEW TRIA 68, LED, ET, quadr, br, 890lm, 38°, IRC90 3000K D2W	87,00
1001993	4024163222143	NEW TRIA 68, LED, ET quadr al. esc 890lm 38° IRC90 3000K D2W	93,00
1001994	4024163222150	NEW TRIA 68, GU10, ET, quadr, preto, max.50W	29,00
1001995	4024163222167	NEW TRIA 68, GU10, ET, quadr, br, max.50W	29,00
1001996	4024163222174	NEW TRIA 68, GU10, ET, quadr, al.escov, max.50W	32,50
1001999	4024163222204	GLOO PURE 27, E27, BZ IP44 IK04, ant, max 23W	93,00
1002000	4024163222211	GLOO PURE 44, E27, BZ IP44 IK04, ant, max 23W	124,00
1002001	4024163222228	GLOO PURE 70, E27, BZ IP44 IK04, ant, max 23W	136,00
1002002	4024163222235	GLOO PURE, E27, SP, IP44, antracite, max 23W	97,00
1002003	4024163222242	TRILEDO, 2xLED, ST, quadr, preto, 1340lm, 36°, 3000K	163,00
1002004	4024163222259	TRILEDO, GU10, ST, quadr, al.escov, max.2x10W	94,00
1002005	4024163222266	TRILEDO, 2xGU10, ST, quadr, preto, max.2x10W	129,00
1002006	4024163222273	TRILEDO, 2xGU10, ST, quadr, br, max.2x10W	129,00
1002008	4024163222280	TRILEDO, 2xLED, ST, quadr, br, 1340lm, 36°, 3000K	163,00
1002010	4024163222297	TRILEDO, GU10, ST circular. preto, max.10W	87,00
1002011	4024163222303	TRILEDO, GU10, ST circular. br, max.10W	87,00
1002012	4024163222310	TRILEDO, GU10, ST circular. al.escov, max.10W	94,00
1002013	4024163222327	TRILEDO, GU10, ST, quadr, preto, max.10W	87,00
1002015	4024163222334	TRILEDO, GU10, ST, quadr, br, max.10W	87,00
1002018	4024163222365	SITRA UP/DOWN, LED, SP IP44, ant, 2x488lm, 2x55°, 3000K	151,00
1002020	4024163222389	LIPSY 30, LED saliente IP44 br switch 1450/1600lm 3000/4000K	90,00
1002021	4024163222396	LIPSY 40, LED saliente IP44 br switch 1850/2050lm 3000/4000K	111,00
1002022	4024163222402	LIPSY 50, LED saliente IP44 br switch 2200/2440lm 3000/4000K	121,00
1002023	4024163222419	KALU, 4xGU10 QPAR111, SPT, linear, preto, max.4x75W	302,00
1002024	4024163222426	KALU, 4xGU10 QPAR111, SPT, linear, br, max.4x75W	302,00
1002025	4024163222433	KALU, 4xGU10 QPAR111, SPT, linear, al. esc. max.4x75W	313,00
1002029	4024163222471	PURI, 4xGU10, saliente, pr.mate, max.4x50W, incl.anel decor.	165,00
1002030	4024163222488	PURI, 4xGU10, saliente, br.mate, max.4x50W, incl.anel decor.	165,00
1002032	4024163222501	SITRA CUBE, LED, SP IP44 IK05, ant, 10W, 2x560lm, 90°, 3000K	113,00
1002033	4024163222518	SITRA CUBE, LED, SP IP44 IK05, br, 10W, 2x560lm, 90°, 3000K	113,00
1002034	4024163222525	SITRA CUBE, LED, SP IP44 IK05 ferrugem 10W 2x560lm 90° 3000K	113,00
1002035	4024163222532	BOX-L, LED, SP IP44 IK05, ant, 19W, 480lm, 3000K	128,00
1002045	4024163222570	SUN, E27, SUSP, br/cromado, max.60W, SUSP no cabo	91,00
1002046	4024163222587	BIG SUN, E27, SUSP, br/cromado, max.60W, SUSP no cabo	171,00
1002069	4024163222754	PEMA® LED SP IP54(voltado p/ baixo)IK05 ant 7.7W 450lm 3000K	131,00
1002070	4024163222761	PEMA® LED SP IP54(voltado p/ baixo) IK05 br 7.7W 450lm 3000K	131,00
1002075	4024163222815	LIPSY, 30 LED saliente IP44 br switch 1450/1600lm 3000/4000K	100,00
1002076	4024163222822	LIPSY, 40 LED saliente IP44 br switch 1850/2000lm 3000/4000K	111,00
1002077	4024163222839	LIPSY, 50 LED saliente IP44 br switch 2000/2300lm 3000/4000K	121,00
1002098	4024163222853	PATTA-I, LED ET circ. IP65 preto 440lm IRC90 1800-3000K D2W	86,00
1002099	4024163222860	PATTA-I, LED ET circ IP65 br 440lm IRC90 1800-3000K D2W	86,00
1002100	4024163222877	PATTA-I, LED ET circ IP65 cz pt 440lm IRC90 1800-3000K D2W	90,00
1002101	4024163222884	PATTA-I, LED ET quadr IP65 pr 440lm IRC90 1800-3000K D2W	86,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1002102	4024163222891	PATTA-I, LED ET quadr IP65 br 440lm IRC90 1800-3000K D2W	86,00
1002103	4024163222907	PATTA-I, LED ET quadr IP65 cz pt 440lm IRC90 1800-3000K D2W	90,00
1002110	4024163222976	ENOLA B TRACK, GU10, preto, C1F max50W	80,00
1002111	4024163222983	ENOLA B TRACK, GU10, br, C1F max50W	80,00
1002113	4024163223003	ENOLA B TRACK, GU10, cz prata, C1F max50W	80,00
1002116	4024163223034	DIO FLEX PLATE, LED, SP, cromado, 82lm, 45°, 2700K	106,00
1002117	4024163223041	DIO FLEX PLATE, LED, SP, br, 82lm, 45°, 2700K	100,00
1002118	4024163223058	DIO FLEX PLATE, LED, SP, br, 82lm, 45°, 3000K	100,00
1002119	4024163223065	DIO FLEX PLATE, LED, SP, br, 82lm, 45°, 4000K	100,00
1002140	4024163223263	KARPO, LED, CC, br, reg. 3 níveis 2xUSB 3000K	242,00
1002147	4024163223331	FITU, E27, SP p/ interiores, dourado, max.24W	97,00
1002148	4024163223348	FITU, E27, SP p/ interiores, preto, max.24W	97,00
1002149	4024163223355	FITU, E27, SP p/ interiores, br, max.24W	103,00
1002151	4024163223379	Calha C1F (1 circuito) 230VAC, montagem saliente, preto, 3m	100,00
1002152	4024163223386	Calha C1F (1 circuito) 230VAC, montagem saliente, branco, 3m	100,00
1002153	4024163223393	Calha C1F (1 circ.) 230VAC, montagem saliente, cz prata, 3m	100,00
1002163	4024163223492	FITU, roseta simples, dourado	28,50
1002164	4024163223508	FITU, roseta tripla em linha, dourado	68,00
1002165	4024163223515	FITU, roseta quintupla em linha, dourado	91,00
1002168	4024163223546	FITU, E27, SUSP, dourado, cabo 5m, max.60W	75,00
1002170	4024163223560	HELIA 30, LED 500mA ET roseta SUSP escov550lm 40°IRC90 3000K	201,00
1002172	4024163223584	HELIA 30, LED SUSP latão escov. 550lm 40° IRC90 3000K DIM	246,00
1002188	4024163223690	DASAR® FLAT 80, LED EC IP67, circ br aro inox 304 125° 4000K	128,00
1002190	4024163223713	MARYLIN LED SP IP44 cromado/branco 680lm 3000K	228,00
1002191	4024163223720	MARYLIN LED SP IP44 cromado/branco 1000lm 3000K	286,00
1002192	4024163223737	MARYLIN LED SP IP44 cromado/branco 1400lm 3000K	344,00
1002198	4024163223799	HELIA, LED, BZ, IP55, simples, ant, 450lm, 38°, 3000K, DIM	240,00
1002200	4024163223812	HELIA, LED, BZ, IP55, duplo, ant, 2x450lm 2x38° 3000K DIM	373,00
1002201	4024163223829	LED SPIKE, LED SE, IP55 IK06 c/ estaca ant 400lm 40° 3000K	70,00
1002203	4024163223843	LED SPIKE, LED SE IP55 IK06 c/ estaca enfer. 400lm 40° 3000K	70,00
1002215	4024163223966	ALTRA DICE, 2xGU10, SPT, duplo, preto, máx.2x50W	125,00
1002216	4024163223973	ALTRA DICE, GU10, ST, quadrado, preto, máx.35W	68,00
1002217	4024163223980	FENDA, vidro esfumado, transparente	32,25
1002218	4024163223997	DALI Interface 0-10V + on/off	144,00
1002220	4024163224017	DALI Universal Dimmer 3-25W	126,00
1002221	4024163224024	DALI Universal Dimmer 10-300W	195,00
1002228	4024163216388	WL 106, SP, IP44, cromado, simples, vidro, 1xE14, max 40W	90,00
1002229	4024163216395	WL 106, SP, IP44, cromado, duplo, vidro, 2xE14, max 2x40W	161,00
1002238	4024163224055	PLASTRA, QT-DE12 R7s 118mm, gesso, branco, max 20W	79,00
1002239	4024163216487	ARLINA 60, LED, SP, Alumínio, 67cm, 1550lm, 3000K	253,00
1002240	4024163216494	ARLINA 130, LED, SP, Alumínio, 128cm, 2400lm, 3000K	325,00
1002264	4024163224185	FITU, roseta tripla, aço, dourado	114,00
1002265	4024163224192	FITU, roseta quintupla, aço, dourado	136,00
1002402	4024163226752	QUADRULO SENSOR, E27, IP44, SP, antracite, máx 15W	172,00
1002403	4024163226769	QUADRULO, E27, IP44, SP, antracite, máx 15W	149,00
1002404	4024163226776	MECANICA PLUS, CM, LED, preto, 450lm, 100°, 2700-6500K DIM	206,00
1002405	4024163226783	MECANICA PLUS, CP, LED, preto, 450lm, 100°, 2700-6500K DIM	309,00
1002411	4024163226820	VALETO® Gateway, metal escov./pr, cabo rede preto 2m CAT6	458,00
1002423	4024163226905	LED Driver 250/350/500/700mA, 1.5-20W DALI/1-10V DIM	85,00
1002424	4024163226912	LED Driver 250/350/500/700mA, 1.5-40W DALI/1-10V DIM	90,00
1002425	4024163226929	LED Driver 700-1400mA, 4.2-50W DALI/1-10V DIM	96,00
1002430	4024163226950	DIO FLEX PLATE, LED, SP, preto, 70lm, 45°, 2700K	100,00
1002431	4024163226967	DIO FLEX PLATE, LED, SP, preto, 70lm, 45°, 3000K	100,00
1002432	4024163226974	DIO FLEX PLATE, LED, SP, preto, 70lm, 45°, 4000K	100,00
1002494	4024163227469	ADEGAN MANILA E27 FL SST IP44 NEW	393,00
1002503	4024163227490	VILUA S, LED, SP, IP54 antracite 3000K IP54 405lm 100° 3000K	157,00
1002504	4024163227506	VILUA L, LED, SP, IP54 antracite 3000K IP54 810lm 100° 3000K	206,00
1002505	4024163227513	VILUA, UP/DOWN, LED, SP, IP54 antracite 2x100° 2x392lm 3000K	206,00
1002558	4024163227964	FITU, E27, SUSP, 40cm, preto, cabo 5m, max 60W	120,00
1002562	4024163227971	FITU, E27, SUSP, 40cm, branco, cabo 5m, max 60W	121,00
1002563	4024163227988	FITU, E27, SUSP, 40cm, alumínio escovado, cabo 5m, max 60W	132,00
1002564	4024163227995	FITU, E27, SUSP, 40cm, dourado, cabo 5m, max 60W	132,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1002583	4024163228121	TONILA, CM, LED, Lum. móvel c/ bateria, preto, 90lm, 2700K	118,00
1002591	4024163228169	HORN MAGNA, LED 500mA, ET, branco, 470lm, 25º, 3000K	75,00
1002592	4024163228176	HORN MAGNA, LED 500mA, ET, preto, 415lm, 25º, 3000K	75,00
1002594	4024163228190	HORN MAGNA, LED 500mA, ET, pt/dourado, 400lm, 25º, 3000K	78,00
1002596	4024163228206	HORN MAGNA, proteção anti encadeamento (favo de mel)	4,00
1002602	4024163228268	TENSEO Wire 4mm² 10m preto	29,25
1002603	4024163228282	TENSEO Wire 4mm² 10m branco	29,25
1002604	4024163228275	TENSEO Wire 4mm² 10m cromado	24,50
1002605	4024163228299	LED SAIL, LED, SP, IP54 IK06, antracite, 400lm, 70º, 3000K	192,00
1002606	4024163228305	LED SAIL, LED, SP, IP54 IK06, branco, 590lm, 70º, 3000K	192,00
1002607	4024163228312	DIO FLEX PLATE, SP, GU10 QPAR51, branco	57,00
1002608	4024163228329	DIO FLEX PLATE, SP, GU10 QPAR51, preto	57,00
1002610	4024163228336	NOBLO SPOT, C1F kit, preto 2calhas 1m, 3x1860lm, 36º, 2700K	255,00
1002611	4024163228343	NOBLO SPOT, C1F kit, branco 2calhas 1m, 3x1860lm, 36º, 2700K	255,00
1002631	4024163228473	S-TRACK, calha C3F+DALI 2m preto	81,00
1002632	4024163228480	S-TRACK, calha C3F+DALI 2m branco	81,00
1002633	4024163228497	S-TRACK, calha C3F+DALI 3m preto	117,00
1002634	4024163228503	S-TRACK, calha C3F+DALI 3m branco	117,00
1002635	4024163228510	S-TRACK, calha C3F+DALI 4m preto	147,00
1002636	4024163228527	S-TRACK, calha C3F+DALI 4m branco	147,00
1002637	4024163228534	S-TRACK, calha C3F+DALI alimentação, terra à direita preto	19,00
1002638	4024163228541	S-TRACK, calha C3F+DALI alimentação, terra à esquerda preto	19,00
1002639	4024163228558	S-TRACK, calha C3F+DALI alimentação, terra à direita branco	19,00
1002640	4024163228565	S-TRACK, calha C3F+DALI alimentação, terra à esquerda branco	19,00
1002641	4024163228572	S-TRACK, calha C3F+DALI Connector preto	10,10
1002642	4024163228589	S-TRACK, calha C3F+DALI Connector branco	10,10
1002643	4024163228596	S-TRACK, calha C3F+DALI ligador com alimentação, preto	33,25
1002644	4024163228602	S-TRACK, calha C3F+DALI ligador com alimentação, branco	33,25
1002645	4024163228619	S-TRACK, calha C3F+DALI ligador flexível preto	54,00
1002646	4024163228626	S-TRACK, calha C3F+DALI ligador flexível branco	54,00
1002647	4024163228633	S-TRACK, calha C3F+DALI Ligador em L interior preto	33,25
1002648	4024163228640	S-TRACK, calha C3F+DALI Ligador em L exterior preto	33,25
1002649	4024163228657	S-TRACK, calha C3F+DALI Ligador em L interior preto	33,25
1002650	4024163228664	S-TRACK, calha C3F+DALI Ligador em L exterior branco	33,25
1002651	4024163228671	S-TRACK, calha C3F+DALI Ligador em T Direita preto	39,00
1002652	4024163228688	S-TRACK, calha C3F+DALI Ligador em T esquerda preto	39,00
1002653	4024163228695	S-TRACK, calha C3F+DALI Ligador em T Direita branco	39,00
1002654	4024163228701	S-TRACK, calha C3F+DALI Ligador em T esquerda branco	39,00
1002655	4024163228718	S-TRACK, calha C3F+DALI Ligador em X preto	63,00
1002656	4024163228725	S-TRACK, calha C3F+DALI Ligador em X branco	63,00
1002657	4024163228732	S-TRACK, calha C3F+DALI fixador para suspensão preto	7,65
1002658	4024163228749	S-TRACK, calha C3F+DALI fixador para suspensão branco	7,65
1002659	4024163228756	S-TRACK, calha C3F+DALI adaptador lum. branco	18,70
1002660	4024163228763	S-TRACK, calha C3F+DALI adaptador lum. preto	18,70
1002686	4024163229005	PARA CONE 14, C3F, GU10 QPAR51, SUSP 1,5m, cobre	124,00
1002690	4024163229036	TENSEO COMET 2700K cromado	83,00
1002691	4024163229043	TENSEO C-Transformador 50W 12V dim preto	111,00
1002692	4024163229050	TENSEO C-Transformador 50W 12V dim branco	111,00
1002693	4024163229067	TENSEO C-Transformador 50W 12V dim cromado	115,00
1002694	4024163229074	TENSEO NOBLO 2700K preto	89,00
1002695	4024163229081	TENSEO NOBLO 2700K branco	89,00
1002696	4024163229098	TENSEO NOBLO 2700K cromado	95,00
1002697	4024163229104	TENSEO Wire Suspension preto	40,50
1002698	4024163229111	TENSEO Wire Suspension branco	40,50
1002699	4024163229128	TENSEO Wire Suspension cromado	42,75
1002700	4024163229135	TENSEO kit espaçador preto	46,50
1002701	4024163229142	TENSEO kit espaçador branco	46,50
1002702	4024163229159	TENSEO kit espaçador cromado	56,00
1002703	4024163229166	TENSEO kit espaçador elec. preto	56,00
1002704	4024163229173	TENSEO kit espaçador elec. branco	56,00
1002705	4024163229180	TENSEO kit espaçador elec. cromado	62,00
1002791	4024163229814	LED Driver 350mA 3.5-5.9W TRIAC C DIM	28,50

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1002792	4024163229821	LED Driver 700mA 3.4-6W TRIAC C DIM	28,50
1002803	4024163229999	LED Driver 350mA 9-15W TRIAC C DIM	38,50
1002842	4024163230377	LOGS IN L, LED, SP rect pt/ouro 1100lm 3000K IRC90 TRIAC DIM	228,00
1002843	4024163230384	LOGS IN L, LED, SP rect alum/br 1400lm 3000K IRC90 TRIAC DIM	228,00
1002844	4024163230391	LOGS IN L, LED, SP rect branco 1400lm 3000K IRC90 TRIAC DIM	218,00
1002845	4024163230407	Kit Suspensão para Calha trifásica EUTRAC	41,75
1002853	4024163230490	ENOLA kit espaçador	7,75
1002854	4024163230506	KALU TRACK, LED, C1F, preto, 860lm, 85°, 3000K, DIM	225,00
1002855	4024163230513	KENKUA SPOT, SP, E27, cromado, aço e vidro, 3000K, max 40W	206,00
1002856	4024163230520	KENKUA, SP, E27, cromado, aço e vidro, 3000K, max 40W	137,00
1002858	4024163230544	SLV VALETO® MALANG CW RGBW 2700-6500K	842,00
1002859	4024163230551	COUPA WL QT14 cromado/branco	137,00
1002860	4024163230568	DISPLAY ADL 50, GU10, branco, max.50W, incl. caixa ligações	48,25
1002861	4024163230575	DURNO, LED, preto, 6W, 360lm, 120°, 2700K IRC80	82,00
1002862	4024163230582	DURNO, LED, branco, 6W, 360lm, 120°, 2700K IRC80	82,00
1002863	4024163230599	DURNO, LED, cromado, 6W, 360lm, 120°, 2700K IRC80	86,00
1002864	4024163230605	PLYTTA, LED, preto, 9,8W, 750lm, 120°, 2700K IRC80	65,00
1002865	4024163230612	PLYTTA, LED, branco, 9,8W, 750lm, 120°, 2700K IRC80	65,00
1002866	4024163230629	PLYTTA, LED, cromado, 9,8W, 750lm, 120°, 2700K IRC80	70,00
1002867	4024163230636	NAUTILUS 25, GU10, SP, IP54, preto, máx11W	65,00
1002868	4024163230643	DOWNUNDER OUT circular. WL antracite 3000K	134,00
1002869	4024163230650	DOWNUNDER OUT, SP, LED, quadrado, antracite, 150lm, 3/4000K	134,00
1002870	4024163230667	THEO PATHLIGHT, Simples GU10, IP44, antracite, max 7W	183,00
1002871	4024163230674	THEO PATHLIGHT, Duplo GU10, IP44, antracite, max 2x7W	242,00
1002873	4024163230698	PARA CONE 14, C1F, GU10, QPAR51, 1,5m, preto/dourado	86,00
1002874	4024163230704	PARA CONE 14, C1F, GU10, QPAR51, 1,5m, branco/dourado	86,00
1002875	4024163230711	PARA CONE 14, C1F, GU10, QPAR51, 1,5m, cobre/branco	89,00
1002876	4024163230728	PARA CONE 14, C3F, GU10 QPAR51, Fixo, preto/dourado	86,00
1002877	4024163230735	PARA CONE 14, C3F, GU10 QPAR51, Fixo, branco/dourado	86,00
1002878	4024163230742	PARA CONE 14, C3F, GU10 QPAR51, Fixo, cobre/branco	89,00
1002882	4024163230780	MEDO 60, ST, LED, quadrado, branco, 3800lm, 3000K DALI UGR22	595,00
1002884	4024163230797	Roseta para NAUTILUS 25	5,40
1002890	4024163230858	MEDO RING 60, SUSP, LED, preto 2000lm, 105°, 3000K DALI	729,00
1002891	4024163230865	MEDO RING 60, SUSP, LED, branco 2095lm, 105°, 3000K DALI	729,00
1002893	4024163230889	DASAR® 270 3000K circular. assimétrico IP67	454,00
1002895	4024163230902	DASAR® 270 4000K circular. assimétrico IP67	454,00
1002897	4024163230919	DASAR® 270 3000K circular. simétrico IP67	454,00
1002898	4024163230926	DASAR® 270 4000K circular. simétrico IP67	454,00
1002899	4024163230933	DASAR® 270 grelha	12,90
1002900	4024163230940	MANA OUT, SP, IP65, antracite, 650lm, 60°, 3000K TRIAC	242,00
1002902	4024163230964	MANA OUT, SP, IP65, enferrugado, 650lm, 60°, 3000K TRIAC	262,00
1002903	4024163230971	ESKINA SPOT, LED, IP54, antracite, 1000lm, 95°, 3000/4000K	252,00
1002904	4024163230988	ESKINA SENSOR, LED, IP54, antracite, 1000lm, 95°, 3000/4000K	272,00
1002905	4024163230995	ESKINA D, SP, LED, IP65, antracite, 1000lm, 95°, 3000/4000K	272,00
1002906	4024163231008	ESKINA 30, Balizador, LED, IP65, ant. 1000lm, 3000/4000K	282,00
1002907	4024163231015	ESKINA 80, Balizador, LED, IP65, ant. 1000lm, 3000/4000K	308,00
1002909	4024163231039	ONE 60, SUSP, preto, 1400/1500lm, 3000/4000K, DALI	423,00
1002910	4024163231046	ONE 60, SUSP, branco, 1400/1500lm, 3000/4000K, DALI	423,00
1002911	4024163231053	ONE 80, SUSP, preto, 2000/2200lm, 3000/4000K, DALI	474,00
1002912	4024163231060	ONE 80, SUSP, branco, 2000/2200lm, 3000/4000K, DALI	474,00
1002913	4024163231077	ONE TRIPLE, SUSP, preto, 3900/4200lm, 3000/4000K, DALI	1 110,00
1002914	4024163231084	ONE TRIPLE, SUSP, branco, 3900/4200lm, 3000/4000K, DALI	1 110,00
1002915	4024163231091	ONE 40, SP, preto, 720/770lm, 3000/4000K, DALI	343,00
1002917	4024163231107	ONE 40, SP, branco, 720/770lm, 3000/4000K, DALI	343,00
1002918	4024163231121	ONE 60, SP, preto, 1400/1500lm, 3000/4000K, DALI	413,00
1002919	4024163231138	ONE 60, SP, branco, 1400/1500lm, 3000/4000K, DALI	413,00
1002922	4024163231169	WORO, EP, LED 350mA, 1.5W, circular, branco, 50lm, 3000K	70,00
1002925	4024163231190	ANDREAS, R7s 118mm, SP, branco, 100°, max.80W	108,00
1002927	4024163231213	ANDREAS, R7s 118mm, SP, preto, 100°, max.80W	108,00
1002928	4024163231220	LOGS IN L, LED, SP, rect alum/br 1500lm 2000-3000K IRC90 D2W	292,00
1002929	4024163231237	LOGS IN L, LED, SP, rect br 1500lm 2000-3000K IRC90 D2W	282,00
1002930	4024163231244	LOGS IN L, LED, SP, rect pt/ouro 1100lm 2000-3000K IRC90 D2W	292,00



Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1002931	4024163231251	ASTINA WL, SP, GU10 QPAR51 UP/DOWN branco, max 2x10W	112,00
1002933	4024163231275	ASTINA WL, SP, GU10 QPAR51 UP/DOWN preto, max 2x10W	112,00
1002934	4024163231282	ASTINA CL, ST, GU10 QPAR51, branco, max 10W	88,00
1002936	4024163231305	ASTINA CL, ST, GU10 QPAR51, preto, max 10W	88,00
1002937	4024163231312	ASTINA PD, SUSP, GU10 QPAR51 branco, max 10W	117,00
1002938	4024163231329	ASTINA PD, SUSP, GU10 QPAR51 cinzento, max 10W	117,00
1002939	4024163231336	ASTINA PD, SUSP, GU10 QPAR51 preto, max 10W	117,00
1002940	4024163231343	LIPSY® 40 DRUM DALI CW branco 3000/4000K	201,00
1002941	4024163231350	LIPSY® 50 DRUM DALI CW branco 3000/4000K	212,00
1002948	4024163231428	PHELIA 175, E27, SUSP 2m, preto/dourado, máx 23W	141,00
1002949	4024163231435	PHELIA 175 E27 PD preto/dourado	161,00
1002950	4024163231442	PHELIA 280 E27 PD preto/dourado	187,00
1002951	4024163231459	PHELIA 130, E27, SUSP 2m, preto/dourado, máx 23W	131,00
1002952	4024163231466	FLATT, SP, IP65, antracite, 460lm, 3000/4000K, PIR	171,00
1002953	4024163231473	FLATT, SP, IP65, antr./castanho, 500lm, 3000/4000K, PIR	171,00
1002954	4024163231480	FLATT SENSOR, SP, IP54, antracite, 600lm, 3000/4000K, PIR	211,00
1002955	4024163231497	FLATT SENSOR, SP, IP54, antr./cast. 600lm, 3000/4000K, PIR	211,00
1002956	4024163231503	FLATT 65, BZ, IP65, antracite, 400lm, 3000/4000K	248,00
1002957	4024163231510	FLATT 65, BZ, IP65, antracite/castanho, 400lm, 3000/4000K	248,00
1002958	4024163231527	FLATT 100, BZ, IP65, antracite, 400lm, 3000/4000K	302,00
1002959	4024163231534	FLATT 100, BZ, IP65, antracite/castanho, 400lm, 3000/4000K	302,00
1002960	4024163231541	RETRATO, SP, branco, 730lm, 100°, 3000K IRC90 TRIAC DIM	259,00
1002961	4024163231558	RETRATO, SP, cromado, 730lm, 100°, 3000K IRC90 TRIAC DIM	295,00
1002962	4024163231565	SEDO 7, LED, SP, quadr. br.mate, vidro fosco, 1020lm 3000K	187,00
1002964	4024163231572	SEDO 7, LED, SP, quadr. alum. vidro fosco, 1020lm, 3000K	201,00
1002965	4024163231589	NAGY 75, GU10 QPAR51, ST, branco, max 10W	57,00
1002967	4024163231596	FERA 25, LED, ST, DALI, circ, br, 1600lm, 90°, 3000/4000K	272,00
1002968	4024163231602	FERA 25, LED, ST, DALI, circ, pt, 1600lm, 90°, 3000/4000K	272,00
1002969	4024163231619	NOBLO I, LED, SPT, preto, 600lm, 36°, 2700K TRIAC DIM	123,00
1002970	4024163231633	NOBLO I, LED, SPT, branco, 600lm, 36°, 2700K TRIAC DIM	123,00
1002971	4024163231640	NOBLO I, LED, SPT, cinzento, 600lm, 36°, 2700K TRIAC DIM	123,00
1002973	4024163231657	NOBLO II, LED, SPT, preto, 2x600lm, 36°, 2700K TRIAC DIM	196,00
1002974	4024163231664	NOBLO II, LED, SPT, branco, 2x600lm, 36°, 2700K TRIAC DIM	196,00
1002975	4024163231671	NOBLO II, LED, SPT, cinzento, 2x600lm, 36°, 2700K TRIAC DIM	196,00
1002976	4024163231688	NOBLO III, LED, SPT, preto, 3x600lm, 36°, 2700K TRIAC DIM	292,00
1002977	4024163231695	NOBLO III, LED, SPT, branco, 3x600lm, 36°, 2700K TRIAC DIM	292,00
1002978	4024163231701	NOBLO III, LED, SPT, cinzento, 3x600lm, 36°, 2700K TRIAC DIM	292,00
1002979	4024163231718	NOTAPO I, LED 700mA 2.2W, EP, branco, 6lm, 3000K IRC90	60,00
1002980	4024163231725	NOTAPO II, LED 700mA 2.2W, EP, branco, 6lm, 3000K IRC90	82,00
1002981	4024163231732	Moldura para NOTAPO I e II	24,25
1002982	4024163231749	MOBALA WL 3000K branco	72,00
1002983	4024163231756	MOBALA caixa de moldura	13,90
1002984	4024163231763	MOBALA WL moldura	13,90
1002985	4024163231770	SPOT DISPLAY, E27, preto, max 18.5W	80,00
1002986	4024163231787	SPOT DISPLAY, E27, branco, max 18.5W	80,00
1002987	4024163231794	SPOT DISPLAY, E27, cinzento, max 18.5W	80,00
1002989	4024163231800	ABRIDOR WL 3000/4000K IP55 antracite	181,00
1002990	4024163231817	ABRIDOR SENSOR WL 3000/4000K IP55 antracite	201,00
1002991	4024163231824	ABRIDOR POLE 60 FL 3000/4000K antracite	222,00
1002992	4024163231831	ABRIDOR POLE 100 FL 3000/4000K antracite	282,00
1002993	4024163231848	PURISA WL E27 branco	118,00
1002994	4024163231855	SLV VALETO® CCT/RGBW Controlo Remoto	56,00
1002995	4024163231862	SLV VALETO® Dimming module	219,00
1003001	4024163231916	QUAD POLE, LED, IP65, antracite, 1550lm, 100°, 3000K	403,00
1003004	4024163231947	PANTILHO 20, E27, SUSP, cromado, máx15W, cabo aberto	175,00
1003005	4024163231954	PANTILHO 20, E27, SUSP, cobre, máx15W, cabo aberto	175,00
1003006	4024163231961	PANTILHO 28, E27, SUSP, cromado, máx15W, cabo aberto	211,00
1003007	4024163231978	PANTILHO 28, E27, SUSP, cobre, máx15W, cabo aberto	211,00
1003008	4024163231985	SENSER 12, LED 200mA, ET, circ. branco, 470lm, 3000K	29,50
1003009	4024163231992	SENSER 18, LED 350mA, ET, circ. branco, 950lm, 3000K	34,00
1003010	4024163232005	SENSER 24, LED 500mA, ET, circ. branco, 1200lm, 3000K	45,25
1003011	4024163232012	SENSER 12, LED 200mA, ET, quadr. branco, 440lm, 3000K	29,50

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1003012	4024163232029	SENER 18, LED 350mA, ET, quadr. branco, 820lm, 3000K	34,00
1003013	4024163232036	SENER 24, LED 500mA, ET, quadr. branco, 1200lm, 3000K	45,25
1003014	4024163232043	SENER 12, LED, SPT, circ. branco, 480lm, 3000K TRIAC DIM	74,00
1003015	4024163232050	SENER 18, LED, SPT, circ. branco, 880lm, 3000K TRIAC DIM	79,00
1003016	4024163232067	SENER 24, LED, SPT, circ. branco, 1200lm, 3000K TRIAC DIM	85,00
1003017	4024163232074	SENER 12, LED, SPT, quadr. branco, 480lm, 3000K TRIAC DIM	74,00
1003018	4024163232081	SENER 18, LED, SPT, quadr. branco, 880lm, 3000K TRIAC DIM	79,00
1003019	4024163232098	SENER 24, LED, SPT, quadr. branco, 1200lm, 3000K TRIAC DIM	85,00
1003028	4024163232180	FENDA BOW BASIS, CP, E27, branco, c/ int. de pé, max25W	248,00
1003029	4024163232197	FENDA BOW BASIS, CP, E27, preto, c/ int. de pé, max 25W	248,00
1003030	4024163232203	FENDA, E27, CM, branco, int. e tomada schuko, max 60W	80,00
1003031	4024163232210	FENDA, E27, CP, branco, int. e tomada schuko, max 60W	141,00
1003032	4024163232227	FENDA, E27, CM tripé mesa, branco, int. e t.schuko, max 60W	80,00
1003033	4024163232234	FENDA, E27, CP tripé alto, branco, int. e t. schuko, max 60W	132,00
1003040	4024163232302	PANEL 60, LED, ST, circ, branco 3150lm 110° UGR22 3000K DALI	302,00
1003041	4024163232319	PANEL 60, LED, ST, circ, branco 3350lm 110° UGR22 4000K DALI	302,00
1003042	4024163232326	PANEL 60, LED, ST, circ, cinza, 3150lm 110° UGR22 3000K DALI	302,00
1003043	4024163232333	PANEL 60, LED, ST, circ, cinza, 3350lm 110° UGR22 4000K DALI	302,00
1003044	4024163232340	PANEL 60, LED, SUSP, branco, 3150lm 110° UGR22 3000K DALI	324,00
1003045	4024163232357	PANEL 60, LED, SUSP, branco, 3350lm 110° UGR22 4000K DALI	324,00
1003046	4024163232364	PANEL 60, LED, SUSP, cinza, 3150lm 110° UGR22 3000K DALI	324,00
1003047	4024163232371	PANEL 60, LED, SUSP, cinza, 3350lm 110° UGR22 4000K DALI	324,00
1003048	4024163232388	I-PENDANT PRO DALI UGR<19 3000K branco	373,00
1003049	4024163232395	I-PENDANT PRO DALI UGR<19 4000K branco	373,00
1003050	4024163232401	I-PENDANT PRO DALI UGR<19 3000K cinzento	373,00
1003051	4024163232418	I-PENDANT PRO DALI UGR<19 4000K cinzento	373,00
1003052	4024163232425	PANEL, LED, ST, branco, 120x30, 3100lm, UGR19 3000K DALI	289,00
1003053	4024163232432	PANEL, LED, ST, branco, 120x30, 3400lm, UGR19 4000K DALI	289,00
1003054	4024163232449	PANEL, LED, ST, cinza, 120x30, 3100lm, UGR19 3000K DALI	289,00
1003055	4024163232456	PANEL, LED, ST, cinza, 120x30, 3400lm, UGR19 4000K DALI	289,00
1003057	4024163232463	NEW TRIA 68, LED, ET, circ, preto, 300lm, 38° 3000K	53,00
1003058	4024163232470	NEW TRIA 68, LED, ET, circ, preto, 300lm, 38° 2700K	53,00
1003059	4024163232487	NEW TRIA 68, LED, ET, circ, branco, 300lm, 38° 2700K	53,00
1003060	4024163232494	NEW TRIA 68, LED, ET, circ, alumínio esc 300lm 38° 2700K	56,00
1003061	4024163232500	NEW TRIA 68, LED, ET, quadr, preto, 300lm, 38° 3000K	53,00
1003062	4024163232517	NEW TRIA 68, LED, ET, quadr, preto, 300lm, 38° 2700K	53,00
1003063	4024163232524	NEW TRIA 68, LED, ET, quadr, branco, 300lm, 38° 2700K	53,00
1003064	4024163232531	NEW TRIA 68, LED, ET, quadr, alum. esc, 300lm, 38° 2700K	56,00
1003065	4024163232548	NEW TRIA 68, LED, ET, circ, preto, 800lm 38° 2700K DIM	87,00
1003066	4024163232555	NEW TRIA 68, LED, ET, circ, branco, 800lm 38° 2700K DIM	87,00
1003067	4024163232562	NEW TRIA 68, LED, ET, circ, alumínio esc 800lm 38° 2700K DIM	93,00
1003068	4024163232579	NEW TRIA 68, LED, ET, quadr, preto, 800lm, 38° 2700K DIM	87,00
1003069	4024163232586	NEW TRIA 68, LED, ET, quadr, branco 800lm, 38° 2700K DIM	87,00
1003070	4024163232593	NEW TRIA 68, LED, ET quadr, alumínio esc 800lm 38° 2700K DIM	93,00
1003073	4024163232623	LED PANEL, ET, 620, branco 4000lm 3000K IRC90 UGR<19	202,00
1003074	4024163232630	LED PANEL, ET, 620, branco 4000lm 4000K IRC90 UGR<19	202,00
1003104	4024163232913	Transformador, 24VDC, 12-50W, TRIAC DIM	49,50
1003105	4024163232920	Transformador, 24VDC, 34-100W, TRIAC DIM	121,00
1003106	4024163232937	DALI PUSH-DIM Control 24V	64,00
1003107	4024163232944	PARA FLAC, SUSP, IP65, preto, 12800lm, 90°, 4000K, DALI	481,00
1003254	4024163234290	LED Driver 200mA 5-8.4W	35,75
1003283	4024163234511	SUPROS, LED, ST Orientável, preto, 3380lm, 60°, 3000K, IRC90	281,00
1003284	4024163234528	SUPROS, LED, ST Orientável, branco 3380lm, 60°, 3000K, IRC90	281,00
1003285	4024163234535	SUPROS, LED, ST Orientável, preto, 3520lm, 60°, 4000K, IRC90	281,00
1003286	4024163234542	SUPROS, LED, ST Orientável, branco 3520lm, 60°, 4000K, IRC90	281,00
1003287	4024163234559	SUPROS, LED, ST Orientável, preto, 2700lm, 60°, 4000K, IRC90	266,00
1003288	4024163234566	SUPROS, LED, ST Orientável, branco 2700lm, 60°, 4000K, IRC90	266,00
1003289	4024163234573	SUPROS, LED, ST Orientável, preto, 2600lm, 60°, 3000K, IRC90	266,00
1003290	4024163234580	SUPROS, LED, ST Orientável, branco 2600lm, 60°, 3000K, IRC90	266,00
1003316	4024163234832	CHROMBO, LED, SP, branco 480lm, 3000K, PHASE DIM	171,00
1003317	4024163234849	CHROMBO, LED, SP, metal escovado, 480lm, 3000K, PHASE DIM	171,00
1003416	4024163235730	ENOLA SQR S, SP, IP65, Ant 30°, 390/450lm, 3000/4000K, IRC90	228,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1003417	4024163235747	ENOLA SQR M, SP, IP65, Ant 38°, 720/820lm, 3000/4000K, IRC90	278,00
1003418	4024163235754	ENOLA SQ S UD, SP, IP65 Ant 30° 2x285/320lm 3000/4000K IRC90	278,00
1003419	4024163235761	ENOLA SQ M UD, SP, IP65 Ant 38° 2x740/840lm 3000/4000K IRC90	343,00
1003420	4024163235778	ENOLA SQR S, ST, IP65, Ant 38°, 510/580lm, 3000/4000K, IRC90	194,00
1003421	4024163235785	ENOLA SQR M, ST, IP65, Ant 38°, 700/800lm, 3000/4000K, IRC90	248,00
1003422	4024163235792	ENOLA CIR S, SP, IP65, Ant 30°, 390/450lm, 3000/4000K, IRC90	228,00
1003423	4024163235808	ENOLA CIR M, SP, IP65, Ant 38°, 720/820lm, 3000/4000K, IRC90	278,00
1003424	4024163235815	ENOLA CIR S UD, SP IP65 Ant 30° 2x285/320lm 3000/4000K IRC90	278,00
1003425	4024163235822	ENOLA CIR M UD, SP IP65 Ant 38° 2x740/840lm 3000/4000K IRC90	343,00
1003426	4024163235839	ENOLA CIR S, ST, IP65, Ant 38°, 510/580lm, 3000/4000K, IRC90	194,00
1003427	4024163235846	ENOLA CIR M, ST, IP65, Ant 38°, 700/800lm, 3000/4000K, IRC90	248,00
1003428	4024163235853	QUADRASS, SP, E27+LED Spot, preto, 25°, 2W 200lm, 3000K	211,00
1003429	4024163235860	QUADRASS, SP, E27+LED Spot, branco, 25°, 2W 200lm, 3000K	211,00
1003430	4024163235877	QUADRASS, SP, E27, preto, aço e vidro, max.40W	140,00
1003431	4024163235884	QUADRASS, SP, E27, branco, aço e vidro, max.40W	140,00
1003432	4024163235891	QUADRASS, SUSP, E27, cromado, aço e vidro, max.40W	104,00
1003435	4024163235921	HELIA AMBIENT 35, SUSP ET, LED 500mA, pt, 425lm 3000K IRC90	188,00
1003436	4024163235938	HELIA AMBIENT 35, SUSP ST, LED, preto, 9W 425lm 3000K IRC90	235,00
1003437	4024163235945	ENOLA SQ L, SP, IP65 Ant 38° 3100/3400lm 3000/4000K IRC90	343,00
1003438	4024163235952	ENOLA SQ L UD SP IP65 Ant 38° 2x2700/3000lm 3000/4000K IRC90	470,00
1003439	4024163235969	ENOLA SQR L, ST, IP65, Ant 38°, 2500/2800lm 3000/4000K IRC90	312,00
1003440	4024163235976	ENOLA CIR L, SP, IP65 Ant 38° 3100/3400lm 3000/4000K IRC90	343,00
1003441	4024163235983	ENOLA CR L UD SP IP65 Ant 38° 2x2700/3000lm 3000/4000K IRC90	470,00
1003442	4024163235990	ENOLA CIR L, ST, IP65, Ant 38°, 2500/2800lm 3000/4000K IRC90	312,00
1003443	4024163236003	PANTILLO CONVEX 29, E27, SUSP, cromado, máx 15W, cabo aberto	247,00
1003444	4024163236010	PANTILLO CONVEX 40, E27, SUSP, cromado, máx 15W, cabo c/1.5m	353,00
1003447	4024163236041	GALEN 60, LED, SP, IP65, antracite, 1570lm, 3000-4000K	225,00
1003448	4024163236058	GALEN 120, LED, SP, IP65, antracite, 3000/3100lm, 3000/4000K	337,00
1003449	4024163236065	AINOS, LED, SPT IP65, quad, branco 1300lm, 3000/4000K	161,00
1003450	4024163236072	AINOS, LED, SPT IP65, quad, antracite, 1300lm, 3000/4000K	161,00
1003451	4024163236089	AINOS, LED, SPT IP65, quad, branco c/ PIR, 1300lm 3000/4000K	201,00
1003452	4024163236096	AINOS, LED, SPT IP65, quad, ant, c/ PIR, 1300lm, 3000/4000K	201,00
1003453	4024163236102	PEMA®, LED, SP, IP65, preto, 16W, 1260/1400lm, 3000/4000K	147,00
1003454	4024163236119	PEMA®, LED, SP, IP65, cinza, 16W, 1260/1400lm, 3000/4000K	147,00
1003455	4024163236126	SOMNILA SPOT, LED, Esq, pt, c/USB e int 65+370lm 3000K IRC90	232,00
1003456	4024163236133	SOMNILA SPOT, LED, Dta, pt, c/USB e int 65+370lm 3000K IRC90	232,00
1003457	4024163236140	SOMNILA SPOT, LED, Esq, br, c/USB e int 65+370lm 3000K IRC90	232,00
1003458	4024163236157	SOMNILA SPOT, LED, Dta, br, c/USB e int 65+370lm 3000K IRC90	232,00
1003459	4024163236164	SOMNILA SPOT, E27+LED, Esq, br, c/USB e int 65lm 3000K IRC90	242,00
1003460	4024163236171	SOMNILA SPOT, E27+LED, Dta, br, c/USB e int 65lm 3000K IRC90	242,00
1003466	4024163236225	QUAD FRAME 9, EP, LED, branco, 3W 65lm, 3000K IRC90	92,00
1003467	4024163236232	QUAD FRAME 14, SP, LED, branco, 4W 130lm 2700/3000K IRC90	99,00
1003468	4024163236249	QUAD FRAME 19, SP, LED, branco, 11W 540lm 2700/3000K IRC90	121,00
1003470	4024163236263	MANA OUT, SP, LED, IP65, cinza, 650lm, 60°, 3000K, PHASE DIM	272,00
1003479	4024163236348	ENOLA kit espaçador, antracite	9,05
1003506	4024163236584	GLENOS 60, LED, LESP, preto, 1170lm, 120°, 3000K/4000K	181,00
1003507	4024163236591	GLENOS 60, LED, LESP, branco 1170lm, 120°, 3000K/4000K	181,00
1003508	4024163236607	GLENOS 60, LED, LESP, cz prata, 1170lm, 120°, 3000K/4000K	181,00
1003518	4024163236737	OUT-BEAM FRAME, SPT, LED, antr. 3,5W 60lm, 3°x180°, 3000K	122,00
1003519	4024163236744	OUT-BEAM FRAME, SPT, LED, branco, 3,5W 60lm, 3°x180°, 3000K	122,00
1003530	4024163236843	NOYA, SUSP, LED, preto, 115° 1861/2025lm 2700/3000K IRC90	481,00
1003532	4024163236850	NOYA, SUSP, LED, branco, 115° 1861/2025lm 2700/3000K IRC90	481,00
1003535	4024163236867	L-LINE OUT 60, LED, SC, IP65, ant 11.5W 780/800lm 3000/4000K	242,00
1003536	4024163236874	L-LINE OUT 30, LED, SC, IP65, ant 11.5W 800/810lm 3000/4000K	232,00
1003537	4024163236881	L-LINE OUT 50, LED, SC, IP65, ant, 7W 490/530lm, 3000/4000K	191,00
1003538	4024163236898	L-LINE OUT 80, LED, SC, IP65, ant, 7W 490/530lm, 3000/4000K	222,00
1003539	4024163236904	L-LINE OUT 15, LED, SP, IP65, ant, 7W 500/570lm, 3000/4000K	141,00
1003553	4024163237031	NUMINOS MOVE M, ET, LED 500mA, pr/pr, 1460lm 20° 2700K IRC90	107,00
1003554	4024163237048	NUMINOS MOVE M, ET, LED 500mA, pr/br, 1600lm 20° 2700K IRC90	107,00
1003555	4024163237055	NUMINOS MOVE M, ET, LED 500mA, pr/cr, 1550lm 20° 2700K IRC90	107,00
1003556	4024163237062	NUMINOS MOVE M, ET, LED 500mA, pr/pr, 1460lm 40° 2700K IRC90	107,00
1003557	4024163237079	NUMINOS MOVE M, ET, LED 500mA, pr/br, 1600lm 40° 2700K IRC90	107,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1003558	4024163237086	NUMINOS MOVE M, ET, LED 500mA, pr/cr, 1550lm 40° 2700K IRC90	107,00
1003559	4024163237093	NUMINOS MOVE M, ET, LED 500mA, pr/pr, 1460lm 55° 2700K IRC90	107,00
1003560	4024163237109	NUMINOS MOVE M, ET, LED 500mA, pr/br, 1600lm 55° 2700K IRC90	107,00
1003561	4024163237116	NUMINOS MOVE M, ET, LED 500mA, pr/cr, 1550lm 55° 2700K IRC90	107,00
1003565	4024163237154	NUMINOS MOVE M, ET, LED 500mA, br/pr, 1460lm 20° 2700K IRC90	107,00
1003566	4024163237161	NUMINOS MOVE M, ET, LED 500mA, br/br, 1600lm 20° 2700K IRC90	107,00
1003567	4024163237178	NUMINOS MOVE M, ET, LED 500mA, br/cr, 1550lm 20° 2700K IRC90	107,00
1003568	4024163237185	NUMINOS MOVE M, ET, LED 500mA, br/pr, 1460lm 40° 2700K IRC90	107,00
1003569	4024163237192	NUMINOS MOVE M, ET, LED 500mA, br/br, 1600lm 40° 2700K IRC90	107,00
1003570	4024163237208	NUMINOS MOVE M, ET, LED 500mA, br/cr, 1550lm 40° 2700K IRC90	107,00
1003571	4024163237215	NUMINOS MOVE M, ET, LED 500mA, br/pr, 1460lm 55° 2700K IRC90	107,00
1003572	4024163237222	NUMINOS MOVE M, ET, LED 500mA, br/br, 1600lm 55° 2700K IRC90	107,00
1003573	4024163237239	NUMINOS MOVE M, ET, LED 500mA, br/cr, 1550lm 55° 2700K IRC90	107,00
1003577	4024163237277	NUMINOS MOVE M, ET, LED 500mA, pr/pr, 1500lm 20° 3000K IRC90	107,00
1003578	4024163237284	NUMINOS MOVE M, ET, LED 500mA, pr/br, 1600lm 20° 3000K IRC90	107,00
1003579	4024163237291	NUMINOS MOVE M, ET, LED 500mA, pr/cr, 1550lm 20° 3000K IRC90	107,00
1003580	4024163237307	NUMINOS MOVE M, ET, LED 500mA, pr/pr, 1500lm 40° 3000K IRC90	107,00
1003581	4024163237314	NUMINOS MOVE M, ET, LED 500mA, pr/br, 1600lm 40° 3000K IRC90	107,00
1003582	4024163237321	NUMINOS MOVE M, ET, LED 500mA, pr/cr, 1550lm 40° 3000K IRC90	107,00
1003583	4024163237338	NUMINOS MOVE M, ET, LED 500mA, pr/pr, 1500lm 55° 3000K IRC90	107,00
1003584	4024163237345	NUMINOS MOVE M, ET, LED 500mA, pr/br, 1600lm 55° 3000K IRC90	107,00
1003585	4024163237352	NUMINOS MOVE M, ET, LED 500mA, pr/cr, 1550lm 55° 3000K IRC90	107,00
1003589	4024163237390	NUMINOS MOVE M, ET, LED 500mA, br/pr, 1500lm 20° 3000K IRC90	107,00
1003590	4024163237406	NUMINOS MOVE M, ET, LED 500mA, br/br, 1600lm 20° 3000K IRC90	107,00
1003591	4024163237413	NUMINOS MOVE M, ET, LED 500mA, br/cr, 1550lm 20° 3000K IRC90	107,00
1003592	4024163237420	NUMINOS MOVE M, ET, LED 500mA, br/pr, 1500lm 40° 3000K IRC90	107,00
1003593	4024163237437	NUMINOS MOVE M, ET, LED 500mA, br/br, 1600lm 40° 3000K IRC90	107,00
1003594	4024163237444	NUMINOS MOVE M, ET, LED 500mA, br/cr, 1550lm 40° 3000K IRC90	107,00
1003595	4024163237451	NUMINOS MOVE M, ET, LED 500mA, br/pr, 1500lm 55° 3000K IRC90	107,00
1003596	4024163237468	NUMINOS MOVE M, ET, LED 500mA, br/br, 1600lm 55° 3000K IRC90	107,00
1003597	4024163237475	NUMINOS MOVE M, ET, LED 500mA, br/cr, 1550lm 55° 3000K IRC90	107,00
1003601	4024163237512	NUMINOS MOVE M, ET, LED 500mA, pr/pr, 1600lm 20° 4000K IRC90	107,00
1003602	4024163237529	NUMINOS MOVE M, ET, LED 500mA, pr/br, 1750lm 20° 4000K IRC90	107,00
1003603	4024163237536	NUMINOS MOVE M, ET, LED 500mA, pr/cr, 1650lm 20° 4000K IRC90	107,00
1003604	4024163237543	NUMINOS MOVE M, ET, LED 500mA, pr/pr, 1600lm 40° 4000K IRC90	107,00
1003605	4024163237550	NUMINOS MOVE M, ET, LED 500mA, pr/br, 1750lm 40° 4000K IRC90	107,00
1003606	4024163237567	NUMINOS MOVE M, ET, LED 500mA, pr/cr, 1650lm 40° 4000K IRC90	107,00
1003607	4024163237574	NUMINOS MOVE M, ET, LED 500mA, pr/pr, 1600lm 55° 4000K IRC90	107,00
1003608	4024163237581	NUMINOS MOVE M, ET, LED 500mA, pr/br, 1750lm 55° 4000K IRC90	107,00
1003609	4024163237598	NUMINOS MOVE M, ET, LED 500mA, pr/cr, 1650lm 55° 4000K IRC90	107,00
1003613	4024163237635	NUMINOS MOVE M, ET, LED 500mA, br/pr, 1600lm 20° 4000K IRC90	107,00
1003614	4024163237642	NUMINOS MOVE M, ET, LED 500mA, br/br, 1750lm 20° 4000K IRC90	107,00
1003615	4024163237659	NUMINOS MOVE M, ET, LED 500mA, br/cr, 1650lm 20° 4000K IRC90	107,00
1003616	4024163237666	NUMINOS MOVE M, ET, LED 500mA, br/pr, 1600lm 40° 4000K IRC90	107,00
1003617	4024163237673	NUMINOS MOVE M, ET, LED 500mA, br/br, 1750lm 40° 4000K IRC90	107,00
1003618	4024163237680	NUMINOS MOVE M, ET, LED 500mA, br/cr, 1650lm 40° 4000K IRC90	107,00
1003619	4024163237697	NUMINOS MOVE M, ET, LED 500mA, br/pr, 1600lm 55° 4000K IRC90	107,00
1003620	4024163237703	NUMINOS MOVE M, ET, LED 500mA, br/br, 1750lm 55° 4000K IRC90	107,00
1003621	4024163237710	NUMINOS MOVE M, ET, LED 500mA, br/cr, 1650lm 55° 4000K IRC90	107,00
1003625	4024163237758	NUMINOS MOVE L, ET, LED 750mA, pr/pr, 2150lm 20° 2700K IRC90	128,00
1003626	4024163237765	NUMINOS MOVE L, ET, LED 750mA, pr/br, 2250lm 20° 2700K IRC90	128,00
1003627	4024163237772	NUMINOS MOVE L, ET, LED 750mA, pr/cr, 2150lm 20° 2700K IRC90	128,00
1003628	4024163237789	NUMINOS MOVE L, ET, LED 750mA, pr/pr, 2150lm 40° 2700K IRC90	128,00
1003629	4024163237796	NUMINOS MOVE L, ET, LED 750mA, pr/br, 2250lm 40° 2700K IRC90	128,00
1003630	4024163237802	NUMINOS MOVE L, ET, LED 750mA, pr/cr, 2150lm 40° 2700K IRC90	128,00
1003631	4024163237819	NUMINOS MOVE L, ET, LED 750mA, pr/pr, 2150lm 55° 2700K IRC90	128,00
1003632	4024163237826	NUMINOS MOVE L, ET, LED 750mA, pr/br, 2250lm 55° 2700K IRC90	128,00
1003633	4024163237833	NUMINOS MOVE L, ET, LED 750mA, pr/cr, 2150lm 55° 2700K IRC90	128,00
1003637	4024163237871	NUMINOS MOVE L, ET, LED 750mA, br/pr, 2150lm 20° 2700K IRC90	128,00
1003638	4024163237888	NUMINOS MOVE L, ET, LED 750mA, br/br, 2250lm 20° 2700K IRC90	128,00
1003639	4024163237895	NUMINOS MOVE L, ET, LED 750mA, br/cr, 2150lm 20° 2700K IRC90	128,00
1003640	4024163237901	NUMINOS MOVE L, ET, LED 750mA, br/pr, 2150lm 40° 2700K IRC90	128,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1003641	4024163237918	NUMINOS MOVE L, ET, LED 750mA, br/br, 2250lm 40° 2700K IRC90	128,00
1003642	4024163237925	NUMINOS MOVE L, ET, LED 750mA, br/cr, 2150lm 40° 2700K IRC90	128,00
1003643	4024163237932	NUMINOS MOVE L, ET, LED 750mA, br/pr, 2150lm 55° 2700K IRC90	128,00
1003644	4024163237949	NUMINOS MOVE L, ET, LED 750mA, br/br, 2250lm 55° 2700K IRC90	128,00
1003645	4024163237956	NUMINOS MOVE L, ET, LED 750mA, br/cr, 2150lm 55° 2700K IRC90	128,00
1003649	4024163237994	NUMINOS MOVE L, ET, LED 750mA, pr/pr, 2150lm 20° 3000K IRC90	128,00
1003650	4024163238007	NUMINOS MOVE L, ET, LED 750mA, pr/br, 2300lm 20° 3000K IRC90	128,00
1003651	4024163238014	NUMINOS MOVE L, ET, LED 750mA, pr/cr, 2200lm 20° 3000K IRC90	128,00
1003652	4024163238021	NUMINOS MOVE L, ET, LED 750mA, pr/pr, 2150lm 40° 3000K IRC90	128,00
1003653	4024163238038	NUMINOS MOVE L, ET, LED 750mA, pr/br, 2300lm 40° 3000K IRC90	128,00
1003654	4024163238045	NUMINOS MOVE L, ET, LED 750mA, pr/cr, 2200lm 40° 3000K IRC90	128,00
1003655	4024163238052	NUMINOS MOVE L, ET, LED 750mA, pr/pr, 2150lm 55° 3000K IRC90	128,00
1003656	4024163238069	NUMINOS MOVE L, ET, LED 750mA, pr/br, 2300lm 55° 3000K IRC90	128,00
1003657	4024163238076	NUMINOS MOVE L, ET, LED 750mA, pr/cr, 2200lm 55° 3000K IRC90	128,00
1003661	4024163238113	NUMINOS MOVE L, ET, LED 750mA, br/pr, 2150lm 20° 3000K IRC90	128,00
1003662	4024163238120	NUMINOS MOVE L, ET, LED 750mA, br/br, 2300lm 20° 3000K IRC90	128,00
1003663	4024163238137	NUMINOS MOVE L, ET, LED 750mA, br/cr, 2200lm 20° 3000K IRC90	128,00
1003664	4024163238144	NUMINOS MOVE L, ET, LED 750mA, br/pr, 2150lm 40° 3000K IRC90	128,00
1003665	4024163238151	NUMINOS MOVE L, ET, LED 750mA, br/br, 2300lm 40° 3000K IRC90	128,00
1003666	4024163238168	NUMINOS MOVE L, ET, LED 750mA, br/cr, 2200lm 40° 3000K IRC90	128,00
1003667	4024163238175	NUMINOS MOVE L, ET, LED 750mA, br/pr, 2150lm 55° 3000K IRC90	128,00
1003668	4024163238182	NUMINOS MOVE L, ET, LED 750mA, br/br, 2300lm 55° 3000K IRC90	128,00
1003669	4024163238199	NUMINOS MOVE L, ET, LED 750mA, br/cr, 2200lm 55° 3000K IRC90	128,00
1003673	4024163238236	NUMINOS MOVE L, ET, LED 750mA, pr/pr, 2350lm 20° 4000K IRC90	128,00
1003674	4024163238243	NUMINOS MOVE L, ET, LED 750mA, pr/br, 2450lm 20° 4000K IRC90	128,00
1003675	4024163238250	NUMINOS MOVE L, ET, LED 750mA, pr/cr, 2350lm 20° 4000K IRC90	128,00
1003676	4024163238267	NUMINOS MOVE L, ET, LED 750mA, pr/pr, 2350lm 40° 4000K IRC90	128,00
1003677	4024163238274	NUMINOS MOVE L, ET, LED 750mA, pr/br, 2450lm 40° 4000K IRC90	128,00
1003678	4024163238281	NUMINOS MOVE L, ET, LED 750mA, pr/cr, 2350lm 40° 4000K IRC90	128,00
1003679	4024163238298	NUMINOS MOVE L, ET, LED 750mA, pr/pr, 2350lm 55° 4000K IRC90	128,00
1003680	4024163238304	NUMINOS MOVE L, ET, LED 750mA, pr/br, 2450lm 55° 4000K IRC90	128,00
1003681	4024163238311	NUMINOS MOVE L, ET, LED 750mA, pr/cr, 2350lm 55° 4000K IRC90	128,00
1003685	4024163238359	NUMINOS MOVE L, ET, LED 750mA, br/pr, 2350lm 20° 4000K IRC90	128,00
1003686	4024163238366	NUMINOS MOVE L, ET, LED 750mA, br/br, 2450lm 20° 4000K IRC90	128,00
1003687	4024163238373	NUMINOS MOVE L, ET, LED 750mA, br/cr, 2350lm 20° 4000K IRC90	128,00
1003688	4024163238380	NUMINOS MOVE L, ET, LED 750mA, br/pr, 2350lm 40° 4000K IRC90	128,00
1003689	4024163238397	NUMINOS MOVE L, ET, LED 750mA, br/br, 2450lm 40° 4000K IRC90	128,00
1003690	4024163238403	NUMINOS MOVE L, ET, LED 750mA, br/cr, 2350lm 40° 4000K IRC90	128,00
1003691	4024163238410	NUMINOS MOVE L, ET, LED 750mA, br/pr, 2350lm 55° 4000K IRC90	128,00
1003692	4024163238427	NUMINOS MOVE L, ET, LED 750mA, br/br, 2450lm 55° 4000K IRC90	128,00
1003693	4024163238434	NUMINOS MOVE L, ET, LED 750mA, br/cr, 2350lm 55° 4000K IRC90	128,00
1003697	4024163238472	NUMINOS MOVE XL, ET, LED 1050mA pr/pr 3300lm 20° 2700K IRC90	158,00
1003698	4024163238489	NUMINOS MOVE XL, ET, LED 1050mA pr/br 3500lm 20° 2700K IRC90	158,00
1003699	4024163238496	NUMINOS MOVE XL, ET, LED 1050mA pr/cr 3400lm 20° 2700K IRC90	158,00
1003700	4024163238502	NUMINOS MOVE XL, ET, LED 1050mA pr/pr 3300lm 40° 2700K IRC90	158,00
1003701	4024163238519	NUMINOS MOVE XL, ET, LED 1050mA pr/br 3500lm 40° 2700K IRC90	158,00
1003702	4024163238526	NUMINOS MOVE XL, ET, LED 1050mA pr/cr 3400lm 40° 2700K IRC90	158,00
1003703	4024163238533	NUMINOS MOVE XL, ET, LED 1050mA pr/pr 3300lm 55° 2700K IRC90	158,00
1003704	4024163238540	NUMINOS MOVE XL, ET, LED 1050mA pr/br 3500lm 55° 2700K IRC90	158,00
1003705	4024163238557	NUMINOS MOVE XL, ET, LED 1050mA pr/cr 3400lm 55° 2700K IRC90	158,00
1003709	4024163238595	NUMINOS MOVE XL, ET, LED 1050mA br/pr 3300lm 20° 2700K IRC90	158,00
1003710	4024163238601	NUMINOS MOVE XL, ET, LED 1050mA br/br 3500lm 20° 2700K IRC90	158,00
1003711	4024163238618	NUMINOS MOVE XL, ET, LED 1050mA br/cr 3400lm 20° 2700K IRC90	158,00
1003712	4024163238625	NUMINOS MOVE XL, ET, LED 1050mA br/pr 3300lm 40° 2700K IRC90	158,00
1003713	4024163238632	NUMINOS MOVE XL, ET, LED 1050mA br/br 3500lm 40° 2700K IRC90	158,00
1003714	4024163238649	NUMINOS MOVE XL, ET, LED 1050mA br/cr 3400lm 40° 2700K IRC90	158,00
1003715	4024163238656	NUMINOS MOVE XL, ET, LED 1050mA br/pr 3300lm 55° 2700K IRC90	158,00
1003716	4024163238663	NUMINOS MOVE XL, ET, LED 1050mA br/br 3500lm 55° 2700K IRC90	158,00
1003717	4024163238670	NUMINOS MOVE XL, ET, LED 1050mA br/cr 3400lm 55° 2700K IRC90	158,00
1003721	4024163238717	NUMINOS MOVE XL, ET, LED 1050mA pr/pr 3300lm 20° 3000K IRC90	158,00
1003722	4024163238724	NUMINOS MOVE XL, ET, LED 1050mA pr/br 3500lm 20° 3000K IRC90	158,00
1003723	4024163238731	NUMINOS MOVE XL, ET, LED 1050mA pr/cr 3500lm 20° 3000K IRC90	158,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1003724	4024163238748	NUMINOS MOVE XL, ET, LED 1050mA pr/pr 3300lm 40° 3000K IRC90	158,00
1003725	4024163238755	NUMINOS MOVE XL, ET, LED 1050mA pr/pr 3550lm 40° 3000K IRC90	158,00
1003726	4024163238762	NUMINOS MOVE XL, ET, LED 1050mA pr/cr 3500lm 40° 3000K IRC90	158,00
1003727	4024163238779	NUMINOS MOVE XL, ET, LED 1050mA pr/pr 3300lm 55° 3000K IRC90	158,00
1003728	4024163238786	NUMINOS MOVE XL, ET, LED 1050mA pr/br 3550lm 55° 3000K IRC90	158,00
1003729	4024163238793	NUMINOS MOVE XL, ET, LED 1050mA pr/cr 3500lm 55° 3000K IRC90	158,00
1003733	4024163238830	NUMINOS MOVE XL, ET, LED 1050mA br/pr 3300lm 20° 3000K IRC90	158,00
1003734	4024163238847	NUMINOS MOVE XL, ET, LED 1050mA br/br 3550lm 20° 3000K IRC90	158,00
1003735	4024163238854	NUMINOS MOVE XL, ET, LED 1050mA br/cr 3500lm 20° 3000K IRC90	158,00
1003736	4024163238861	NUMINOS MOVE XL, ET, LED 1050mA br/pr 3300lm 40° 3000K IRC90	158,00
1003737	4024163238878	NUMINOS MOVE XL, ET, LED 1050mA br/br 3550lm 40° 3000K IRC90	158,00
1003738	4024163238885	NUMINOS MOVE XL, ET, LED 1050mA br/cr 3500lm 40° 3000K IRC90	158,00
1003739	4024163238892	NUMINOS MOVE XL, ET, LED 1050mA br/pr 3300lm 55° 3000K IRC90	158,00
1003740	4024163238908	NUMINOS MOVE XL, ET, LED 1050mA br/br 3550lm 55° 3000K IRC90	158,00
1003741	4024163238915	NUMINOS MOVE XL, ET, LED 1050mA br/cr 3500lm 55° 3000K IRC90	158,00
1003745	4024163238953	NUMINOS MOVE XL, ET, LED 1050mA pr/pr 3600lm 20° 4000K IRC90	158,00
1003746	4024163238960	NUMINOS MOVE XL, ET, LED 1050mA pr/br 3800lm 20° 4000K IRC90	158,00
1003747	4024163238977	NUMINOS MOVE XL, ET, LED 1050mA pr/cr 3750lm 20° 4000K IRC90	158,00
1003748	4024163238984	NUMINOS MOVE XL, ET, LED 1050mA pr/pr 3600lm 40° 4000K IRC90	158,00
1003749	4024163238991	NUMINOS MOVE XL, ET, LED 1050mA pr/br 3800lm 40° 4000K IRC90	158,00
1003750	4024163239004	NUMINOS MOVE XL, ET, LED 1050mA pr/cr 3750lm 40° 4000K IRC90	158,00
1003751	4024163239011	NUMINOS MOVE XL, ET, LED 1050mA pr/pr 3600lm 55° 4000K IRC90	158,00
1003752	4024163239028	NUMINOS MOVE XL, ET, LED 1050mA pr/br 3800lm 55° 4000K IRC90	158,00
1003753	4024163239035	NUMINOS MOVE XL, ET, LED 1050mA pr/cr 3750lm 55° 4000K IRC90	158,00
1003757	4024163239073	NUMINOS MOVE XL, ET, LED 1050mA br/pr 3600lm 20° 4000K IRC90	158,00
1003758	4024163239080	NUMINOS MOVE XL, ET, LED 1050mA br/br 3800lm 20° 4000K IRC90	158,00
1003759	4024163239097	NUMINOS MOVE XL, ET, LED 1050mA br/cr 3750lm 20° 4000K IRC90	158,00
1003760	4024163239103	NUMINOS MOVE XL, ET, LED 1050mA br/pr 3600lm 40° 4000K IRC90	158,00
1003761	4024163239110	NUMINOS MOVE XL, ET, LED 1050mA br/br 3800lm 40° 4000K IRC90	158,00
1003762	4024163239127	NUMINOS MOVE XL, ET, LED 1050mA br/cr 3750lm 40° 4000K IRC90	158,00
1003763	4024163239134	NUMINOS MOVE XL, ET, LED 1050mA br/pr 3600lm 55° 4000K IRC90	158,00
1003764	4024163239141	NUMINOS MOVE XL, ET, LED 1050mA br/br 3800lm 55° 4000K IRC90	158,00
1003765	4024163239158	NUMINOS MOVE XL, ET, LED 1050mA br/cr 3750lm 55° 4000K IRC90	158,00
1003769	4024163239196	NUMINOS S, ET, LED 250mA, pr/pr 670lm 20° UGR18 2700K IRC90	76,00
1003770	4024163239202	NUMINOS S, ET, LED 250mA, pr/br 720lm 20° UGR19 2700K IRC90	76,00
1003771	4024163239219	NUMINOS S, ET, LED 250mA, pr/cr 690lm 20° UGR16 2700K IRC90	76,00
1003772	4024163239226	NUMINOS S, ET, LED 250mA, pr/pr 670lm 40° UGR19 2700K IRC90	76,00
1003773	4024163239233	NUMINOS S, ET, LED 250mA, pr/br 720lm 40° UGR18 2700K IRC90	76,00
1003774	4024163239240	NUMINOS S, ET, LED 250mA, pr/cr 690lm 40° UGR16 2700K IRC90	76,00
1003775	4024163239257	NUMINOS S, ET, LED 250mA, pr/pr 670lm 55° UGR21 2700K IRC90	76,00
1003776	4024163239264	NUMINOS S, ET, LED 250mA, pr/br 720lm 55° UGR20 2700K IRC90	76,00
1003777	4024163239271	NUMINOS S, ET, LED 250mA, pr/cr 690lm 55° UGR19 2700K IRC90	76,00
1003781	4024163239318	NUMINOS S, ET, LED 250mA, br/pr 670lm 20° UGR18 2700K IRC90	76,00
1003782	4024163239325	NUMINOS S, ET, LED 250mA, br/br 720lm 20° UGR19 2700K IRC90	76,00
1003783	4024163239332	NUMINOS S, ET, LED 250mA, br/cr 690lm 20° UGR16 2700K IRC90	76,00
1003784	4024163239349	NUMINOS S, ET, LED 250mA, br/pr 670lm 40° UGR19 2700K IRC90	76,00
1003785	4024163239356	NUMINOS S, ET, LED 250mA, br/br 720lm 40° UGR18 2700K IRC90	76,00
1003786	4024163239363	NUMINOS S, ET, LED 250mA, br/cr 690lm 40° UGR16 2700K IRC90	76,00
1003787	4024163239370	NUMINOS S, ET, LED 250mA, br/pr 670lm 55° UGR21 2700K IRC90	76,00
1003788	4024163239387	NUMINOS S, ET, LED 250mA, br/br 720lm 55° UGR20 2700K IRC90	76,00
1003789	4024163239394	NUMINOS S, ET, LED 250mA, br/cr 690lm 55° UGR19 2700K IRC90	76,00
1003793	4024163239431	NUMINOS S, ET, LED 250mA, pr/pr 690lm 20° UGR18 3000K IRC90	76,00
1003794	4024163239448	NUMINOS S, ET, LED 250mA, pr/br 730lm 20° UGR18 3000K IRC90	76,00
1003795	4024163239455	NUMINOS S, ET, LED 250mA, pr/cr 700lm 20° UGR16 3000K IRC90	76,00
1003796	4024163239462	NUMINOS S, ET, LED 250mA, pr/pr 690lm 40° UGR18 3000K IRC90	76,00
1003797	4024163239479	NUMINOS S, ET, LED 250mA, pr/br 730lm 40° UGR18 3000K IRC90	76,00
1003798	4024163239486	NUMINOS S, ET, LED 250mA, pr/cr 700lm 40° UGR16 3000K IRC90	76,00
1003799	4024163239493	NUMINOS S, ET, LED 250mA, pr/pr 690lm 55° UGR20 3000K IRC90	76,00
1003800	4024163239509	NUMINOS S, ET, LED 250mA, pr/br 730lm 55° UGR20 3000K IRC90	76,00
1003801	4024163239516	NUMINOS S, ET, LED 250mA, pr/cr 700lm 55° UGR18 3000K IRC90	76,00
1003805	4024163239554	NUMINOS S, ET, LED 250mA, br/pr 690lm 20° UGR18 3000K IRC90	76,00
1003806	4024163239561	NUMINOS S, ET, LED 250mA, br/br 730lm 20° UGR18 3000K IRC90	76,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1003807	4024163239578	NUMINOS S, ET, LED 250mA, br/cr 700lm 20° UGR16 3000K IRC90	76,00
1003808	4024163239585	NUMINOS S, ET, LED 250mA, br/pr 690lm 40° UGR18 3000K IRC90	76,00
1003809	4024163239592	NUMINOS S, ET, LED 250mA, br/pr 730lm 40° UGR18 3000K IRC90	76,00
1003810	4024163239608	NUMINOS S, ET, LED 250mA, br/cr 700lm 40° UGR16 3000K IRC90	76,00
1003811	4024163239615	NUMINOS S, ET, LED 250mA, br/pr 690lm 55° UGR20 3000K IRC90	76,00
1003812	4024163239622	NUMINOS S, ET, LED 250mA, br/pr 730lm 55° UGR20 3000K IRC90	76,00
1003813	4024163239639	NUMINOS S, ET, LED 250mA, br/cr 700lm 55° UGR18 3000K IRC90	76,00
1003817	4024163239677	NUMINOS S, ET, LED 250mA, pr/pr 730lm 20° UGR18 4000K IRC90	76,00
1003818	4024163239684	NUMINOS S, ET, LED 250mA, pr/pr 790lm 20° UGR19 4000K IRC90	76,00
1003819	4024163239691	NUMINOS S, ET, LED 250mA, pr/cr 750lm 20° UGR16 4000K IRC90	76,00
1003820	4024163239707	NUMINOS S, ET, LED 250mA, pr/pr 730lm 40° UGR19 4000K IRC90	76,00
1003821	4024163239714	NUMINOS S, ET, LED 250mA, pr/pr 790lm 40° UGR18 4000K IRC90	76,00
1003822	4024163239721	NUMINOS S, ET, LED 250mA, pr/cr 750lm 40° UGR16 4000K IRC90	76,00
1003823	4024163239738	NUMINOS S, ET, LED 250mA, pr/pr 730lm 55° UGR20 4000K IRC90	76,00
1003824	4024163239745	NUMINOS S, ET, LED 250mA, pr/pr 790lm 55° UGR21 4000K IRC90	76,00
1003825	4024163239752	NUMINOS S, ET, LED 250mA, pr/cr 750lm 55° UGR20 4000K IRC90	76,00
1003829	4024163239790	NUMINOS S, ET, LED 250mA, br/pr 730lm 20° UGR18 4000K IRC90	76,00
1003830	4024163239806	NUMINOS S, ET, LED 250mA, br/pr 790lm 20° UGR19 4000K IRC90	76,00
1003831	4024163239813	NUMINOS S, ET, LED 250mA, br/cr 750lm 20° UGR16 4000K IRC90	76,00
1003832	4024163239820	NUMINOS S, ET, LED 250mA, br/pr 730lm 40° UGR19 4000K IRC90	76,00
1003833	4024163239837	NUMINOS S, ET, LED 250mA, br/pr 790lm 40° UGR18 4000K IRC90	76,00
1003834	4024163239844	NUMINOS S, ET, LED 250mA, br/cr 750lm 40° UGR16 4000K IRC90	76,00
1003835	4024163239851	NUMINOS S, ET, LED 250mA, br/pr 730lm 55° UGR21 4000K IRC90	76,00
1003836	4024163239868	NUMINOS S, ET, LED 250mA, br/pr 790lm 55° UGR20 4000K IRC90	76,00
1003837	4024163239875	NUMINOS S, ET, LED 250mA, br/cr 750lm 55° UGR19 4000K IRC90	76,00
1003841	4024163239912	NUMINOS M, ET, LED 500mA pr/pr 1460lm 20° UGR19 2700K IRC90	91,00
1003842	4024163239929	NUMINOS M, ET, LED 500mA pr/pr 1600lm 20° UGR20 2700K IRC90	91,00
1003843	4024163239936	NUMINOS M, ET, LED 500mA pr/cr 1550lm 20° UGR17 2700K IRC90	91,00
1003844	4024163239943	NUMINOS M, ET, LED 500mA pr/pr 1460lm 40° UGR20 2700K IRC90	91,00
1003845	4024163239950	NUMINOS M, ET, LED 500mA pr/pr 1600lm 40° UGR19 2700K IRC90	91,00
1003846	4024163239967	NUMINOS M, ET, LED 500mA pr/cr 1550lm 40° UGR17 2700K IRC90	91,00
1003847	4024163239974	NUMINOS M, ET, LED 500mA pr/pr 1460lm 55° UGR21 2700K IRC90	91,00
1003848	4024163239981	NUMINOS M, ET, LED 500mA pr/pr 1600lm 55° UGR20 2700K IRC90	91,00
1003849	4024163239998	NUMINOS M, ET, LED 500mA pr/cr 1550lm 55° UGR18 2700K IRC90	91,00
1003853	4024163240031	NUMINOS M, ET, LED 500mA br/pr 1460lm 20° UGR19 2700K IRC90	91,00
1003854	4024163240048	NUMINOS M, ET, LED 500mA br/pr 1600lm 20° UGR20 2700K IRC90	91,00
1003855	4024163240055	NUMINOS M, ET, LED 500mA br/cr 1550lm 20° UGR17 2700K IRC90	91,00
1003856	4024163240062	NUMINOS M, ET, LED 500mA br/pr 1460lm 40° UGR20 2700K IRC90	91,00
1003857	4024163240079	NUMINOS M, ET, LED 500mA br/pr 1600lm 40° UGR19 2700K IRC90	91,00
1003858	4024163240086	NUMINOS M, ET, LED 500mA br/cr 1550lm 40° UGR17 2700K IRC90	91,00
1003859	4024163240093	NUMINOS M, ET, LED 500mA br/pr 1460lm 55° UGR21 2700K IRC90	91,00
1003860	4024163240109	NUMINOS M, ET, LED 500mA br/pr 1600lm 55° UGR20 2700K IRC90	91,00
1003861	4024163240116	NUMINOS M, ET, LED 500mA br/cr 1550lm 55° UGR18 2700K IRC90	91,00
1003865	4024163240154	NUMINOS M, ET, LED 500mA pr/pr 1500lm 20° UGR19 3000K IRC90	91,00
1003866	4024163240161	NUMINOS M, ET, LED 500mA pr/pr 1600lm 20° UGR20 3000K IRC90	91,00
1003867	4024163240178	NUMINOS M, ET, LED 500mA pr/cr 1550lm 20° UGR17 3000K IRC90	91,00
1003868	4024163240185	NUMINOS M, ET, LED 500mA pr/pr 1500lm 40° UGR20 3000K IRC90	91,00
1003869	4024163240192	NUMINOS M, ET, LED 500mA pr/pr 1600lm 40° UGR20 3000K IRC90	91,00
1003870	4024163240208	NUMINOS M, ET, LED 500mA pr/cr 1550lm 40° UGR17 3000K IRC90	91,00
1003871	4024163240215	NUMINOS M, ET, LED 500mA pr/pr 1500lm 55° UGR21 3000K IRC90	91,00
1003872	4024163240222	NUMINOS M, ET, LED 500mA pr/pr 1600lm 55° UGR21 3000K IRC90	91,00
1003873	4024163240239	NUMINOS M, ET, LED 500mA pr/cr 1550lm 55° UGR19 3000K IRC90	91,00
1003877	4024163240277	NUMINOS M, ET, LED 500mA br/pr 1500lm 20° UGR19 3000K IRC90	91,00
1003878	4024163240284	NUMINOS M, ET, LED 500mA br/pr 1600lm 20° UGR20 3000K IRC90	91,00
1003879	4024163240291	NUMINOS M, ET, LED 500mA br/cr 1550lm 20° UGR17 3000K IRC90	91,00
1003880	4024163240307	NUMINOS M, ET, LED 500mA br/pr 1500lm 40° UGR20 3000K IRC90	91,00
1003881	4024163240314	NUMINOS M, ET, LED 500mA br/pr 1600lm 40° UGR20 3000K IRC90	91,00
1003882	4024163240321	NUMINOS M, ET, LED 500mA br/cr 1550lm 40° UGR17 3000K IRC90	91,00
1003883	4024163240338	NUMINOS M, ET, LED 500mA br/pr 1500lm 55° UGR21 3000K IRC90	91,00
1003884	4024163240345	NUMINOS M, ET, LED 500mA br/pr 1600lm 55° UGR21 3000K IRC90	91,00
1003885	4024163240352	NUMINOS M, ET, LED 500mA br/cr 1550lm 55° UGR19 3000K IRC90	91,00
1003889	4024163240390	NUMINOS M, ET, LED 500mA pr/pr 1600lm 20° UGR19 4000K IRC90	91,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1003890	4024163240406	NUMINOS M, ET, LED 500mA pr/br 1750lm 20° UGR20 4000K IRC90	91,00
1003891	4024163240413	NUMINOS M, ET, LED 500mA pr/cr 1660lm 20° UGR17 4000K IRC90	91,00
1003892	4024163240420	NUMINOS M, ET, LED 500mA pr/pr 1600lm 40° UGR20 4000K IRC90	91,00
1003893	4024163240437	NUMINOS M, ET, LED 500mA pr/br 1750lm 40° UGR20 4000K IRC90	91,00
1003894	4024163240444	NUMINOS M, ET, LED 500mA pr/cr 1660lm 40° UGR17 4000K IRC90	91,00
1003895	4024163240451	NUMINOS M, ET, LED 500mA pr/pr 1600lm 55° UGR21 4000K IRC90	91,00
1003896	4024163240468	NUMINOS M, ET, LED 500mA pr/br 1750lm 55° UGR21 4000K IRC90	91,00
1003897	4024163240475	NUMINOS M, ET, LED 500mA pr/cr 1660lm 55° UGR19 4000K IRC90	91,00
1003901	4024163240512	NUMINOS M, ET, LED 500mA br/pr 1600lm 20° UGR19 4000K IRC90	91,00
1003902	4024163240529	NUMINOS M, ET, LED 500mA br/br 1750lm 20° UGR20 4000K IRC90	91,00
1003903	4024163240536	NUMINOS M, ET, LED 500mA br/cr 1660lm 20° UGR17 4000K IRC90	91,00
1003904	4024163240543	NUMINOS M, ET, LED 500mA br/pr 1600lm 40° UGR20 4000K IRC90	91,00
1003905	4024163240550	NUMINOS M, ET, LED 500mA br/br 1750lm 40° UGR20 4000K IRC90	91,00
1003906	4024163240567	NUMINOS M, ET, LED 500mA br/cr 1660lm 40° UGR17 4000K IRC90	91,00
1003907	4024163240574	NUMINOS M, ET, LED 500mA br/pr 1600lm 55° UGR21 4000K IRC90	91,00
1003908	4024163240581	NUMINOS M, ET, LED 500mA br/br 1750lm 55° UGR21 4000K IRC90	91,00
1003909	4024163240598	NUMINOS M, ET, LED 500mA br/cr 1660lm 55° UGR19 4000K IRC90	91,00
1003913	4024163240635	NUMINOS L, ET, LED 700mA pr/pr 2150lm 20° UGR20 2700K IRC90	111,00
1003914	4024163240642	NUMINOS L, ET, LED 700mA pr/br 2250lm 20° UGR18 2700K IRC90	111,00
1003915	4024163240659	NUMINOS L, ET, LED 700mA pr/cr 2150lm 20° UGR17 2700K IRC90	111,00
1003916	4024163240666	NUMINOS L, ET, LED 700mA pr/pr 2150lm 40° UGR20 2700K IRC90	111,00
1003917	4024163240673	NUMINOS L, ET, LED 700mA pr/br 2250lm 40° UGR18 2700K IRC90	111,00
1003918	4024163240680	NUMINOS L, ET, LED 700mA pr/cr 2150lm 40° UGR17 2700K IRC90	111,00
1003919	4024163240697	NUMINOS L, ET, LED 700mA pr/pr 2150lm 55° UGR22 2700K IRC90	111,00
1003920	4024163240703	NUMINOS L, ET, LED 700mA pr/br 2250lm 55° UGR20 2700K IRC90	111,00
1003921	4024163240710	NUMINOS L, ET, LED 700mA pr/cr 2150lm 55° UGR19 2700K IRC90	111,00
1003925	4024163240758	NUMINOS L, ET, LED 700mA br/pr 2150lm 20° UGR20 2700K IRC90	111,00
1003926	4024163240765	NUMINOS L, ET, LED 700mA br/br 2250lm 20° UGR18 2700K IRC90	111,00
1003927	4024163240772	NUMINOS L, ET, LED 700mA br/cr 2150lm 20° UGR17 2700K IRC90	111,00
1003928	4024163240789	NUMINOS L, ET, LED 700mA br/pr 2150lm 40° UGR20 2700K IRC90	111,00
1003929	4024163240796	NUMINOS L, ET, LED 700mA br/br 2250lm 40° UGR18 2700K IRC90	111,00
1003930	4024163240802	NUMINOS L, ET, LED 700mA br/cr 2150lm 40° UGR17 2700K IRC90	111,00
1003931	4024163240819	NUMINOS L, ET, LED 700mA br/pr 2150lm 55° UGR22 2700K IRC90	111,00
1003932	4024163240826	NUMINOS L, ET, LED 700mA br/br 2250lm 55° UGR20 2700K IRC90	111,00
1003933	4024163240833	NUMINOS L, ET, LED 700mA br/cr 2150lm 55° UGR19 2700K IRC90	111,00
1003937	4024163240871	NUMINOS L, ET, LED 700mA pr/pr 2150lm 20° UGR20 3000K IRC90	111,00
1003938	4024163240888	NUMINOS L, ET, LED 700mA pr/br 2300lm 20° UGR18 3000K IRC90	111,00
1003939	4024163240895	NUMINOS L, ET, LED 700mA pr/cr 2200lm 20° UGR17 3000K IRC90	111,00
1003940	4024163240901	NUMINOS L, ET, LED 700mA pr/pr 2150lm 40° UGR21 3000K IRC90	111,00
1003941	4024163240918	NUMINOS L, ET, LED 700mA pr/br 2300lm 40° UGR19 3000K IRC90	111,00
1003942	4024163240925	NUMINOS L, ET, LED 700mA pr/cr 2200lm 40° UGR18 3000K IRC90	111,00
1003943	4024163240932	NUMINOS L, ET, LED 700mA pr/pr 2150lm 55° UGR23 3000K IRC90	111,00
1003944	4024163240949	NUMINOS L, ET, LED 700mA pr/br 2300lm 55° UGR20 3000K IRC90	111,00
1003945	4024163240956	NUMINOS L, ET, LED 700mA pr/cr 2200lm 55° UGR19 3000K IRC90	111,00
1003949	4024163240994	NUMINOS L, ET, LED 700mA br/pr 2150lm 20° UGR20 3000K IRC90	111,00
1003950	4024163241007	NUMINOS L, ET, LED 700mA br/br 2300lm 20° UGR18 3000K IRC90	111,00
1003951	4024163241014	NUMINOS L, ET, LED 700mA br/cr 2200lm 20° UGR17 3000K IRC90	111,00
1003952	4024163241021	NUMINOS L, ET, LED 700mA br/pr 2150lm 40° UGR21 3000K IRC90	111,00
1003953	4024163241038	NUMINOS L, ET, LED 700mA br/br 2300lm 40° UGR19 3000K IRC90	111,00
1003954	4024163241045	NUMINOS L, ET, LED 700mA br/cr 2200lm 40° UGR18 3000K IRC90	111,00
1003955	4024163241052	NUMINOS L, ET, LED 700mA br/pr 2150lm 55° UGR23 3000K IRC90	111,00
1003956	4024163241069	NUMINOS L, ET, LED 700mA br/br 2300lm 55° UGR20 3000K IRC90	111,00
1003957	4024163241076	NUMINOS L, ET, LED 700mA br/cr 2200lm 55° UGR19 3000K IRC90	111,00
1003961	4024163241113	NUMINOS L, ET, LED 700mA pr/pr 2350lm 20° UGR20 4000K IRC90	111,00
1003962	4024163241120	NUMINOS L, ET, LED 700mA pr/br 2450lm 20° UGR18 4000K IRC90	111,00
1003963	4024163241137	NUMINOS L, ET, LED 700mA pr/cr 2350lm 20° UGR17 4000K IRC90	111,00
1003964	4024163241144	NUMINOS L, ET, LED 700mA pr/pr 2350lm 40° UGR21 4000K IRC90	111,00
1003965	4024163241151	NUMINOS L, ET, LED 700mA pr/br 2450lm 40° UGR19 4000K IRC90	111,00
1003966	4024163241168	NUMINOS L, ET, LED 700mA pr/cr 2350lm 40° UGR18 4000K IRC90	111,00
1003967	4024163241175	NUMINOS L, ET, LED 700mA pr/pr 2350lm 55° UGR23 4000K IRC90	111,00
1003968	4024163241182	NUMINOS L, ET, LED 700mA pr/br 2450lm 55° UGR20 4000K IRC90	111,00
1003969	4024163241199	NUMINOS L, ET, LED 700mA pr/cr 2350lm 55° UGR19 4000K IRC90	111,00



Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1003973	4024163241236	NUMINOS L, ET, LED 700mA br/pr 2350lm 20° UGR20 4000K IRC90	111,00
1003974	4024163241243	NUMINOS L, ET, LED 700mA br/pr 2450lm 20° UGR18 4000K IRC90	111,00
1003975	4024163241250	NUMINOS L, ET, LED 700mA br/cr 2350lm 20° UGR17 4000K IRC90	111,00
1003976	4024163241267	NUMINOS L, ET, LED 700mA br/pr 2350lm 40° UGR21 4000K IRC90	111,00
1003977	4024163241274	NUMINOS L, ET, LED 700mA br/br 2450lm 40° UGR19 4000K IRC90	111,00
1003978	4024163241281	NUMINOS L, ET, LED 700mA br/cr 2350lm 40° UGR18 4000K IRC90	111,00
1003979	4024163241298	NUMINOS L, ET, LED 700mA br/pr 2350lm 55° UGR23 4000K IRC90	111,00
1003980	4024163241304	NUMINOS L, ET, LED 700mA br/br 2450lm 55° UGR20 4000K IRC90	111,00
1003981	4024163241311	NUMINOS L, ET, LED 700mA br/cr 2350lm 55° UGR19 4000K IRC90	111,00
1003985	4024163241359	NUMINOS XL, ET LED 1050mA pr/pr 3300lm 20° UGR21 2700K IRC90	138,00
1003986	4024163241366	NUMINOS XL, ET LED 1050mA pr/br 3500lm 20° UGR18 2700K IRC90	138,00
1003987	4024163241373	NUMINOS XL, ET LED 1050mA pr/cr 3400lm 20° UGR17 2700K IRC90	138,00
1003988	4024163241380	NUMINOS XL, ET LED 1050mA pr/pr 3300lm 40° UGR21 2700K IRC90	138,00
1003989	4024163241397	NUMINOS XL, ET LED 1050mA pr/br 3500lm 40° UGR18 2700K IRC90	138,00
1003990	4024163241403	NUMINOS XL, ET LED 1050mA pr/cr 3400lm 40° UGR18 2700K IRC90	138,00
1003991	4024163241410	NUMINOS XL, ET LED 1050mA pr/pr 3300lm 55° UGR22 2700K IRC90	138,00
1003992	4024163241427	NUMINOS XL, ET LED 1050mA pr/br 3500lm 55° UGR19 2700K IRC90	138,00
1003993	4024163241434	NUMINOS XL, ET LED 1050mA pr/cr 3400lm 55° UGR19 2700K IRC90	138,00
1003997	4024163241472	NUMINOS XL, ET LED 1050mA br/pr 3300lm 20° UGR21 2700K IRC90	138,00
1003998	4024163241489	NUMINOS XL, ET LED 1050mA br/br 3500lm 20° UGR18 2700K IRC90	138,00
1003999	4024163241496	NUMINOS XL, ET LED 1050mA br/cr 3400lm 20° UGR17 2700K IRC90	138,00
1004000	4024163241502	NUMINOS XL, ET LED 1050mA br/pr 3300lm 40° UGR21 2700K IRC90	138,00
1004001	4024163241519	NUMINOS XL, ET LED 1050mA br/br 3500lm 40° UGR18 2700K IRC90	138,00
1004002	4024163241526	NUMINOS XL, ET LED 1050mA br/cr 3400lm 40° UGR18 2700K IRC90	138,00
1004003	4024163241533	NUMINOS XL, ET LED 1050mA br/pr 3300lm 55° UGR22 2700K IRC90	138,00
1004004	4024163241540	NUMINOS XL, ET LED 1050mA br/br 3500lm 55° UGR19 2700K IRC90	138,00
1004005	4024163241557	NUMINOS XL, ET LED 1050mA br/cr 3400lm 55° UGR19 2700K IRC90	138,00
1004009	4024163241595	NUMINOS XL, ET LED 1050mA pr/pr 3300lm 20° UGR21 3000K IRC90	138,00
1004010	4024163241601	NUMINOS XL, ET LED 1050mA pr/br 3550lm 20° UGR18 3000K IRC90	138,00
1004011	4024163241618	NUMINOS XL, ET LED 1050mA pr/cr 3500lm 20° UGR17 3000K IRC90	138,00
1004012	4024163241625	NUMINOS XL, ET LED 1050mA pr/pr 3300lm 40° UGR21 3000K IRC90	138,00
1004013	4024163241632	NUMINOS XL, ET LED 1050mA pr/br 3550lm 40° UGR18 3000K IRC90	138,00
1004014	4024163241649	NUMINOS XL, ET LED 1050mA pr/cr 3500lm 40° UGR18 3000K IRC90	138,00
1004015	4024163241656	NUMINOS XL, ET LED 1050mA pr/pr 3300lm 55° UGR22 3000K IRC90	138,00
1004016	4024163241663	NUMINOS XL, ET LED 1050mA pr/br 3550lm 55° UGR19 3000K IRC90	138,00
1004017	4024163241670	NUMINOS XL, ET LED 1050mA pr/cr 3500lm 55° UGR19 3000K IRC90	138,00
1004021	4024163241717	NUMINOS XL, ET LED 1050mA br/pr 3300lm 20° UGR21 3000K IRC90	138,00
1004022	4024163241724	NUMINOS XL, ET LED 1050mA br/br 3550lm 20° UGR18 3000K IRC90	138,00
1004023	4024163241731	NUMINOS XL, ET LED 1050mA br/cr 3500lm 20° UGR17 3000K IRC90	138,00
1004024	4024163241748	NUMINOS XL, ET LED 1050mA br/pr 3300lm 40° UGR21 3000K IRC90	138,00
1004025	4024163241755	NUMINOS XL, ET LED 1050mA br/br 3550lm 40° UGR18 3000K IRC90	138,00
1004026	4024163241762	NUMINOS XL, ET LED 1050mA br/cr 3500lm 40° UGR18 3000K IRC90	138,00
1004027	4024163241779	NUMINOS XL, ET LED 1050mA br/pr 3300lm 55° UGR22 3000K IRC90	138,00
1004028	4024163241786	NUMINOS XL, ET LED 1050mA br/br 3550lm 55° UGR19 3000K IRC90	138,00
1004029	4024163241793	NUMINOS XL, ET LED 1050mA br/cr 3500lm 55° UGR19 3000K IRC90	138,00
1004033	4024163241830	NUMINOS XL, ET LED 1050mA pr/pr 3600lm 20° UGR21 4000K IRC90	138,00
1004034	4024163241847	NUMINOS XL, ET LED 1050mA pr/br 3800lm 20° UGR18 4000K IRC90	138,00
1004035	4024163241854	NUMINOS XL, ET LED 1050mA pr/cr 3750lm 20° UGR17 4000K IRC90	138,00
1004036	4024163241861	NUMINOS XL, ET LED 1050mA pr/pr 3600lm 40° UGR21 4000K IRC90	138,00
1004037	4024163241878	NUMINOS XL, ET LED 1050mA pr/br 3800lm 40° UGR18 4000K IRC90	138,00
1004038	4024163241885	NUMINOS XL, ET LED 1050mA pr/cr 3750lm 40° UGR18 4000K IRC90	138,00
1004039	4024163241892	NUMINOS XL, ET LED 1050mA pr/pr 3600lm 55° UGR23 4000K IRC90	138,00
1004040	4024163241908	NUMINOS XL, ET LED 1050mA pr/br 3800lm 55° UGR19 4000K IRC90	138,00
1004041	4024163241915	NUMINOS XL, ET LED 1050mA pr/cr 3750lm 55° UGR19 4000K IRC90	138,00
1004045	4024163241953	NUMINOS XL, ET LED 1050mA br/pr 3600lm 20° UGR21 4000K IRC90	138,00
1004046	4024163241960	NUMINOS XL, ET LED 1050mA br/br 3800lm 20° UGR18 4000K IRC90	138,00
1004047	4024163241977	NUMINOS XL, ET LED 1050mA br/cr 3750lm 20° UGR18 4000K IRC90	138,00
1004048	4024163241984	NUMINOS XL, ET LED 1050mA br/pr 3600lm 40° UGR21 4000K IRC90	138,00
1004049	4024163241991	NUMINOS XL, ET LED 1050mA br/br 3800lm 40° UGR18 4000K IRC90	138,00
1004050	4024163242004	NUMINOS XL, ET LED 1050mA br/cr 3750lm 40° UGR18 4000K IRC90	138,00
1004051	4024163242011	NUMINOS XL, ET LED 1050mA br/pr 3600lm 55° UGR23 4000K IRC90	138,00
1004052	4024163242028	NUMINOS XL, ET LED 1050mA br/br 3800lm 55° UGR19 4000K IRC90	138,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1004053	4024163242035	NUMINOS XL, ET LED 1050mA br/cr 3750lm 55° UGR19 4000K IRC90	138,00
1004054	4024163242042	Driver 500mA, 12.5-21W, DIM FASE INV	59,00
1004055	4024163242059	Driver 250mA, 7.5-10W, DIM FASE INV	40,75
1004058	4024163242080	Driver 250mA, 6.5-10W	26,00
1004059	4024163242097	Driver 800/900/1050mA, 24-44W (31.5-44W@1050mA)	30,75
1004062	4024163242127	Driver 500/600/700mA, 15-29.5W (21W-29.5W@700mA)	30,75
1004064	4024163242141	Driver 500/600/700mA, 12.5-29.5W (15-21W@500mA)	30,75
1004065	4024163242158	Driver 700mA, 21-29.5W, DIM FASE INVERSA	59,00
1004066	4024163242165	Driver 1050mA, 26.3-42W, DIM FASE INVERSA	63,00
1004067	4024163242172	Driver 250/350/500/700mA, 1.2-42W (1.5-15W@250mA) DALI	82,00
1004069	4024163242196	Driver 250/350/500/700mA, 1.5-40.6W (3-29W@500mA) DALI	82,00
1004070	4024163242202	Driver 250/350/500/700mA, 1.5-40.6W (4.2-40.6W@700mA) DALI	82,00
1004071	4024163242219	Driver 1050mA, 4.2-60.9W, DALI	82,00
1004074	4024163242240	NUMINOS S, C3F, LED, preto, 985lm, 24°, 2700K IRC90	122,00
1004075	4024163242257	NUMINOS S, C3F, LED, preto, 985lm, 36°, 2700K IRC90	122,00
1004076	4024163242264	NUMINOS S, C3F, LED, preto, 980lm, 60°, 2700K IRC90	122,00
1004078	4024163242288	NUMINOS S, C3F, LED, branco, 980lm, 24°, 2700K IRC90	122,00
1004079	4024163242295	NUMINOS S, C3F, LED, branco, 985lm, 36°, 2700K IRC90	122,00
1004080	4024163242301	NUMINOS S, C3F, LED, branco, 980lm, 60°, 2700K IRC90	122,00
1004082	4024163242325	NUMINOS S, C3F, LED, preto, 1020lm, 24°, 3000K IRC90	122,00
1004083	4024163242332	NUMINOS S, C3F, LED, preto, 1020lm, 36°, 3000K IRC90	122,00
1004084	4024163242349	NUMINOS S, C3F, LED, preto, 1020lm, 60°, 3000K IRC90	122,00
1004086	4024163242363	NUMINOS S, C3F, LED, branco, 1020lm, 24°, 3000K IRC90	122,00
1004087	4024163242370	NUMINOS S, C3F, LED, branco, 1020lm, 36°, 3000K IRC90	122,00
1004088	4024163242387	NUMINOS S, C3F, LED, branco, 1020lm, 60°, 3000K IRC90	122,00
1004090	4024163242400	NUMINOS S, C3F, LED, preto, 1100lm, 24°, 4000K IRC90	122,00
1004091	4024163242417	NUMINOS S, C3F, LED, preto, 1100lm, 36°, 4000K IRC90	122,00
1004092	4024163242424	NUMINOS S, C3F, LED, preto, 1100lm, 60°, 4000K IRC90	122,00
1004094	4024163242448	NUMINOS S, C3F, LED, branco, 1100lm, 24°, 4000K IRC90	122,00
1004095	4024163242455	NUMINOS S, C3F, LED, branco, 1100lm, 36°, 4000K IRC90	122,00
1004096	4024163242462	NUMINOS S, C3F, LED, branco, 1100lm, 60°, 4000K IRC90	122,00
1004098	4024163242486	NUMINOS S, SPT, LED, preto, 985lm 24°, 2700K IRC90 DIM	122,00
1004099	4024163242493	NUMINOS S, SPT, LED, preto, 985lm 36°, 2700K IRC90 DIM	122,00
1004100	4024163242509	NUMINOS S, SPT, LED, preto, 980lm 60°, 2700K IRC90 DIM	122,00
1004102	4024163242523	NUMINOS S, SPT, LED, branco, 985lm 24°, 2700K IRC90 DIM	122,00
1004103	4024163242530	NUMINOS S, SPT, LED, branco, 985lm 36°, 2700K IRC90 DIM	122,00
1004104	4024163242547	NUMINOS S, SPT, LED, branco, 980lm 60°, 2700K IRC90 DIM	122,00
1004106	4024163242561	NUMINOS S, SPT, LED, preto, 1020lm 24°, 3000K IRC90 DIM	122,00
1004107	4024163242578	NUMINOS S, SPT, LED, preto, 1020lm 36°, 3000K IRC90 DIM	122,00
1004108	4024163242585	NUMINOS S, SPT, LED, preto, 1020lm 60°, 3000K IRC90 DIM	122,00
1004110	4024163242608	NUMINOS S, SPT, LED, branco, 1020lm 24°, 3000K IRC90 DIM	122,00
1004111	4024163242615	NUMINOS S, SPT, LED, branco, 1020lm 36°, 3000K IRC90 DIM	122,00
1004112	4024163242622	NUMINOS S, SPT, LED, branco, 1020lm 60°, 3000K IRC90 DIM	122,00
1004114	4024163242646	NUMINOS S, SPT, LED, preto, 1100lm, 24°, 4000K IRC90 DIM	122,00
1004115	4024163242653	NUMINOS S, SPT, LED, preto, 1100lm, 36°, 4000K IRC90 DIM	122,00
1004116	4024163242660	NUMINOS S, SPT, LED, preto, 1100lm, 60°, 4000K IRC90 DIM	122,00
1004118	4024163242684	NUMINOS S, SPT, LED, branco, 1100lm, 24°, 4000K IRC90 DIM	122,00
1004119	4024163242691	NUMINOS S, SPT, LED, branco, 1100lm, 36°, 4000K IRC90 DIM	122,00
1004120	4024163242707	NUMINOS S, SPT, LED, branco, 1100lm, 60°, 4000K IRC90 DIM	122,00
1004122	4024163242721	NUMINOS S, ST, LED, preto, 985lm 24°, 2700K IRC90 DIM	106,00
1004123	4024163242738	NUMINOS S, ST, LED, preto, 985lm 36°, 2700K IRC90 DIM	106,00
1004124	4024163242745	NUMINOS S, ST, LED, preto, 980lm 60°, 2700K IRC90 DIM	106,00
1004126	4024163242769	NUMINOS S, ST, LED, branco, 985lm 24°, 2700K IRC90 DIM	106,00
1004127	4024163242776	NUMINOS S, ST, LED, branco, 985lm 36°, 2700K IRC90 DIM	106,00
1004128	4024163242783	NUMINOS S, ST, LED, branco, 980lm 60°, 2700K IRC90 DIM	106,00
1004130	4024163242806	NUMINOS S, ST, LED, preto, 1020lm 24°, 3000K IRC90 DIM	106,00
1004131	4024163242813	NUMINOS S, ST, LED, preto, 1020lm 36°, 3000K IRC90 DIM	106,00
1004132	4024163242820	NUMINOS S, ST, LED, preto, 1020lm 60°, 3000K IRC90 DIM	106,00
1004134	4024163242844	NUMINOS S, ST, LED, branco, 1020lm 24°, 3000K IRC90 DIM	106,00
1004135	4024163242851	NUMINOS S, ST, LED, branco, 1020lm 36°, 3000K IRC90 DIM	106,00
1004136	4024163242868	NUMINOS S, ST, LED, branco, 1020lm 60°, 3000K IRC90 DIM	106,00
1004138	4024163242882	NUMINOS S, ST, LED, preto, 1100lm, 24°, 4000K IRC90 DIM	106,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1004139	4024163242899	NUMINOS S, ST, LED, preto, 1100lm, 36°, 4000K IRC90 DIM	106,00
1004140	4024163242905	NUMINOS S, ST, LED, preto, 1100lm, 60°, 4000K IRC90 DIM	106,00
1004142	4024163242929	NUMINOS S, ST, LED, branco, 1100lm, 24°, 4000K IRC90 DIM	106,00
1004143	4024163242936	NUMINOS S, ST, LED, branco, 1100lm, 36°, 4000K IRC90 DIM	106,00
1004144	4024163242943	NUMINOS S, ST, LED, branco, 1100lm, 60°, 4000K IRC90 DIM	106,00
1004146	4024163242967	NUMINOS S, SUSP, LED, preto, 980lm, 24°, 2700K IRC90 DIM	144,00
1004147	4024163242974	NUMINOS S, SUSP, LED, preto, 985lm, 36°, 2700K IRC90 DIM	144,00
1004148	4024163242981	NUMINOS S, SUSP, LED, preto, 980lm, 60°, 2700K IRC90 DIM	144,00
1004150	4024163243001	NUMINOS S, SUSP, LED, branco, 985lm, 24°, 2700K IRC90 DIM	144,00
1004151	4024163243018	NUMINOS S, SUSP, LED, branco, 985lm, 36°, 2700K IRC90 DIM	144,00
1004152	4024163243025	NUMINOS S, SUSP, LED, branco, 980lm, 60°, 2700K IRC90 DIM	144,00
1004154	4024163243049	NUMINOS S, SUSP, LED, preto, 1020lm, 24°, 3000K IRC90 DIM	144,00
1004155	4024163243056	NUMINOS S, SUSP, LED, preto, 1020lm, 36°, 3000K IRC90 DIM	144,00
1004156	4024163243063	NUMINOS S, SUSP, LED, preto, 1020lm, 60°, 3000K IRC90 DIM	144,00
1004158	4024163243087	NUMINOS S, SUSP, LED, branco, 1020lm, 24°, 3000K IRC90 DIM	144,00
1004159	4024163243094	NUMINOS S, SUSP, LED, branco, 1020lm, 36°, 3000K IRC90 DIM	144,00
1004160	4024163243100	NUMINOS S, SUSP, LED, branco, 1020lm, 60°, 3000K IRC90 DIM	144,00
1004162	4024163243124	NUMINOS S, SUSP, LED, preto, 1100lm, 24°, 4000K IRC90 DIM	144,00
1004163	4024163243131	NUMINOS S, SUSP, LED, preto, 1100lm, 36°, 4000K IRC90 DIM	144,00
1004164	4024163243148	NUMINOS S, SUSP, LED, preto, 1100lm, 60°, 4000K IRC90 DIM	144,00
1004166	4024163243162	NUMINOS S, SUSP, LED, branco, 1100lm, 24°, 4000K IRC90 DIM	144,00
1004167	4024163243179	NUMINOS S, SUSP, LED, branco, 1100lm, 36°, 4000K IRC90 DIM	144,00
1004168	4024163243186	NUMINOS S, SUSP, LED, branco, 1100lm, 60°, 4000K IRC90 DIM	144,00
1004170	4024163243209	NUMINOS M, C3F, LED, preto, 1925lm, 24°, 2700K IRC90	150,00
1004171	4024163243216	NUMINOS M, C3F, LED, preto, 1935lm, 36°, 2700K IRC90	150,00
1004172	4024163243223	NUMINOS M, C3F, LED, preto, 1885lm, 60°, 2700K IRC90	150,00
1004174	4024163243247	NUMINOS M, C3F, LED, branco, 1925lm, 24°, 2700K IRC90	150,00
1004175	4024163243254	NUMINOS M, C3F, LED, branco, 1935lm, 36°, 2700K IRC90	150,00
1004176	4024163243261	NUMINOS M, C3F, LED, branco, 1870lm, 60°, 2700K IRC90	150,00
1004178	4024163243285	NUMINOS M, C3F, LED, preto, 1955lm, 24°, 3000K IRC90	150,00
1004179	4024163243292	NUMINOS M, C3F, LED, preto, 1970lm, 36°, 3000K IRC90	150,00
1004180	4024163243308	NUMINOS M, C3F, LED, preto, 1880lm, 60°, 3000K IRC90	150,00
1004182	4024163243322	NUMINOS M, C3F, LED, branco, 1935lm, 24°, 3000K IRC90	150,00
1004183	4024163243339	NUMINOS M, C3F, LED, branco, 1970lm, 36°, 3000K IRC90	150,00
1004184	4024163243346	NUMINOS M, C3F, LED, branco, 1870lm, 60°, 3000K IRC90	150,00
1004186	4024163243360	NUMINOS M, C3F, LED, preto, 2125lm, 24°, 4000K IRC90	150,00
1004187	4024163243377	NUMINOS M, C3F, LED, preto, 2120lm, 36°, 4000K IRC90	150,00
1004188	4024163243384	NUMINOS M, C3F, LED, preto, 2060lm, 60°, 4000K IRC90	150,00
1004190	4024163243407	NUMINOS M, C3F, LED, branco, 2125lm, 24°, 4000K IRC90	150,00
1004191	4024163243414	NUMINOS M, C3F, LED, branco, 2120lm, 36°, 4000K IRC90	150,00
1004192	4024163243421	NUMINOS M, C3F, LED, branco, 2060lm, 60°, 4000K IRC90	150,00
1004194	4024163243445	NUMINOS M, SPT, LED, preto, 1925lm 24°, 2700K IRC90 DIM	150,00
1004195	4024163243452	NUMINOS M, SPT, LED, preto, 1935lm 36°, 2700K IRC90 DIM	150,00
1004196	4024163243469	NUMINOS M, SPT, LED, preto, 1870lm 60°, 2700K IRC90 DIM	150,00
1004198	4024163243483	NUMINOS M, SPT, LED, branco, 1925lm 24°, 2700K IRC90 DIM	150,00
1004199	4024163243490	NUMINOS M, SPT, LED, branco, 1935lm 36°, 2700K IRC90 DIM	150,00
1004200	4024163243506	NUMINOS M, SPT, LED, branco, 1870lm 60°, 2700K IRC90 DIM	150,00
1004202	4024163243520	NUMINOS M, SPT, LED, preto, 1955lm 24°, 3000K IRC90 DIM	150,00
1004203	4024163243537	NUMINOS M, SPT, LED, preto, 1950lm 36°, 3000K IRC90 DIM	150,00
1004204	4024163243544	NUMINOS M, SPT, LED, preto, 1870lm 60°, 3000K IRC90 DIM	150,00
1004206	4024163243568	NUMINOS M, SPT, LED, branco, 1955lm 24°, 3000K IRC90 DIM	150,00
1004207	4024163243575	NUMINOS M, SPT, LED, branco, 1950lm 36°, 3000K IRC90 DIM	150,00
1004208	4024163243582	NUMINOS M, SPT, LED, branco, 1870lm 60°, 3000K IRC90 DIM	150,00
1004210	4024163243605	NUMINOS M, SPT, LED, preto, 2125lm, 24°, 4000K IRC90 DIM	150,00
1004211	4024163243612	NUMINOS M, SPT, LED, preto, 2120lm, 36°, 4000K IRC90 DIM	150,00
1004212	4024163243629	NUMINOS M, SPT, LED, preto, 2060lm, 60°, 4000K IRC90 DIM	150,00
1004214	4024163243643	NUMINOS M, SPT, LED, branco, 2525lm, 24°, 4000K IRC90 DIM	150,00
1004215	4024163243650	NUMINOS M, SPT, LED, branco, 2120lm, 36°, 4000K IRC90 DIM	150,00
1004216	4024163243667	NUMINOS M, SPT, LED, branco, 2060lm, 60°, 4000K IRC90 DIM	150,00
1004218	4024163243681	NUMINOS M, ST, LED, preto, 1925lm 24°, 2700K IRC90 DIM	132,00
1004219	4024163243698	NUMINOS M, ST, LED, preto, 1930lm 36°, 2700K IRC90 DIM	132,00
1004220	4024163243704	NUMINOS M, ST, LED, preto, 1870lm 60°, 2700K IRC90 DIM	132,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1004222	4024163243728	NUMINOS M, ST, LED, branco, 1925lm 24º, 2700K IRC90 DIM	132,00
1004223	4024163243735	NUMINOS M, ST, LED, branco, 1930lm 36º, 2700K IRC90 DIM	132,00
1004224	4024163243742	NUMINOS M, ST, LED, branco, 1870lm 60º, 2700K IRC90 DIM	132,00
1004226	4024163243766	NUMINOS M, ST, LED, preto, 1950lm 24º, 3000K IRC90 DIM	132,00
1004227	4024163243773	NUMINOS M, ST, LED, preto, 1970lm 36º, 3000K IRC90 DIM	132,00
1004228	4024163243780	NUMINOS M, ST, LED, preto, 1880lm 60º, 3000K IRC90 DIM	132,00
1004230	4024163243803	NUMINOS M, ST, LED, branco, 1950lm 24º, 3000K IRC90 DIM	132,00
1004231	4024163243810	NUMINOS M, ST, LED, branco, 1970lm 36º, 3000K IRC90 DIM	132,00
1004232	4024163243827	NUMINOS M, ST, LED, branco, 1880lm 60º, 3000K IRC90 DIM	132,00
1004234	4024163243841	NUMINOS M, ST, LED, preto, 2125lm, 24º, 4000K IRC90 DIM	132,00
1004235	4024163243858	NUMINOS M, ST, LED, preto, 2120lm, 36º, 4000K IRC90 DIM	132,00
1004236	4024163243865	NUMINOS M, ST, LED, preto, 2060lm, 60º, 4000K IRC90 DIM	132,00
1004238	4024163243889	NUMINOS M, ST, LED, branco, 2525lm, 24º, 4000K IRC90 DIM	132,00
1004239	4024163243896	NUMINOS M, ST, LED, branco, 2120lm, 36º, 4000K IRC90 DIM	132,00
1004240	4024163243902	NUMINOS M, ST, LED, branco, 2060lm, 60º, 4000K IRC90 DIM	132,00
1004242	4024163243926	NUMINOS M, SUSP, LED, preto, 1925lm, 24º, 2700K IRC90 DIM	170,00
1004243	4024163243933	NUMINOS M, SUSP, LED, preto, 1935lm, 36º, 2700K IRC90 DIM	170,00
1004244	4024163243940	NUMINOS M, SUSP, LED, preto, 1885lm, 60º, 2700K IRC90 DIM	170,00
1004246	4024163243964	NUMINOS M, SUSP, LED, branco, 1925lm, 24º, 2700K IRC90 DIM	170,00
1004247	4024163243971	NUMINOS M, SUSP, LED, branco, 1935lm, 36º, 2700K IRC90 DIM	170,00
1004248	4024163243988	NUMINOS M, SUSP, LED, branco, 1885lm, 60º, 2700K IRC90 DIM	170,00
1004250	4024163244008	NUMINOS M, SUSP, LED, preto, 1955lm, 24º, 3000K IRC90 DIM	170,00
1004251	4024163244015	NUMINOS M, SUSP, LED, preto, 1970lm, 36º, 3000K IRC90 DIM	170,00
1004252	4024163244022	NUMINOS M, SUSP, LED, preto, 1870lm, 60º, 3000K IRC90 DIM	170,00
1004254	4024163244046	NUMINOS M, SUSP, LED, branco, 1955lm, 24º, 3000K IRC90 DIM	170,00
1004255	4024163244053	NUMINOS M, SUSP, LED, branco, 1970lm, 36º, 3000K IRC90 DIM	170,00
1004256	4024163244060	NUMINOS M, SUSP, LED, branco, 1870lm, 60º, 3000K IRC90 DIM	170,00
1004258	4024163244084	NUMINOS M, SUSP, LED, preto, 2125lm, 24º, 4000K IRC90 DIM	170,00
1004259	4024163244091	NUMINOS M, SUSP, LED, preto, 2120lm, 36º, 4000K IRC90 DIM	170,00
1004260	4024163244107	NUMINOS M, SUSP, LED, preto, 2060lm, 60º, 4000K IRC90 DIM	170,00
1004262	4024163244121	NUMINOS M, SUSP, LED, branco, 2125lm, 24º, 4000K IRC90 DIM	170,00
1004263	4024163244138	NUMINOS M, SUSP, LED, branco, 2120lm, 36º, 4000K IRC90 DIM	170,00
1004264	4024163244145	NUMINOS M, SUSP, LED, branco, 2060lm, 60º, 4000K IRC90 DIM	170,00
1004266	4024163244169	NUMINOS L, C3F, LED, preto, 2440lm, 24º, 2700K IRC90	166,00
1004267	4024163244176	NUMINOS L, C3F, LED, preto, 2400lm, 36º, 2700K IRC90	166,00
1004268	4024163244183	NUMINOS L, C3F, LED, preto, 2475lm, 60º, 2700K IRC90	166,00
1004270	4024163244206	NUMINOS L, C3F, LED, branco, 2430lm, 24º, 2700K IRC90	166,00
1004271	4024163244213	NUMINOS L, C3F, LED, branco, 2400lm, 36º, 2700K IRC90	166,00
1004272	4024163244220	NUMINOS L, C3F, LED, branco, 2475lm, 60º, 2700K IRC90	166,00
1004274	4024163244244	NUMINOS L, C3F, LED, preto, 2430lm, 24º, 3000K IRC90	166,00
1004275	4024163244251	NUMINOS L, C3F, LED, preto, 2340lm, 36º, 3000K IRC90	166,00
1004276	4024163244268	NUMINOS L, C3F, LED, preto, 2400lm, 60º, 3000K IRC90	166,00
1004278	4024163244282	NUMINOS L, C3F, LED, branco, 2430lm, 24º, 3000K IRC90	166,00
1004279	4024163244299	NUMINOS L, C3F, LED, branco, 2340lm, 36º, 3000K IRC90	166,00
1004280	4024163244305	NUMINOS L, C3F, LED, branco, 2400lm, 60º, 3000K IRC90	166,00
1004282	4024163244329	NUMINOS L, C3F, LED, preto, 2675lm, 24º, 4000K IRC90	166,00
1004283	4024163244336	NUMINOS L, C3F, LED, preto, 2620lm, 36º, 4000K IRC90	166,00
1004284	4024163244343	NUMINOS L, C3F, LED, preto, 2715lm, 60º, 4000K IRC90	166,00
1004286	4024163244367	NUMINOS L, C3F, LED, branco, 2675lm, 24º, 4000K IRC90	166,00
1004287	4024163244374	NUMINOS L, C3F, LED, branco, 2620lm, 36º, 4000K IRC90	166,00
1004288	4024163244381	NUMINOS L, C3F, LED, branco, 2715lm, 60º, 4000K IRC90	166,00
1004290	4024163244404	NUMINOS L, SPT, LED, preto, 2440lm 24º, 2700K IRC90 DIM	166,00
1004291	4024163244411	NUMINOS L, SPT, LED, preto, 2400lm 36º, 2700K IRC90 DIM	166,00
1004292	4024163244428	NUMINOS L, SPT, LED, preto, 2475lm 60º, 2700K IRC90 DIM	166,00
1004294	4024163244442	NUMINOS L, SPT, LED, branco, 2440lm 24º, 2700K IRC90 DIM	166,00
1004295	4024163244459	NUMINOS L, SPT, LED, branco, 2400lm 36º, 2700K IRC90 DIM	166,00
1004296	4024163244466	NUMINOS L, SPT, LED, branco, 2475lm 60º, 2700K IRC90 DIM	166,00
1004298	4024163244480	NUMINOS L, SPT, LED, preto, 2430lm 24º, 3000K IRC90 DIM	166,00
1004299	4024163244497	NUMINOS L, SPT, LED, preto, 2340lm 36º, 3000K IRC90 DIM	166,00
1004300	4024163244503	NUMINOS L, SPT, LED, preto, 2400lm 60º, 3000K IRC90 DIM	166,00
1004302	4024163244527	NUMINOS L, SPT, LED, branco, 2430lm 24º, 3000K IRC90 DIM	166,00
1004303	4024163244534	NUMINOS L, SPT, LED, branco, 2340lm 36º, 3000K IRC90 DIM	166,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1004304	4024163244541	NUMINOS L, SPT, LED, branco, 2400lm 60°, 3000K IRC90 DIM	166,00
1004306	4024163244565	NUMINOS L, SPT, LED, preto, 2675lm, 24°, 4000K IRC90 DIM	166,00
1004307	4024163244572	NUMINOS L, SPT, LED, preto, 2620lm, 36°, 4000K IRC90 DIM	166,00
1004308	4024163244589	NUMINOS L, SPT, LED, preto, 2710lm, 60°, 4000K IRC90 DIM	166,00
1004310	4024163244602	NUMINOS L, SPT, LED, branco, 2675lm, 24°, 4000K IRC90 DIM	166,00
1004311	4024163244619	NUMINOS L, SPT, LED, branco, 2620lm, 36°, 4000K IRC90 DIM	166,00
1004312	4024163244626	NUMINOS L, SPT, LED, branco, 2710lm, 60°, 4000K IRC90 DIM	166,00
1004314	4024163244640	NUMINOS L, ST, LED, preto, 2440lm 24°, 2700K IRC90 DIM	152,00
1004315	4024163244657	NUMINOS L, ST, LED, preto, 2400lm 36°, 2700K IRC90 DIM	152,00
1004316	4024163244664	NUMINOS L, ST, LED, preto, 2475lm 60°, 2700K IRC90 DIM	152,00
1004318	4024163244688	NUMINOS L, ST, LED, branco, 2440lm 24°, 2700K IRC90 DIM	152,00
1004319	4024163244695	NUMINOS L, ST, LED, branco, 2400lm 36°, 2700K IRC90 DIM	152,00
1004320	4024163244701	NUMINOS L, ST, LED, branco, 2475lm 60°, 2700K IRC90 DIM	152,00
1004322	4024163244725	NUMINOS L, ST, LED, preto, 2430lm 24°, 3000K IRC90 DIM	152,00
1004323	4024163244732	NUMINOS L, ST, LED, preto, 2340lm 36°, 3000K IRC90 DIM	152,00
1004324	4024163244749	NUMINOS L, ST, LED, preto, 2400lm 60°, 3000K IRC90 DIM	152,00
1004326	4024163244763	NUMINOS L, ST, LED, branco, 2430lm 24°, 3000K IRC90 DIM	152,00
1004327	4024163244770	NUMINOS L, ST, LED, branco, 2340lm 36°, 3000K IRC90 DIM	152,00
1004328	4024163244787	NUMINOS L, ST, LED, branco, 2400lm 60°, 3000K IRC90 DIM	152,00
1004330	4024163244800	NUMINOS L, ST, LED, preto, 2675lm, 24°, 4000K IRC90 DIM	152,00
1004331	4024163244817	NUMINOS L, ST, LED, preto, 2620lm, 36°, 4000K IRC90 DIM	152,00
1004332	4024163244824	NUMINOS L, ST, LED, preto, 2715lm, 60°, 4000K IRC90 DIM	152,00
1004334	4024163244848	NUMINOS L, ST, LED, branco, 2675lm, 24°, 4000K IRC90 DIM	152,00
1004335	4024163244855	NUMINOS L, ST, LED, branco, 2620lm, 36°, 4000K IRC90 DIM	152,00
1004336	4024163244862	NUMINOS L, ST, LED, branco, 2715lm, 60°, 4000K IRC90 DIM	152,00
1004338	4024163244886	NUMINOS L, SUSP, LED, preto, 2440lm, 24°, 2700K IRC90 DIM	190,00
1004339	4024163244893	NUMINOS L, SUSP, LED, preto, 2400lm, 36°, 2700K IRC90 DIM	190,00
1004340	4024163244909	NUMINOS L, SUSP, LED, preto, 2475lm, 60°, 2700K IRC90 DIM	190,00
1004342	4024163244923	NUMINOS L, SUSP, LED, branco, 2440lm, 24°, 2700K IRC90 DIM	190,00
1004343	4024163244930	NUMINOS L, SUSP, LED, branco, 2400lm, 36°, 2700K IRC90 DIM	190,00
1004344	4024163244947	NUMINOS L, SUSP, LED, branco, 2475lm, 60°, 2700K IRC90 DIM	190,00
1004346	4024163244961	NUMINOS L, SUSP, LED, preto, 2430lm, 24°, 3000K IRC90 DIM	190,00
1004347	4024163244978	NUMINOS L, SUSP, LED, preto, 2340lm, 36°, 3000K IRC90 DIM	190,00
1004348	4024163244985	NUMINOS L, SUSP, LED, preto, 2400lm, 60°, 3000K IRC90 DIM	190,00
1004350	4024163245005	NUMINOS L, SUSP, LED, branco, 2430lm, 24°, 3000K IRC90 DIM	190,00
1004351	4024163245012	NUMINOS L, SUSP, LED, branco, 2340lm, 36°, 3000K IRC90 DIM	190,00
1004352	4024163245029	NUMINOS L, SUSP, LED, branco, 2400lm, 60°, 3000K IRC90 DIM	190,00
1004354	4024163245043	NUMINOS L, SUSP, LED, preto, 2670lm, 24°, 4000K IRC90 DIM	190,00
1004355	4024163245050	NUMINOS L, SUSP, LED, preto, 2620lm, 36°, 4000K IRC90 DIM	190,00
1004356	4024163245067	NUMINOS L, SUSP, LED, preto, 2715lm, 60°, 4000K IRC90 DIM	190,00
1004358	4024163245081	NUMINOS L, SUSP, LED, branco, 2670lm, 24°, 4000K IRC90 DIM	190,00
1004359	4024163245098	NUMINOS L, SUSP, LED, branco, 2620lm, 36°, 4000K IRC90 DIM	190,00
1004360	4024163245104	NUMINOS L, SUSP, LED, branco, 2715lm, 60°, 4000K IRC90 DIM	190,00
1004362	4024163245128	NUMINOS S, C3F+DALI, LED, preto, 985lm, 24°, 2700K IRC90	180,00
1004363	4024163245135	NUMINOS S, C3F+DALI, LED, preto, 985lm, 36°, 2700K IRC90	180,00
1004364	4024163245142	NUMINOS S, C3F+DALI, LED, preto, 980lm, 60°, 2700K IRC90	180,00
1004366	4024163245166	NUMINOS S, C3F+DALI, LED, branco, 980lm, 24°, 2700K IRC90	180,00
1004367	4024163245173	NUMINOS S, C3F+DALI, LED, branco, 985lm, 36°, 2700K IRC90	180,00
1004368	4024163245180	NUMINOS S, C3F+DALI, LED, branco, 980lm, 60°, 2700K IRC90	180,00
1004370	4024163245203	NUMINOS S, C3F+DALI, LED, preto, 1020lm, 24°, 3000K IRC90	180,00
1004371	4024163245210	NUMINOS S, C3F+DALI, LED, preto, 1020lm, 36°, 3000K IRC90	180,00
1004372	4024163245227	NUMINOS S, C3F+DALI, LED, preto, 1020lm, 60°, 3000K IRC90	180,00
1004374	4024163245241	NUMINOS S, C3F+DALI, LED, branco, 1020lm, 24°, 3000K IRC90	180,00
1004375	4024163245258	NUMINOS S, C3F+DALI, LED, branco, 1020lm, 36°, 3000K IRC90	180,00
1004376	4024163245265	NUMINOS S, C3F+DALI, LED, branco, 1020lm, 60°, 3000K IRC90	180,00
1004378	4024163245289	NUMINOS S, C3F+DALI, LED, preto, 1100lm, 24°, 4000K IRC90	180,00
1004379	4024163245296	NUMINOS S, C3F+DALI, LED, preto, 1100lm, 36°, 4000K IRC90	180,00
1004380	4024163245302	NUMINOS S, C3F+DALI, LED, preto, 1100lm, 60°, 4000K IRC90	180,00
1004382	4024163245326	NUMINOS S, C3F+DALI, LED, branco, 1100lm, 24°, 4000K IRC90	180,00
1004383	4024163245333	NUMINOS S, C3F+DALI, LED, branco, 1100lm, 36°, 4000K IRC90	180,00
1004384	4024163245340	NUMINOS S, C3F+DALI, LED, branco, 1100lm, 60°, 4000K IRC90	180,00
1004386	4024163245364	NUMINOS S, SPT, LED, preto, 985lm 24°, 2700K IRC90 DALI	180,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1004387	4024163245371	NUMINOS S, SPT, LED, preto, 985lm 36°, 2700K IRC90 DALI	180,00
1004388	4024163245388	NUMINOS S, SPT, LED, preto, 980lm 60°, 2700K IRC90 DALI	180,00
1004390	4024163245401	NUMINOS S, SPT, LED, branco, 985lm 24°, 2700K IRC90 DALI	180,00
1004391	4024163245418	NUMINOS S, SPT, LED, branco, 985lm 36°, 2700K IRC90 DALI	180,00
1004392	4024163245425	NUMINOS S, SPT, LED, branco, 980lm 60°, 2700K IRC90 DALI	180,00
1004394	4024163245449	NUMINOS S, SPT, LED, preto, 1020lm 24°, 3000K IRC90 DALI	180,00
1004395	4024163245456	NUMINOS S, SPT, LED, preto, 1020lm 36°, 3000K IRC90 DALI	180,00
1004396	4024163245463	NUMINOS S, SPT, LED, preto, 1020lm 60°, 3000K IRC90 DALI	180,00
1004398	4024163245487	NUMINOS S, SPT, LED, branco, 1020lm 24°, 3000K IRC90 DALI	180,00
1004399	4024163245494	NUMINOS S, SPT, LED, branco, 1020lm 36°, 3000K IRC90 DALI	180,00
1004400	4024163245500	NUMINOS S, SPT, LED, branco, 1020lm 60°, 3000K IRC90 DALI	180,00
1004402	4024163245524	NUMINOS S, SPT, LED, preto, 1100lm, 24°, 4000K IRC90 DALI	180,00
1004403	4024163245531	NUMINOS S, SPT, LED, preto, 1100lm, 36°, 4000K IRC90 DALI	180,00
1004404	4024163245548	NUMINOS S, SPT, LED, preto, 1100lm, 60°, 4000K IRC90 DALI	180,00
1004406	4024163245562	NUMINOS S, SPT, LED, branco, 1100lm, 24°, 4000K IRC90 DALI	180,00
1004407	4024163245579	NUMINOS S, SPT, LED, branco, 1100lm, 36°, 4000K IRC90 DALI	180,00
1004408	4024163245586	NUMINOS S, SPT, LED, branco, 1100lm, 60°, 4000K IRC90 DALI	180,00
1004410	4024163245609	NUMINOS S, ST, LED, preto, 985lm 24°, 2700K IRC90 DALI	156,00
1004411	4024163245616	NUMINOS S, ST, LED, preto, 985lm 36°, 2700K IRC90 DALI	156,00
1004412	4024163245623	NUMINOS S, ST, LED, preto, 980lm 60°, 2700K IRC90 DALI	156,00
1004414	4024163245647	NUMINOS S, ST, LED, branco, 985lm 24°, 2700K IRC90 DALI	156,00
1004415	4024163245654	NUMINOS S, ST, LED, branco, 985lm 36°, 2700K IRC90 DALI	156,00
1004416	4024163245661	NUMINOS S, ST, LED, branco, 980lm 60°, 2700K IRC90 DALI	156,00
1004418	4024163245685	NUMINOS S, ST, LED, preto, 1020lm 24°, 3000K IRC90 DALI	156,00
1004419	4024163245692	NUMINOS S, ST, LED, preto, 1020lm 36°, 3000K IRC90 DALI	156,00
1004420	4024163245708	NUMINOS S, ST, LED, preto, 1020lm 60°, 3000K IRC90 DALI	156,00
1004422	4024163245722	NUMINOS S, ST, LED, branco, 1020lm 24°, 3000K IRC90 DALI	156,00
1004423	4024163245739	NUMINOS S, ST, LED, branco, 1020lm 36°, 3000K IRC90 DALI	156,00
1004424	4024163245746	NUMINOS S, ST, LED, branco, 1020lm 60°, 3000K IRC90 DALI	156,00
1004426	4024163245760	NUMINOS S, ST, LED, preto, 1100lm, 24°, 4000K IRC90 DALI	156,00
1004427	4024163245777	NUMINOS S, ST, LED, preto, 1100lm, 36°, 4000K IRC90 DALI	156,00
1004428	4024163245784	NUMINOS S, ST, LED, preto, 1100lm, 60°, 4000K IRC90 DALI	156,00
1004430	4024163245807	NUMINOS S, ST, LED, branco, 1100lm, 24°, 4000K IRC90 DALI	156,00
1004431	4024163245814	NUMINOS S, ST, LED, branco, 1100lm, 36°, 4000K IRC90 DALI	156,00
1004432	4024163245821	NUMINOS S, ST, LED, branco, 1100lm, 60°, 4000K IRC90 DALI	156,00
1004434	4024163245845	NUMINOS S, SUSP, LED, preto, 985lm, 24°, 2700K IRC90 DALI	204,00
1004435	4024163245852	NUMINOS S, SUSP, LED, preto, 985lm, 36°, 2700K IRC90 DALI	204,00
1004436	4024163245869	NUMINOS S, SUSP, LED, preto, 980lm, 60°, 2700K IRC90 DALI	204,00
1004438	4024163245883	NUMINOS S, SUSP, LED, branco, 985lm, 24°, 2700K IRC90 DALI	204,00
1004439	4024163245890	NUMINOS S, SUSP, LED, branco, 985lm, 36°, 2700K IRC90 DALI	204,00
1004440	4024163245906	NUMINOS S, SUSP, LED, branco, 980lm, 60°, 2700K IRC90 DALI	204,00
1004442	4024163245920	NUMINOS S, SUSP, LED, preto, 1020lm, 24°, 3000K IRC90 DALI	204,00
1004443	4024163245937	NUMINOS S, SUSP, LED, preto, 1020lm, 36°, 3000K IRC90 DALI	204,00
1004444	4024163245944	NUMINOS S, SUSP, LED, preto, 1020lm, 60°, 3000K IRC90 DALI	204,00
1004446	4024163245968	NUMINOS S, SUSP, LED, branco, 1020lm, 24°, 3000K IRC90 DALI	204,00
1004447	4024163245975	NUMINOS S, SUSP, LED, branco, 1020lm, 36°, 3000K IRC90 DALI	204,00
1004448	4024163245982	NUMINOS S, SUSP, LED, branco, 1020lm, 60°, 3000K IRC90 DALI	204,00
1004450	4024163246002	NUMINOS S, SUSP, LED, preto, 1100lm, 24°, 4000K IRC90 DALI	204,00
1004451	4024163246019	NUMINOS S, SUSP, LED, preto, 1100lm, 36°, 4000K IRC90 DALI	204,00
1004452	4024163246026	NUMINOS S, SUSP, LED, preto, 1100lm, 60°, 4000K IRC90 DALI	204,00
1004454	4024163246040	NUMINOS S, SUSP, LED, branco, 1100lm, 24°, 4000K IRC90 DALI	204,00
1004455	4024163246057	NUMINOS S, SUSP, LED, branco, 1100lm, 36°, 4000K IRC90 DALI	204,00
1004456	4024163246064	NUMINOS S, SUSP, LED, branco, 1100lm, 60°, 4000K IRC90 DALI	204,00
1004458	4024163246088	NUMINOS M, C3F+DALI, LED, preto, 1925lm, 24°, 2700K IRC90	197,00
1004459	4024163246095	NUMINOS M, C3F+DALI, LED, preto, 1935lm, 36°, 2700K IRC90	197,00
1004460	4024163246101	NUMINOS M, C3F+DALI, LED, preto, 1885lm, 60°, 2700K IRC90	197,00
1004462	4024163246125	NUMINOS M, C3F+DALI, LED, branco, 1925lm, 24°, 2700K IRC90	197,00
1004463	4024163246132	NUMINOS M, C3F+DALI, LED, branco, 1935lm, 36°, 2700K IRC90	197,00
1004464	4024163246149	NUMINOS M, C3F+DALI, LED, branco, 1870lm, 60°, 2700K IRC90	197,00
1004466	4024163246163	NUMINOS M, C3F+DALI, LED, preto, 1955lm, 24°, 3000K IRC90	197,00
1004467	4024163246170	NUMINOS M, C3F+DALI, LED, preto, 1970lm, 36°, 3000K IRC90	197,00
1004468	4024163246187	NUMINOS M, C3F+DALI, LED, preto, 1880lm, 60°, 3000K IRC90	197,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1004470	4024163246200	NUMINOS M, C3F+DALI, LED, branco, 1935lm, 24º, 3000K IRC90	197,00
1004471	4024163246217	NUMINOS M, C3F+DALI, LED, branco, 1970lm, 36º, 3000K IRC90	197,00
1004472	4024163246224	NUMINOS M, C3F+DALI, LED, branco, 1870lm, 60º, 3000K IRC90	197,00
1004474	4024163246248	NUMINOS M, C3F+DALI, LED, preto, 2125lm, 24º, 4000K IRC90	197,00
1004475	4024163246255	NUMINOS M, C3F+DALI, LED, preto, 2120lm, 36º, 4000K IRC90	197,00
1004476	4024163246262	NUMINOS M, C3F+DALI, LED, preto, 2060lm, 60º, 4000K IRC90	197,00
1004478	4024163246286	NUMINOS M, C3F+DALI, LED, branco, 2125lm, 24º, 4000K IRC90	197,00
1004479	4024163246293	NUMINOS M, C3F+DALI, LED, branco, 2120lm, 36º, 4000K IRC90	197,00
1004480	4024163246309	NUMINOS M, C3F+DALI, LED, branco, 2060lm, 60º, 4000K IRC90	197,00
1004482	4024163246323	NUMINOS M, SPT, LED, preto, 1925lm 24º, 2700K IRC90 DALI	197,00
1004483	4024163246330	NUMINOS M, SPT, LED, preto, 1935lm 36º, 2700K IRC90 DALI	197,00
1004484	4024163246347	NUMINOS M, SPT, LED, preto, 1870lm 60º, 2700K IRC90 DALI	197,00
1004486	4024163246361	NUMINOS M, SPT, LED, branco, 1925lm 24º, 2700K IRC90 DALI	197,00
1004487	4024163246378	NUMINOS M, SPT, LED, branco, 1935lm 36º, 2700K IRC90 DALI	197,00
1004488	4024163246385	NUMINOS M, SPT, LED, branco, 1870lm 60º, 2700K IRC90 DALI	197,00
1004490	4024163246408	NUMINOS M, SPT, LED, preto, 1955lm 24º, 3000K IRC90 DALI	197,00
1004491	4024163246415	NUMINOS M, SPT, LED, preto, 1950lm 36º, 3000K IRC90 DALI	197,00
1004492	4024163246422	NUMINOS M, SPT, LED, preto, 1870lm 60º, 3000K IRC90 DALI	197,00
1004494	4024163246446	NUMINOS M, SPT, LED, branco, 1955lm 24º, 3000K IRC90 DALI	197,00
1004495	4024163246453	NUMINOS M, SPT, LED, branco, 1950lm 36º, 3000K IRC90 DALI	197,00
1004496	4024163246460	NUMINOS M, SPT, LED, branco, 1870lm 60º, 3000K IRC90 DALI	197,00
1004498	4024163246484	NUMINOS M, SPT, LED, preto, 2125lm, 24º, 4000K IRC90 DALI	197,00
1004499	4024163246491	NUMINOS M, SPT, LED, preto, 2120lm, 36º, 4000K IRC90 DALI	197,00
1004500	4024163246507	NUMINOS M, SPT, LED, preto, 2060lm, 60º, 4000K IRC90 DALI	197,00
1004502	4024163246521	NUMINOS M, SPT, LED, branco, 2525lm, 24º, 4000K IRC90 DALI	197,00
1004503	4024163246538	NUMINOS M, SPT, LED, branco, 2120lm, 36º, 4000K IRC90 DALI	197,00
1004504	4024163246545	NUMINOS M, SPT, LED, branco, 2060lm, 60º, 4000K IRC90 DALI	197,00
1004506	4024163246569	NUMINOS M, ST, LED, preto, 1925lm 24º, 2700K IRC90 DALI	167,00
1004507	4024163246576	NUMINOS M, ST, LED, preto, 1930lm 36º, 2700K IRC90 DALI	167,00
1004508	4024163246583	NUMINOS M, ST, LED, preto, 1870lm 60º, 2700K IRC90 DALI	167,00
1004510	4024163246606	NUMINOS M, ST, LED, branco, 1925lm 24º, 2700K IRC90 DALI	167,00
1004511	4024163246613	NUMINOS M, ST, LED, branco, 1930lm 36º, 2700K IRC90 DALI	167,00
1004512	4024163246620	NUMINOS M, ST, LED, branco, 1870lm 60º, 2700K IRC90 DALI	167,00
1004514	4024163246644	NUMINOS M, ST, LED, preto, 1950lm 24º, 3000K IRC90 DALI	167,00
1004515	4024163246651	NUMINOS M, ST, LED, preto, 1970lm 36º, 3000K IRC90 DALI	167,00
1004516	4024163246668	NUMINOS M, ST, LED, preto, 1880lm 60º, 3000K IRC90 DALI	167,00
1004518	4024163246682	NUMINOS M, ST, LED, branco, 1950lm 24º, 3000K IRC90 DALI	167,00
1004519	4024163246699	NUMINOS M, ST, LED, branco, 1970lm 36º, 3000K IRC90 DALI	167,00
1004520	4024163246705	NUMINOS M, ST, LED, branco, 1880lm 60º, 3000K IRC90 DALI	167,00
1004522	4024163246729	NUMINOS M, ST, LED, preto, 2125lm, 24º, 4000K IRC90 DALI	167,00
1004523	4024163246736	NUMINOS M, ST, LED, preto, 2120lm, 36º, 4000K IRC90 DALI	167,00
1004524	4024163246743	NUMINOS M, ST, LED, preto, 2060lm, 60º, 4000K IRC90 DALI	167,00
1004526	4024163246767	NUMINOS M, ST, LED, branco, 2525lm, 24º, 4000K IRC90 DALI	167,00
1004527	4024163246774	NUMINOS M, ST, LED, branco, 2120lm, 36º, 4000K IRC90 DALI	167,00
1004528	4024163246781	NUMINOS M, ST, LED, branco, 2060lm, 60º, 4000K IRC90 DALI	167,00
1004530	4024163246804	NUMINOS M, SUSP, LED, preto, 1925lm, 24º, 2700K IRC90 DALI	215,00
1004531	4024163246811	NUMINOS M, SUSP, LED, preto, 1935lm, 36º, 2700K IRC90 DALI	215,00
1004532	4024163246828	NUMINOS M, SUSP, LED, preto, 1885lm, 60º, 2700K IRC90 DALI	215,00
1004534	4024163246842	NUMINOS M, SUSP, LED, branco, 1925lm, 24º, 2700K IRC90 DALI	215,00
1004535	4024163246859	NUMINOS M, SUSP, LED, branco, 1935lm, 36º, 2700K IRC90 DALI	215,00
1004536	4024163246866	NUMINOS M, SUSP, LED, branco, 1885lm, 60º, 2700K IRC90 DALI	215,00
1004538	4024163246880	NUMINOS M, SUSP, LED, preto, 1955lm, 24º, 3000K IRC90 DALI	215,00
1004539	4024163246897	NUMINOS M, SUSP, LED, preto, 1970lm, 36º, 3000K IRC90 DALI	215,00
1004540	4024163246903	NUMINOS M, SUSP, LED, preto, 1870lm, 60º, 3000K IRC90 DALI	215,00
1004542	4024163246927	NUMINOS M, SUSP, LED, branco, 1955lm, 24º, 3000K IRC90 DALI	215,00
1004543	4024163246934	NUMINOS M, SUSP, LED, branco, 1970lm, 36º, 3000K IRC90 DALI	215,00
1004544	4024163246941	NUMINOS M, SUSP, LED, branco, 1870lm, 60º, 3000K IRC90 DALI	215,00
1004546	4024163246965	NUMINOS M, SUSP, LED, preto, 2125lm, 24º, 4000K IRC90 DALI	215,00
1004547	4024163246972	NUMINOS M, SUSP, LED, preto, 2120lm, 36º, 4000K IRC90 DALI	215,00
1004548	4024163246989	NUMINOS M, SUSP, LED, preto, 2060lm, 60º, 4000K IRC90 DALI	215,00
1004550	4024163247009	NUMINOS M, SUSP, LED, branco, 2125lm, 24º, 4000K IRC90 DALI	215,00
1004551	4024163247016	NUMINOS M, SUSP, LED, branco, 2120lm, 36º, 4000K IRC90 DALI	215,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1004552	4024163247023	NUMINOS M, SUSP, LED, branco, 2060lm, 60°, 4000K IRC90 DALI	215,00
1004554	4024163247047	NUMINOS L, C3F+DALI, LED, preto, 2440lm, 24°, 2700K IRC90	234,00
1004555	4024163247054	NUMINOS L, C3F+DALI, LED, preto, 2400lm, 36°, 2700K IRC90	234,00
1004556	4024163247061	NUMINOS L, C3F+DALI, LED, preto, 2475lm, 60°, 2700K IRC90	234,00
1004558	4024163247085	NUMINOS L, C3F+DALI, LED, branco, 2430lm, 24°, 2700K IRC90	234,00
1004559	4024163247092	NUMINOS L, C3F+DALI, LED, branco, 2400lm, 36°, 2700K IRC90	234,00
1004560	4024163247108	NUMINOS L, C3F+DALI, LED, branco, 2475lm, 60°, 2700K IRC90	234,00
1004562	4024163247122	NUMINOS L, C3F+DALI, LED, preto, 2430lm, 24°, 3000K IRC90	234,00
1004563	4024163247139	NUMINOS L, C3F+DALI, LED, preto, 2340lm, 36°, 3000K IRC90	234,00
1004564	4024163247146	NUMINOS L, C3F+DALI, LED, preto, 2400lm, 60°, 3000K IRC90	234,00
1004566	4024163247160	NUMINOS L, C3F+DALI, LED, branco, 2430lm, 24°, 3000K IRC90	234,00
1004567	4024163247177	NUMINOS L, C3F+DALI, LED, branco, 2340lm, 36°, 3000K IRC90	234,00
1004568	4024163247184	NUMINOS L, C3F+DALI, LED, branco, 2400lm, 60°, 3000K IRC90	234,00
1004570	4024163247207	NUMINOS L, C3F+DALI, LED, preto, 2675lm, 24°, 4000K IRC90	234,00
1004571	4024163247214	NUMINOS L, C3F+DALI, LED, preto, 2620lm, 36°, 4000K IRC90	234,00
1004572	4024163247221	NUMINOS L, C3F+DALI, LED, preto, 2715lm, 60°, 4000K IRC90	234,00
1004574	4024163247245	NUMINOS L, C3F+DALI, LED, branco, 2675lm, 24°, 4000K IRC90	234,00
1004575	4024163247252	NUMINOS L, C3F+DALI, LED, branco, 2620lm, 36°, 4000K IRC90	234,00
1004576	4024163247269	NUMINOS L, C3F+DALI, LED, branco, 2715lm, 60°, 4000K IRC90	234,00
1004578	4024163247283	NUMINOS L, SPT, LED, preto, 2440lm 24°, 2700K IRC90 DALI	234,00
1004579	4024163247290	NUMINOS L, SPT, LED, preto, 2400lm 36°, 2700K IRC90 DALI	234,00
1004580	4024163247306	NUMINOS L, SPT, LED, preto, 2475lm 60°, 2700K IRC90 DALI	234,00
1004582	4024163247320	NUMINOS L, SPT, LED, branco, 2440lm 24°, 2700K IRC90 DALI	234,00
1004583	4024163247337	NUMINOS L, SPT, LED, branco, 2400lm 36°, 2700K IRC90 DALI	234,00
1004584	4024163247344	NUMINOS L, SPT, LED, branco, 2475lm 60°, 2700K IRC90 DALI	234,00
1004586	4024163247368	NUMINOS L, SPT, LED, preto, 2430lm 24°, 3000K IRC90 DALI	234,00
1004587	4024163247375	NUMINOS L, SPT, LED, preto, 2340lm 36°, 3000K IRC90 DALI	234,00
1004588	4024163247382	NUMINOS L, SPT, LED, preto, 2400lm 60°, 3000K IRC90 DALI	234,00
1004590	4024163247405	NUMINOS L, SPT, LED, branco, 2430lm 24°, 3000K IRC90 DALI	234,00
1004591	4024163247412	NUMINOS L, SPT, LED, branco, 2340lm 36°, 3000K IRC90 DALI	234,00
1004592	4024163247429	NUMINOS L, SPT, LED, branco, 2400lm 60°, 3000K IRC90 DALI	234,00
1004594	4024163247443	NUMINOS L, SPT, LED, preto, 2675lm, 24°, 4000K IRC90 DALI	234,00
1004595	4024163247450	NUMINOS L, SPT, LED, preto, 2620lm, 36°, 4000K IRC90 DALI	234,00
1004596	4024163247467	NUMINOS L, SPT, LED, preto, 2710lm, 60°, 4000K IRC90 DALI	234,00
1004598	4024163247481	NUMINOS L, SPT, LED, branco, 2675lm, 24°, 4000K IRC90 DALI	234,00
1004599	4024163247498	NUMINOS L, SPT, LED, branco, 2620lm, 36°, 4000K IRC90 DALI	234,00
1004600	4024163247504	NUMINOS L, SPT, LED, branco, 2710lm, 60°, 4000K IRC90 DALI	234,00
1004602	4024163247528	NUMINOS L, ST, LED, preto, 2440lm 24°, 2700K IRC90 DALI	205,00
1004603	4024163247535	NUMINOS L, ST, LED, preto, 2400lm 36°, 2700K IRC90 DALI	205,00
1004604	4024163247542	NUMINOS L, ST, LED, preto, 2475lm 60°, 2700K IRC90 DALI	205,00
1004606	4024163247566	NUMINOS L, ST, LED, branco, 2440lm 24°, 2700K IRC90 DALI	205,00
1004607	4024163247573	NUMINOS L, ST, LED, branco, 2400lm 36°, 2700K IRC90 DALI	205,00
1004608	4024163247580	NUMINOS L, ST, LED, branco, 2475lm 60°, 2700K IRC90 DALI	205,00
1004610	4024163247603	NUMINOS L, ST, LED, preto, 2430lm 24°, 3000K IRC90 DALI	205,00
1004611	4024163247610	NUMINOS L, ST, LED, preto, 2340lm 36°, 3000K IRC90 DALI	205,00
1004612	4024163247627	NUMINOS L, ST, LED, preto, 2400lm 60°, 3000K IRC90 DALI	205,00
1004614	4024163247641	NUMINOS L, ST, LED, branco, 2430lm 24°, 3000K IRC90 DALI	205,00
1004615	4024163247658	NUMINOS L, ST, LED, branco, 2340lm 36°, 3000K IRC90 DALI	205,00
1004616	4024163247665	NUMINOS L, ST, LED, branco, 2400lm 60°, 3000K IRC90 DALI	205,00
1004618	4024163247689	NUMINOS L, ST, LED, preto, 2675lm, 24°, 4000K IRC90 DALI	205,00
1004619	4024163247696	NUMINOS L, ST, LED, preto, 2620lm, 36°, 4000K IRC90 DALI	205,00
1004620	4024163247702	NUMINOS L, ST, LED, preto, 2715lm, 60°, 4000K IRC90 DALI	205,00
1004622	4024163247726	NUMINOS L, ST, LED, branco, 2675lm, 24°, 4000K IRC90 DALI	205,00
1004623	4024163247733	NUMINOS L, ST, LED, branco, 2620lm, 36°, 4000K IRC90 DALI	205,00
1004624	4024163247740	NUMINOS L, ST, LED, branco, 2715lm, 60°, 4000K IRC90 DALI	205,00
1004626	4024163247764	NUMINOS L, SUSP, LED, preto, 2440lm, 24°, 2700K IRC90 DALI	248,00
1004627	4024163247771	NUMINOS L, SUSP, LED, preto, 2400lm, 36°, 2700K IRC90 DALI	248,00
1004628	4024163247788	NUMINOS L, SUSP, LED, preto, 2475lm, 60°, 2700K IRC90 DALI	248,00
1004630	4024163247801	NUMINOS L, SUSP, LED, branco, 2440lm, 24°, 2700K IRC90 DALI	248,00
1004631	4024163247818	NUMINOS L, SUSP, LED, branco, 2400lm, 36°, 2700K IRC90 DALI	248,00
1004632	4024163247825	NUMINOS L, SUSP, LED, branco, 2475lm, 60°, 2700K IRC90 DALI	248,00
1004634	4024163247849	NUMINOS L, SUSP, LED, preto, 2430lm, 24°, 3000K IRC90 DALI	248,00



Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1004635	4024163247856	NUMINOS L, SUSP, LED, preto, 2340lm, 36°, 3000K IRC90 DALI	248,00
1004636	4024163247863	NUMINOS L, SUSP, LED, preto, 2400lm, 60°, 3000K IRC90 DALI	248,00
1004638	4024163247887	NUMINOS L, SUSP, LED, branco, 2430lm, 24°, 3000K IRC90 DALI	248,00
1004639	4024163247894	NUMINOS L, SUSP, LED, branco, 2340lm, 36°, 3000K IRC90 DALI	248,00
1004640	4024163247900	NUMINOS L, SUSP, LED, branco, 2400lm, 60°, 3000K IRC90 DALI	248,00
1004642	4024163247924	NUMINOS L, SUSP, LED, preto, 2670lm, 24°, 4000K IRC90 DALI	248,00
1004643	4024163247931	NUMINOS L, SUSP, LED, preto, 2620lm, 36°, 4000K IRC90 DALI	248,00
1004644	4024163247948	NUMINOS L, SUSP, LED, preto, 2715lm, 60°, 4000K IRC90 DALI	248,00
1004646	4024163247962	NUMINOS L, SUSP, LED, branco, 2670lm, 24°, 4000K IRC90 DALI	248,00
1004647	4024163247979	NUMINOS L, SUSP, LED, branco, 2620lm, 36°, 4000K IRC90 DALI	248,00
1004648	4024163247986	NUMINOS L, SUSP, LED, branco, 2715lm, 60°, 4000K IRC90 DALI	248,00
1004649	4024163247993	LED SPOT, SPT, antracite, IP55 IK06, 40°, 6W 400lm, 3000K	72,00
1004650	4024163248006	RUSTY® UP/DN, LED, SP quadr IP65 IK02 2x65° 260lm 3000/4000K	282,00
1004651	4024163248013	RUSTY® UP/DN, LED, SP, circ IP65 IK02 2x65° 260lm 3000/4000K	282,00
1004652	4024163248020	THEO BRACKET, GU10, EST IP65 ant, cabo 1.5m c/ schuko max.7W	66,00
1004653	4024163248037	THEO BRACKET, GU10, SP, IP65 antracite, max. 7W	77,00
1004654	4024163248044	THEO BRACKET 50, GU10, SC, IP65, antracite, máx. 7W	119,00
1004655	4024163248051	THEO BRACKET 70, GU10, SC, IP65, antracite, máx. 7W	132,00
1004660	4024163248105	MANA 40, cobertura para MANA BASE, 40cm, bege mate	100,00
1004661	4024163248112	MANA 40, cobertura para MANA BASE, 40cm, cinzento mate	100,00
1004662	4024163248129	MANA 60, cobertura para MANA BASE, 60cm, bege mate	144,00
1004663	4024163248136	MANA 60, cobertura para MANA BASE, 60cm, cinzento mate	144,00
1004664	4024163248143	OCULUS, LED, SPT pr 10.5W 100° 36-780lm 2000-3000K IRC90 DIM	287,00
1004665	4024163248150	OCULUS, LED, SPT br 10.5W 100° 36-780lm 2000-3000K IRC90 DIM	287,00
1004666	4024163248167	OCULUS, LED, ST, pr 10.5W 100° 36-780lm 2000-3000K IRC90 DIM	232,00
1004667	4024163248174	OCULUS, LED, ST, br 10.5W 100° 36-780lm 2000-3000K IRC90 DIM	232,00
1004668	4024163248181	OCULUS, LED, ET pr 10.5W 100° 36-780lm 2000-3000K IRC90 DIM	212,00
1004669	4024163248198	OCULUS, LED, ET br 10.5W 100° 36-780lm 2000-3000K IRC90 DIM	212,00
1004670	4024163248204	OCULUS UP DOWN, LED, pr 15W 2x100° 22-555lm 2000-3000K IRC90	282,00
1004671	4024163248211	OCULUS UP DOWN, LED, br 15W 2x100° 22-555lm 2000-3000K IRC90	282,00
1004672	4024163248228	OCULUS, LED, SUSP, pr, 100° 36-780lm 2000-3000K IRC90 DIM	236,00
1004673	4024163248235	OCULUS, LED, SUSP, br, 100° 36-780lm 2000-3000K IRC90 DIM	236,00
1004674	4024163248242	Roseta encastrar p/ FITU, preto	22,50
1004675	4024163248259	Roseta encastrar p/ FITU, branco	22,50
1004676	4024163248266	Roseta encastrar p/ FITU, cromado	27,00
1004677	4024163248273	OVALISK, LED, IP65 IK02, ST, antracite, 560lm, 3000/4000K	272,00
1004678	4024163248280	OVALISK, LED, IP65 IK02, SP, antracite, 560lm, 3000/4000K	272,00
1004679	4024163248297	OVALISK SENSOR, LED, IP65 IK02, SP, ant, 560lm, 3000/4000K	289,00
1004680	4024163248303	OVALISK 75, LED, BZ, IP65 IK02, ant, 560lm 3000/4000K	332,00
1004681	4024163248310	OVALISK 100, LED, BZ, IP65 IK02, ant, 560lm 3000/4000K	362,00
1004682	4024163248327	FITU, Suporte de parede para lum. Suspensas, preto	64,00
1004683	4024163248334	FITU, Suporte de parede para lum. Suspensas, branco	64,00
1004684	4024163248341	Roseta, C3F DALI, PC, preto, máx 16A	37,75
1004685	4024163248358	Roseta, C3F DALI, PC, branco, máx 16A	37,75
1004686	4024163248365	SIGHT MOVE, C3F, preto, 120°, 26W 2700lm 3000K IRC90	182,00
1004687	4024163248372	SIGHT MOVE, C3F, branco, 120°, 26W 2700lm 3000K IRC90	182,00
1004688	4024163248389	SIGHT MOVE, C3F, preto, 120°, 26W 3100lm 4000K IRC90	182,00
1004689	4024163248396	SIGHT MOVE, C3F, branco, 120°, 26W 3100lm 4000K IRC90	182,00
1004690	4024163248402	SIGHT MOVE, C3F+DALI, preto, 120°, 26W 2700lm 3000K IRC90	271,00
1004691	4024163248419	SIGHT MOVE, C3F+DALI, branco, 120°, 26W 2700lm 3000K IRC90	271,00
1004692	4024163248426	SIGHT MOVE, C3F+DALI, preto, 120°, 26W 3100lm 4000K IRC90	271,00
1004693	4024163248433	SIGHT MOVE, C3F+DALI, branco, 120°, 26W 3100lm 4000K IRC90	271,00
1004694	4024163248440	SENER 12, LED 200mA, ET, circ. branco, 470lm, 4000K IRC90	29,50
1004695	4024163248457	SENER 18, LED 350mA, ET, circ. branco, 950lm, 4000K IRC90	34,00
1004696	4024163248464	SENER 24, LED 500mA, ET, circ. branco, 1200lm, 4000K IRC90	45,25
1004697	4024163248471	SENER 12, LED 200mA, ET, quadr. branco, 440lm, 4000K IRC90	29,50
1004698	4024163248488	SENER 18, LED 350mA, ET, quadr. branco, 820lm, 4000K IRC90	34,00
1004699	4024163248495	SENER 24, LED 500mA, ET, quadr. branco, 1200lm, 4000K IRC90	45,25
1004700	4024163248501	SENER 12, LED, SPT, circ. branco, 470lm, 4000K IRC90 DIM	74,00
1004701	4024163248518	SENER 18, LED, SPT, circ. branco, 990lm, 4000K IRC90 DIM	79,00
1004702	4024163248525	SENER 24, LED, SPT, circ. branco, 1300lm, 4000K IRC90 DIM	85,00
1004703	4024163248532	SENER 12, LED, SPT, quadr. branco, 440lm, 4000K IRC90 DIM	74,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1004704	4024163248549	SENER 18, LED, SPT, quadr. branco, 880lm, 4000K IRC90 DIM	79,00
1004705	4024163248556	SENER 24, LED, SPT, quadr. branco, 1200lm, 4000K IRC90 DIM	85,00
1004706	4024163248563	KARPO MAGN, SP, LED, pr, 38°, 350lm 3000K IRC90 DIM	197,00
1004707	4024163248570	KARPO MAGN, SP, LED, br, 38°, 430lm 3000K IRC90 DIM	197,00
1004708	4024163248587	GRAZIA FLEXSTRIP, 24V, 10mm 5m 70, 700lm/m 2700K IRC90	75,00
1004709	4024163248594	GRAZIA FLEXSTRIP, 24V, 10mm 5m 70, 700lm/m 3000K IRC90	75,00
1004710	4024163248600	GRAZIA FLEXSTRIP, 24V, 10mm 5m 70, 750lm/m 4000K IRC90	75,00
1004712	4024163248624	GRAZIA PRO FLEXSTRIP, 24V, 10mm 5m 126, 1300lm/m 2700K IRC90	131,00
1004713	4024163248631	GRAZIA PRO FLEXSTRIP, 24V, 10mm 5m 126, 1300lm/m 3000K IRC90	131,00
1004714	4024163248648	GRAZIA PRO FLEXSTRIP, 24V, 10mm 5m 126, 1300lm/m 4000K IRC90	131,00
1004716	4024163248662	GRAZIA PRO FLEXSTRIP, 24V, 10mm 5m 168, 1700lm/m 2700K IRC90	151,00
1004717	4024163248679	GRAZIA PRO FLEXSTRIP, 24V, 10mm 5m 168, 1700lm/m 3000K IRC90	151,00
1004718	4024163248686	GRAZIA PRO FLEXSTRIP, 24V, 10mm 5m 168, 1820lm/m 4000K IRC90	151,00
1004719	4024163248693	GRAZIA PRO FLEXSTRIP, 24V, 10mm 5m 168, 1820lm/m 6500K IRC90	151,00
1004720	4024163248709	GRAZIA PRO MAX FLEXSTRP 24V 20mm 5m 196 2500lm/m 3000K IRC90	215,00
1004721	4024163248716	GRAZIA PRO MAX FLEXSTRP 24V 20mm 5m 196 2600lm/m 4000K IRC90	215,00
1004722	4024163248723	GRAZIA PRO MAX FLEXSTRP 24V 20mm 5m 196 4000lm/m 3000K IRC90	432,00
1004723	4024163248730	GRAZIA PRO MAX FLEXSTRP 24V 20mm 5m 196 4280lm/m 4000K IRC90	432,00
1004725	4024163248754	GRAZIA PRO FLEXSTRIP 24V 10mm 5m 224 3400lm 2700-6500K IRC90	158,00
1004726	4024163248761	GRAZIA IP FLEXSTRIP IP55 24V 10mm 5m 3200lm 2700-6500K IRC90	189,00
1004727	4024163248778	GRAZIA PRO FLEXSTRIP RGBW, 24V 12mm 5m, W-2000lm-3000K IRC90	151,00
1004729	4024163248792	TRUKKO, IP44, LED, quad, 1300lm, 3000/4000/6500K IRC90 Vert	424,00
1004730	4024163248808	TRUKKO, IP44, LED, quad, 1000lm, 3000/4000/6500K IRC90 SD	383,00
1004731	4024163248815	TRUKKO, IP44, LED, circ, 1200lm, 3000/4000/6500K IRC90 SD	363,00
1004732	4024163248822	PLASTRA, R7s 118mm, SP, CURVED CURTAIN, gesso, branco	73,00
1004733	4024163248839	PLASTRA, 2xG9, CUBES, gesso, branco, máx 2x15W	59,00
1004734	4024163248846	GRAZIA IP FLEXSTRIP, IP55, 24V, 10mm, 5m, 670lm 2700K IRC90	107,00
1004735	4024163248853	GRAZIA IP FLEXSTRIP, IP55, 24V, 10mm, 5m, 670lm 3000K IRC90	107,00
1004736	4024163248860	GRAZIA IP FLEXSTRIP, IP55, 24V, 10mm, 5m, 720lm 4000K IRC90	107,00
1004737	4024163248877	GRAZIA PRO FLEXST RGBW IP55 24V 12mm 5m W-2000lm-3000K IRC90	206,00
1004738	4024163248884	FITU CUBE, E27, preto mate, máx 20W	80,00
1004739	4024163248891	FITU CUBE, E27, branco mate, máx 20W	80,00
1004740	4024163248907	DIRETO 60, SP, LED pt 2x590-625lm 2700-3000K IRC90 Phase DIM	212,00
1004741	4024163248914	DIRETO 60, SP, LED br 2x590-625lm 2700-3000K IRC90 Phase DIM	212,00
1004742	4024163248921	DIRETO 90, SP, LED pt 2x840-880lm 2700-3000K IRC90 Phase DIM	259,00
1004743	4024163248938	DIRETO 90, SP, LED br 2x840-880lm 2700-3000K IRC90 Phase DIM	259,00
1004744	4024163248945	Roseta saliente p/ FITU, preto	34,00
1004745	4024163248952	Roseta saliente p/ FITU, branco	34,00
1004746	4024163248969	Roseta saliente p/ FITU, cromado	37,25
1004747	4024163248976	ESKINA FRAME, SP, LED, IP65, ant. 1100/1200lm 3000/4000K DIM	222,00
1004748	4024163248983	ESKINA FRAME, SP, 2xLED, IP65, ant. 2x1100/1200lm 3000/4000K	272,00
1004749	4024163248990	ESKINA FRAME 45, Bal, LED, IP65, ant. 1100/1200lm 3000/4000K	282,00
1004750	4024163249003	ESKINA FRAME 75, Bal, LED, IP65, ant. 1100/1200lm 3000/4000K	308,00
1004751	4024163249010	ESKINA FRAME 75 Bal 2xLED IP65 ant. 2x1100/1200lm 3000/4000K	349,00
1004757	4024163249072	SAMRINA, GU10 IP65 IK04 preto material reciclado c/t. schuko	45,50
1004759	4024163249096	ONE 60, SUSP, preto, 410/415lm, 2700/3000K IRC90, Phase DIM	484,00
1004760	4024163249102	ONE 60, SUSP, branco, 410/415lm, 2700/3000K IRC90, Phase DIM	484,00
1004761	4024163249119	ONE 60, SUSP, preto, 400/410lm, 3000/4000K IRC90, DALI	535,00
1004762	4024163249126	ONE 60, SUSP, branco, 400/410lm, 3000/4000K IRC90, DALI	535,00
1004763	4024163249133	ONE 80, SUSP, preto, 615/635lm, 3000/4000K IRC90, DALI	636,00
1004764	4024163249140	ONE 80, SUSP, branco, 615/635lm, 3000/4000K IRC90, DALI	636,00
1004765	4024163249157	ONE DB, SUSP, preto, 615/635lm, 2700/3000K IRC90, Phase DIM	827,00
1004766	4024163249164	ONE DB, SUSP, branco, 615/635lm, 2700/3000K IRC90, Phase DIM	827,00
1004767	4024163249171	ONE DB, SUSP, preto, 1050/1060lm, 3000/4000K IRC90, DALI	1 110,00
1004768	4024163249188	ONE DB, SUSP, branco, 1050/1060lm, 3000/4000K IRC90, DALI	1 110,00
1004769	4024163249195	ONE 40, C3F+DALI, preto mate, 650lm, 3000K IRC90 DALI	333,00
1004770	4024163249201	ONE 40, C3F+DALI, branco mate, 650lm, 3000K IRC90 DALI	333,00
1004771	4024163249218	ONE 40, C3F+DALI, preto mate, 670lm, 4000K IRC90 DALI	333,00
1004772	4024163249225	ONE 40, C3F+DALI, branco mate, 670lm, 4000K IRC90 DALI	333,00
1004773	4024163249232	Fenda 15 cm, abajur redondo, cinzento	44,75
1004774	4024163249249	Fenda 30 cm, abajur redondo, cinzento	53,00
1004775	4024163249256	Fenda 45 cm, abajur redondo, cinzento	83,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1004776	4024163249263	Transformador 24VDC 5-100W	121,00
1004777	4024163249270	Transformador 24VDC, 5-200W, 1 canal, DALI	164,00
1004780	4024163249300	LED Driver 250 mA 6.5-10W	26,00
1004781	4024163249317	LED Driver 500/600/700mA 21-29.5W	30,75
1004782	4024163249324	LED Driver 800/900/1050mA 31.5-44W	37,25
1004783	4024163249331	Cobertura C1F (1 circuito) 230VAC, preto, 2m	21,00
1004784	4024163249348	Cobertura C1F (1 circuito) 230VAC, cz prata, 2m	21,00
1004785	4024163249355	Cobertura C1F (1 circuito) 230VAC, branco, 2m	21,00
1004786	4024163249362	NUMINOS S, Difusor Eliptico	4,50
1004787	4024163249379	NUMINOS S, Difusor Prismático	5,30
1004788	4024163249386	NUMINOS S, Difusor Fosco	5,30
1004789	4024163249393	NUMINOS S, Difusor Alveolar	8,35
1004790	4024163249409	NUMINOS M, Difusor Eliptico	4,50
1004791	4024163249416	NUMINOS M, Difusor Prismático	5,80
1004792	4024163249423	NUMINOS M, Difusor Fosco	5,80
1004793	4024163249430	NUMINOS M, Difusor Alveolar	12,60
1004794	4024163249447	NUMINOS L, Difusor Eliptico	5,80
1004795	4024163249454	NUMINOS L, Difusor Prismático	6,45
1004796	4024163249461	NUMINOS L, Difusor Fosco	6,45
1004797	4024163249478	NUMINOS L, Difusor Alveolar	16,40
1004798	4024163249485	NUMINOS XL, Difusor Eliptico	6,45
1004799	4024163249492	NUMINOS XL, Difusor Prismático	7,10
1004800	4024163249508	NUMINOS XL, Difusor Fosco	7,10
1004801	4024163249515	NUMINOS XL, Difusor Alveolar	21,50
1004889	4024163250399	GRAZIA 10 EDGE, SPT, 2m, alumínio, para strips até 1cm	27,25
1004890	4024163250405	GRAZIA 10 EDGE, SPT, 2m, branco, para strips até 1cm	27,25
1004893	4024163250436	GRAZIA 10 EDGE, terminais, alumínio	2,60
1004894	4024163250443	GRAZIA 10 EDGE, terminais, branco	2,60
1004895	4024163250450	GRAZIA 10 EDGE, clips de fixação	3,80
1004896	4024163250467	GRAZIA 60, ST, 1.5m, p/ 2 fitas até 2cm cada, perfil H preto	107,00
1004897	4024163250474	GRAZIA 60, ST 1.5m, p/ 2 fitas até 2cm cada, perfil H branco	107,00
1004898	4024163250481	GRAZIA 60, ST, 3m, p/ 2 fitas até 2cm cada, perfil H preto	215,00
1004899	4024163250498	GRAZIA 60, ST, 3m, p/ 2 fitas até 2cm cada, perfil H branco	215,00
1004900	4024163250504	GRAZIA 60, ST, terminal, preto	10,10
1004901	4024163250511	GRAZIA 60, ST, terminal, branco	10,10
1004902	4024163250528	GRAZIA 60, ST, 1.5m, platine em alumínio p/ v. saliente	39,75
1004903	4024163250535	GRAZIA 60, ST, conector longitudinal, alumínio	10,10
1004904	4024163250542	GRAZIA 60, ST, p/ alimentação, alumínio	11,70
1004905	4024163250559	GRAZIA 60, ET, 1.5m, p/ 2 fitas até 2cm cada, preto	68,00
1004906	4024163250566	GRAZIA 60, ET 1.5m, p/ 2 fitas até 2cm cada, branco	68,00
1004907	4024163250573	GRAZIA 60, ET, 3m, p/ 2 fitas até 2cm cada, preto	135,00
1004908	4024163250580	GRAZIA 60, ET, 3m, p/ 2 fitas até 2cm cada, branco	135,00
1004909	4024163250597	GRAZIA 60, ET, terminal, preto	6,85
1004910	4024163250603	GRAZIA 60, ET, terminal, branco	6,85
1004911	4024163250610	GRAZIA 60, ET, acessório de fixação p/ encastrar, alumínio	14,20
1004912	4024163250627	GRAZIA 60, 1.5m, difusor em alumínio, preto	33,00
1004913	4024163250634	GRAZIA 60, 1.5m, difusor em alumínio, branco	33,00
1004914	4024163250641	GRAZIA 60, 1.5m, difusor em PC translúcido	16,70
1004915	4024163250658	GRAZIA 60, 3m, difusor em PC translúcido	33,00
1004916	4024163250665	GRAZIA 60, 1.5m, difusor em PMMA translúcido	21,25
1004917	4024163250672	GRAZIA 60, 3m, difusor em PMMA translúcido	41,75
1004918	4024163250689	GRAZIA 20, ST, 1.5m, padrão liso p/STRIP até 2cm al anodiz.	45,50
1004919	4024163250696	GRAZIA 20, ST, 1.5m, padrão liso, p/STRIP até 2cm, branco	45,50
1004920	4024163250702	GRAZIA 20, ST, 1.5m, padrão liso, p/STRIP até 2cm, preto	45,50
1004921	4024163250719	GRAZIA 20, ST, 1.5m, plano liso p/STRIP até 2cm al anodizado	45,50
1004922	4024163250726	GRAZIA 20, ST, 1.5m, plano liso, p/STRIP até 2cm, branco	45,50
1004923	4024163250733	GRAZIA 20, ST, 1.5m, plano liso, p/STRIP até 2cm, preto	45,50
1004924	4024163250740	GRAZIA 20, ET, 1.5m, para strips até 2cm, al anodizado	52,00
1004925	4024163250757	GRAZIA 20, ET, 1.5m, para strips até 2cm, branco	52,00
1004926	4024163250764	GRAZIA 20, ET, 1.5m, para strips até 2cm, preto	52,00
1004927	4024163250771	GRAZIA 20, 1.5m, difusor plano, PC translúcido	8,95
1004928	4024163250788	GRAZIA 20, 1.5m, difusor plano, PMMA translúcido	13,10

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1004929	4024163250795	GRAZIA 20, 1.5m, difusor plano, PMMA leitoso	13,10
1004930	4024163250801	GRAZIA 20, 1.5m, difusor elevado, PC translúcido	20,50
1004931	4024163250818	GRAZIA 20, 1.5m, difusor elevado, PMMA translúcido	33,50
1004932	4024163250825	GRAZIA 20, molas para teto falso gesso cart, alumínio, 2 un.	20,75
1004933	4024163250832	PANEL TRACK, C1F, quadrado 15x30, preto, 1800lm 3000K IRC90	96,00
1004934	4024163250849	PANEL TRACK, C1F, quadrado 15x30, branco, 1800lm 3000K IRC90	96,00
1004935	4024163250856	PANEL TRACK, C1F, redondo 20cm, preto, 1800lm 3000K IRC90	96,00
1004936	4024163250863	PANEL TRACK, C1F, redondo 20cm, branco, 1800lm 3000K IRC90	96,00
1004937	4024163250870	S-TRACK calha C3F+DALI 1m preto	45,50
1004938	4024163250887	S-TRACK calha C3F+DALI 1m branco	45,50
1004939	4024163250894	Cobertura C3F+DALI 230VAC, preto, 2m	7,55
1004940	4024163250900	Cobertura C3F+DALI 230VAC, branco, 2m	7,55
1004941	4024163250917	S-TRACK, calha C3F+DALI Ligador em T Esquerda preto	39,00
1004942	4024163250924	S-TRACK, calha C3F+DALI Ligador em T Esquerda branco	39,00
1004943	4024163250931	S-TRACK, calha C3F+DALI Ligador em T Direita preto	39,00
1004944	4024163250948	S-TRACK, calha C3F+DALI Ligador em T Direita branco	39,00
1004957	4024163251075	LED SPOT, SPT, ferrugem, IP55 IK06, 40°, 6W 400lm, 3000K	72,00
1004969	4024163251150	MANA BASE, LED, SP, antracite, base não iluminada	26,00
1004970	4024163251167	MAGANDA, LED, CM, IP44, cromado, 50lm, 2700/3000/4000K IRC90	181,00
1004971	4024163252218	MAGANDA, LED, SP, IP44, cromado, 50lm, 2700/3000/4000K IRC90	203,00
1005075	4024163252010	GU10, LED, cinza prata, 36°, 6W 460lm, 2700K IRC90	7,65
1005076	4024163252027	GU10, LED, branco, 36°, 6W 460lm, 2700K IRC90	7,65
1005077	4024163252034	GU10, LED, preto, 36°, 6W 460lm, 2700K IRC90	7,65
1005078	4024163252041	GU10, LED, cinza prata, 36°, 6W 460lm, 3000K IRC90	7,65
1005079	4024163252058	GU10, LED, branco, 36°, 6W 460lm, 3000K IRC90	7,65
1005080	4024163252065	GU10, LED, preto, 36°, 6W 460lm, 3000K IRC90	7,65
1005081	4024163252072	GU10, LED, cinza prata, 36°, 6W 460lm, 4000K IRC90	7,65
1005082	4024163252089	GU10, LED, branco, 36°, 6W 460lm, 4000K IRC90	7,65
1005083	4024163252102	GU10, LED, preto, 36°, 6W 460lm, 4000K IRC90	7,65
1005085	4024163252119	SIMA, LED, IP44, br circ, 120°, 24W 2150lm, 3000K IRC90, DIM	152,00
1005086	4024163252126	SIMA, LED, IP44, br circ, 120°, 24W 2150lm, 3000K IRC90, PIR	176,00
1005087	4024163252133	SIMA, LED, IP44, br quad, 120°, 24W 2150lm, 3000K IRC90, DIM	152,00
1005088	4024163252140	SIMA, LED, IP44, br quad, 120°, 24W 2150lm, 3000K IRC90, PIR	176,00
1005089	4024163252157	RUBA 27, SP, IP65 IK08, br, 1000lm, 120° 3000/4000K IRC90 MR	111,00
1005090	4024163252164	RUBA 42, SP, IP65 IK08, br, 2000lm, 120° 3000/4000K IRC90 MR	222,00
1005125	4024163252386	BIG QUAD UP/DOWN, SP, IP54, branco, 2x320lm, 2x30° 3000K	168,00
1005126	4024163252393	BIG QUAD UP/DOWN, SP, IP54, antracite, 2x320lm, 2x30° 3000K	168,00
1005148	4024163252454	SITRA S, SP, IP44 IK05, antracite, 580lm, 105°, 3000/4000K	93,00
1005149	4024163252461	SITRA S, SP, IP44 IK05, branco, 580lm, 105°, 3000/4000K	93,00
1005150	4024163252478	SITRA S, SP, IP44 IK05, Castanho, 580lm, 105°, 3000/4000K	93,00
1005151	4024163252485	SITRA M, SP, IP44 IK05, antracite, 1600lm, 2x95°, 3000/4000K	145,00
1005153	4024163252492	SITRA M, SP, IP44 IK05, branco, 1600lm, 2x95°, 3000/4000K	145,00
1005154	4024163252508	SITRA M, SP, IP44 IK05, Castanho, 1600lm, 2x95°, 3000/4000K	145,00
1005155	4024163252515	SITRA L, SP, IP44 IK05, antracite, 2700lm, 2x105° 3000/4000K	184,00
1005156	4024163252522	SITRA L, SP, IP44 IK05, branco, 2700lm, 2x105°, 3000/4000K	184,00
1005157	4024163252539	SITRA L, SP, IP44 IK05, Castanho, 2700lm, 2x105°, 3000/4000K	184,00
1005177	4024163252607	ONE 60, SUSP, bronze, 410/415lm, 2700/3000K IRC90, Phase DIM	504,00
1005178	4024163252614	ONE DB, SUSP, bronze, 615/635lm, 2700/3000K IRC90, Phase DIM	848,00
1005201	4024163252843	QUADRULO, LED, SP, IP55 IK04, antracite 270lm, 3000K IRC80	166,00
1005202	4024163252850	QUADRULO, LED, ST, IP55 IK04, antracite 230lm, 3000K IRC80	166,00
1005205	4024163252867	ENOLA M, Lente de 20°	41,75
1005206	4024163252874	ENOLA M, Lente assimétrica	41,75
1005207	4024163252881	ENOLA M, Reflector 60°	24,75
1005214	4024163252935	PARA DOME, E27, SUSP, preto, max.150W (diâmetro 70mm)	82,00
1005215	4024163252942	PARA DOME, E27, SUSP, cinzento, max.150W (diâmetro 70mm)	82,00
1005216	4024163252959	PARA DOME, Reflector preto (altura=20,6cm , diam=30,8cm)	100,00
1005217	4024163252966	PARA DOME, Reflector cinzento (altura=20,6cm , diam=30,8cm)	100,00
1005218	4024163252973	PARA DOME, Reflector transparente (altura=20cm ,diam=31,5cm)	100,00
1005241	4024163253079	Transformador 12VDC 0- 12W	28,50
1005262	4024163253383	ENOLA S, Reflector 60°	16,40
1005263	4024163253390	ENOLA L, Reflector 60°	21,50
1005265	4024163253895	E27 ST64, LED, dourado, 7.5W, 320° 2500K IRC90 DIM	26,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1005268	4024163253888	E27 ST58, LED, transparente, 7.5W, 320° 2700K IRC90 DIM	12,20
1005269	4024163253871	GX53 TCR-TSE, LED, difusor opal, 6.1W, 120°, 4000K IRC90 DIM	10,40
1005271	4024163253864	GX53 TCR-TSE, LED, difusor opal, 6.1W, 120°, 3000K IRC90 DIM	10,40
1005272	4024163253857	GX53 TCR-TSE, LED, difusor opal, 6.1W, 120°, 2700K IRC90 DIM	10,40
1005273	4024163253840	GU10 QPAR51, LED, 360lm, 6W, 36°, 2200-2700K IRC90 D2W	9,85
1005274	4024163253833	GU10 QPAR111, LED, transparente, 8W 38° 2700K CRI90 DIM	30,75
1005275	4024163253826	GU10 QPAR111, LED, prateado, 12.5W 10° 2700K CRI90 DIM	57,00
1005276	4024163253819	GU10 QPAR111, LED, prateado, 12.5W 30° 2700K CRI90 DIM	49,50
1005277	4024163253802	GU10 QPAR111, LED, prateado, 12.5W 60° 2700K CRI90 DIM	49,50
1005278	4024163253796	GU10 QPAR111, LED, prateado, 12.5W 10° 3000K CRI90 DIM	57,00
1005279	4024163253789	GU10 QPAR111, LED, prateado, 12.5W 30° 3000K CRI90 DIM	49,50
1005280	4024163253772	GU10 QPAR111, LED, prateado, 12.5W 60° 3000K CRI90 DIM	49,50
1005281	4024163253765	GU10 QPAR111, LED, prateado, 12.5W 10° 4000K CRI90 DIM	57,00
1005282	4024163253758	GU10 QPAR111, LED, prateado, 12.5W 30° 4000K CRI90 DIM	49,50
1005283	4024163253741	GU10 QPAR111, LED, prateado, 12.5W 60° 4000K CRI90 DIM	49,50
1005284	4024163253734	E14 C35, LED, dif transp filamento 4.2W 320° 2700K IRC90 DIM	7,95
1005285	4024163253727	E14 C35, LED, difusor opalino, 4.2W 320° 2700K IRC90 DIM	9,60
1005286	4024163253710	G9 QT14, LED, branco, multidot, 3.6W, 300°, 3000K IRC90	9,85
1005287	4024163253703	R7s QT-DE12, LED, 78mm, multidot, 9W 330°, 3000K IRC90 DIM	21,50
1005288	4024163253697	R7s QT-DE12, LED, 118mm, multidot, 15W 330°, 3000K IRC90 DIM	28,50
1005289	4024163253680	E27 T38 LED, branco difusor opalino, 8W 240° 3000K CRI90 DIM	9,60
1005290	4024163253673	E27 T38 LED, branco difusor opalino, 8W 240° 4000K CRI90 DIM	9,60
1005291	4024163253666	GU10 QPAR111 LED, Prata, 7W, 25°, 2700K CRI90	18,70
1005292	4024163253659	GU10 QPAR111 LED, Prata, 7W, 25°, 3000K CRI90	18,70
1005293	4024163253642	GU10 QPAR111 LED, Prata, 7W, 25°, 4000K CRI90	18,70
1005294	4024163253635	GU10 QPAR111 LED, Prata, 7W, 40°, 2700K CRI90	18,70
1005295	4024163253628	GU10 QPAR111 LED, Prata, 7W, 40°, 3000K CRI90	18,70
1005296	4024163253611	GU10 QPAR111 LED, Prata, 7W, 40°, 4000K CRI90	18,70
1005297	4024163273336	GU10 QPAR111 LED, prata, 12W 55° 670lm 2700K CRI90 DIM	89,00
1005298	4024163273329	GU10 QPAR111 LED, prata, 12W 55° 680lm 3000K CRI90 DIM	89,00
1005299	4024163253581	GU10 QPAR111 LED, prata, 12W 55° 750lm 4000K CRI90 DIM	89,00
1005301	4024163253574	E27 A60 LED, branco difusor opalino, 9W, 220°, 2700K CRI90	7,35
1005302	4024163253567	E27 A60 LED, branco difusor opalino, 13.5W 220°, 2700K CRI90	13,70
1005303	4024163253550	E27 A60 LED, filamento, dif transp, 7.5W, 220°, 2700K CRI90	9,60
1005304	4024163253543	E27 A60 LED, branco difusor opalino, 7.5W, 320°, 2700K CRI90	12,20
1005305	4024163253536	E27 A60 LED, dif. espelhado cromado, 7.5W, 180°, 2700K CRI90	19,00
1005306	4024163253529	E27 G125 LED, dif. espelhado cromado, 7.5W, 180° 2700K CRI90	26,00
1005307	4024163253512	E27 T45 LED, branco difusor opalino, 13.5W, 240° 3000K CRI90	11,90
1005308	4024163253505	E27 T45 LED, branco difusor opalino, 13.5W, 240° 4000K CRI90	11,90
1005309	4024163253499	E27 G95 LED, filamento, dif. transp, 7.5W, 320° 2700K CRI90	17,90
1005310	4024163253482	E27 G125 LED, filamento, dif. transp, 7.5W, 320° 2700K CRI90	21,50
1005311	4024163253475	GU10 QPAR51 LED, smart 5W 38° tunable White 2700-6500K IRC90	36,25
1005312	4024163253468	GU10 QPAR51, LED, smart, 5.2W 38°, RGBW IRC90	49,50
1005313	4024163253451	GU10 PAR111 LED smart 10W 25° tunable White 2700-6500K IRC90	60,00
1005314	4024163253444	GU10 PAR111 LED smart 10W 40° tunable White 2700-6500K IRC90	60,00
1005315	4024163253437	GU10 QPAR111, LED, smart, 10W 25°, RGBW IRC90	77,00
1005316	4024163253420	GU10 QPAR111, LED, smart, 10W 40°, RGBW IRC90	77,00
1005317	4024163253413	E27 A60, LED, smart, 9W 230°, tunable White 2700-6500K IRC90	34,00
1005318	4024163253406	E27 A60, LED, smart, 9W 230°, RGBW IRC90	47,25
1005319	4024163254434	NUMINOS® MOVE S, 250mA, ET, pt/pt, 670lm 20° 2700K UGR19	97,00
1005320	4024163254427	NUMINOS® MOVE S, 250mA, ET, pt/br, 720lm 20° 2700K UGR19	97,00
1005321	4024163254410	NUMINOS® MOVE S, 250mA, ET, pt/cr, 690lm 20° 2700K UGR19	97,00
1005322	4024163254403	NUMINOS® MOVE S, 250mA, ET, pt/pt, 670lm 40° 2700K UGR19	97,00
1005323	4024163254397	NUMINOS® MOVE S, 250mA, ET, pt/br, 720lm 40° 2700K UGR19	97,00
1005324	4024163254380	NUMINOS® MOVE S, 250mA, ET, pt/cr, 690lm 40° 2700K UGR19	97,00
1005325	4024163254373	NUMINOS® MOVE S, 250mA, ET, pt/pt, 670lm 55° 2700K UGR22	97,00
1005326	4024163254366	NUMINOS® MOVE S, 250mA, ET, pt/br, 720lm 55° 2700K UGR22	97,00
1005327	4024163254359	NUMINOS® MOVE S, 250mA, ET, pt/cr, 690lm 55° 2700K UGR22	97,00
1005328	4024163254342	NUMINOS® MOVE S, 250mA, ET, br/pt, 670lm 20° 2700K UGR19	97,00
1005329	4024163254335	NUMINOS® MOVE S, 250mA, ET, br/br, 720lm 20° 2700K UGR19	97,00
1005330	4024163254328	NUMINOS® MOVE S, 250mA, ET, br/cr, 690lm 20° 2700K UGR19	97,00
1005331	4024163254311	NUMINOS® MOVE S, 250mA, ET, br/pt, 670lm 40° 2700K UGR19	97,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1005332	4024163254304	NUMINOS® MOVE S, 250mA, ET, br/br, 720lm 40° 2700K UGR19	97,00
1005333	4024163254298	NUMINOS® MOVE S, 250mA, ET, br/cr, 690lm 40° 2700K UGR19	97,00
1005334	4024163254281	NUMINOS® MOVE S, 250mA, ET, br/pt, 670lm 55° 2700K UGR22	97,00
1005335	4024163254274	NUMINOS® MOVE S, 250mA, ET, br/br, 720lm 55° 2700K UGR22	97,00
1005336	4024163254267	NUMINOS® MOVE S, 250mA, ET, br/cr, 690lm 55° 2700K UGR22	97,00
1005337	4024163254250	NUMINOS® MOVE S, 250mA, ET, pt/pt, 690lm 20° 3000K UGR19	97,00
1005338	4024163254243	NUMINOS® MOVE S, 250mA, ET, pt/br, 730lm 20° 3000K UGR19	97,00
1005339	4024163254236	NUMINOS® MOVE S, 250mA, ET, pt/cr, 700lm 20° 3000K UGR19	97,00
1005340	4024163254229	NUMINOS® MOVE S, 250mA, ET, pt/pt, 690lm 40° 3000K UGR19	97,00
1005341	4024163254212	NUMINOS® MOVE S, 250mA, ET, pt/br, 730lm 40° 3000K UGR19	97,00
1005342	4024163254205	NUMINOS® MOVE S, 250mA, ET, pt/cr, 700lm 40° 3000K UGR19	97,00
1005343	4024163254199	NUMINOS® MOVE S, 250mA, ET, pt/pt, 690lm 55° 3000K UGR22	97,00
1005344	4024163254182	NUMINOS® MOVE S, 250mA, ET, pt/br, 730lm 55° 3000K UGR22	97,00
1005345	4024163254175	NUMINOS® MOVE S, 250mA, ET, pt/cr, 700lm 55° 3000K UGR22	97,00
1005346	4024163254168	NUMINOS® MOVE S, 250mA, ET, br/pt, 690lm 20° 3000K UGR19	97,00
1005347	4024163254151	NUMINOS® MOVE S, 250mA, ET, br/br, 730lm 20° 3000K UGR19	97,00
1005348	4024163254144	NUMINOS® MOVE S, 250mA, ET, br/cr, 700lm 20° 3000K UGR19	97,00
1005349	4024163254137	NUMINOS® MOVE S, 250mA, ET, br/pt, 690lm 40° 3000K UGR19	97,00
1005350	4024163254120	NUMINOS® MOVE S, 250mA, ET, br/br, 730lm 40° 3000K UGR19	97,00
1005351	4024163254113	NUMINOS® MOVE S, 250mA, ET, br/cr, 700lm 40° 3000K UGR19	97,00
1005352	4024163254106	NUMINOS® MOVE S, 250mA, ET, br/pt, 690lm 55° 3000K UGR22	97,00
1005353	4024163254090	NUMINOS® MOVE S, 250mA, ET, br/br, 730lm 55° 3000K UGR22	97,00
1005354	4024163254083	NUMINOS® MOVE S, 250mA, ET, br/cr, 700lm 55° 3000K UGR22	97,00
1005355	4024163254076	NUMINOS® MOVE S, 250mA, ET, pt/pt, 730lm 20° 4000K UGR19	97,00
1005356	4024163254069	NUMINOS® MOVE S, 250mA, ET, pt/br, 790lm 20° 4000K UGR19	97,00
1005357	4024163254052	NUMINOS® MOVE S, 250mA, ET, pt/cr, 750lm 20° 4000K UGR19	97,00
1005358	4024163254045	NUMINOS® MOVE S, 250mA, ET, pt/pt, 730lm 40° 4000K UGR19	97,00
1005359	4024163254038	NUMINOS® MOVE S, 250mA, ET, pt/br, 790lm 40° 4000K UGR19	97,00
1005360	4024163254021	NUMINOS® MOVE S, 250mA, ET, pt/cr, 750lm 40° 4000K UGR19	97,00
1005361	4024163254014	NUMINOS® MOVE S, 250mA, ET, pt/pt, 730lm 55° 4000K UGR22	97,00
1005362	4024163254007	NUMINOS® MOVE S, 250mA, ET, pt/br, 790lm 55° 4000K UGR22	97,00
1005363	4024163253994	NUMINOS® MOVE S, 250mA, ET, pt/cr, 750lm 55° 4000K UGR22	97,00
1005364	4024163253987	NUMINOS® MOVE S, 250mA, ET, br/pt, 730lm 20° 4000K UGR19	97,00
1005365	4024163253970	NUMINOS® MOVE S, 250mA, ET, br/br, 790lm 20° 4000K UGR19	97,00
1005366	4024163253963	NUMINOS® MOVE S, 250mA, ET, br/cr, 750lm 20° 4000K UGR19	97,00
1005367	4024163253956	NUMINOS® MOVE S, 250mA, ET, br/pt, 730lm 40° 4000K UGR19	97,00
1005368	4024163253949	NUMINOS® MOVE S, 250mA, ET, br/br, 790lm 40° 4000K UGR19	97,00
1005369	4024163253932	NUMINOS® MOVE S, 250mA, ET, br/cr, 750lm 40° 4000K UGR19	97,00
1005370	4024163253925	NUMINOS® MOVE S, 250mA, ET, br/pt, 730lm 55° 4000K UGR22	97,00
1005371	4024163253918	NUMINOS® MOVE S, 250mA, ET, br/br, 790lm 55° 4000K UGR22	97,00
1005372	4024163253901	NUMINOS® MOVE S, 250mA, ET, br/cr, 750lm 55° 4000K UGR22	97,00
1005380	4024163254533	Transformador 24VDC 0- 12W	26,00
1005381	4024163254526	Transformador 24VDC 0- 20W	39,50
1005382	4024163254519	Transformador 24VDC 0- 40W	63,00
1005383	4024163254502	Transformador 24VDC 0- 60W	74,00
1005384	4024163254496	Driver 500mA, 6.5-10W	26,00
1005387	4024163254557	Driver 1000mA, 26.3-42W, DIM FASE INVERSA	57,00
1005390	4024163254632	WORKLIGHT, CP, preto, 2x3800lm 80°/100° 4000K UGR19	808,00
1005391	4024163254625	WORKLIGHT, CP, branco, 2x3800lm 80°/100° 4000K UGR19	808,00
1005392	4024163254618	WORKLIGHT, CM, preto, 2x3800lm 80°/100° 4000K UGR19	737,00
1005394	4024163254601	WORKLIGHT, CM, branco, 2x3800lm 80°/100° 4000K UGR19	737,00
1005395	4024163254595	WORKLIGHT, SUSP, preto, 3000/2000lm 80°/100° 4000K UGR19	606,00
1005396	4024163254588	WORKLIGHT, SUSP, branco, 3000/2000lm 80°/100° 4000K UGR19	606,00
1005397	4024163254687	SIGHT TRACK, LED, C3F + DALI, preto, 3000lm 3000/4000K IRC90	419,00
1005399	4024163254670	SIGHT TRACK, LED, C3F + DALI, branco 3000lm 3000/4000K IRC90	419,00
1005400	4024163254663	SIGHT TRACK, LED, C3F, preto, 3000lm 3000/4000K IRC90	345,00
1005401	4024163254656	SIGHT TRACK, LED, C3F, branco, 3000lm 3000/4000K IRC90	345,00
1005402	4024163254649	SIGHT TRACK, LED, C3F, cinzento, 3000lm 3000/4000K IRC90	345,00
1005407	4024163254885	MILANDOS 4, 700mA, ET, preto, 510lm 45° 2700K IRC90 UGR16	190,00
1005408	4024163254878	MILANDOS 4, 700mA, ET, preto, 520lm 45° 3000K IRC90 UGR16	190,00
1005409	4024163254861	MILANDOS 4, 700mA, ET, branco, 640lm 45° 2700K IRC90 UGR23	190,00
1005410	4024163254854	MILANDOS 4, 700mA, ET, branco, 650lm 45° 3000K IRC90 UGR23	190,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1005415	4024163254809	MILANDOS 6, 700mA, ET, preto, 770lm 45° 2700K IRC90 UGR16	212,00
1005416	4024163254793	MILANDOS 6, 700mA, ET, preto, 780lm 45° 3000K IRC90 UGR16	212,00
1005417	4024163254786	MILANDOS 6, 700mA, ET, branco, 960lm 45° 2700K IRC90 UGR23	212,00
1005418	4024163254779	MILANDOS 6, 700mA, ET, branco, 980lm 45° 3000K IRC90 UGR23	212,00
1005423	4024163254724	MILANDOS 8, 700mA, ET, preto, 1030lm 45° 2700K IRC90 UGR16	259,00
1005424	4024163254717	MILANDOS 8, 700mA, ET, preto, 1040lm 45° 3000K IRC90 UGR16	259,00
1005425	4024163254700	MILANDOS 8, 700mA, ET, branco, 1280lm 45° 2700K IRC90 UGR23	259,00
1005426	4024163254694	MILANDOS 8, 700mA, ET, branco, 1300lm 45° 3000K IRC90 UGR23	259,00
1005435	4024163255219	HORN GU10, ET, preto, IP44 IK02, max.25W	26,50
1005436	4024163255202	HORN GU10, ET, branco, IP44 IK02, max.25W	26,50
1005439	4024163255318	ESKINA FRAME 125, LED, IP65, Bal, 2x1100lm 2x95° 3000/4000K	403,00
1005440	4024163255301	ESKINA FRAME 175, LED, IP65, Bal, 2x1100lm 2x95° 3000/4000K	474,00
1005441	4024163256933	BOOKAT, LED, Bal IP65 IK05 antracite 1240/1300lm 3000/4000K	403,00
1005442	4024163256926	QUADRULO, LED, IP55 IK04, antracite, 340lm 3000K	166,00
1005443	4024163256919	BOOKAT, LED, SP IP65 IK05 antracite 920lm 3000/4000K	201,00
1005444	4024163256902	Transformador 12VDC 0-15W (altura 2.2cm, diametro 5.5cm)	28,50
1005445	4024163256896	Transformador 24VDC 0-15W (altura 2.2cm, diametro 5.5cm)	28,50
1005446	4024163256889	Driver 700mA, CLII, 22.4-37.8W DIM FASE INVERSA	45,25
1005449	4024163256858	Driver 350mA, CLII, 11.2-18.9W DIM FASE INVERSA	52,00
1005499	4024163256490	NUMINOS® XS, 200mA, ET, pt/pt, 640lm 20° 2700K UGR16	76,00
1005500	4024163256483	NUMINOS® XS, 200mA, ET, pt/br, 670lm 20° 2700K UGR16	76,00
1005501	4024163256476	NUMINOS® XS, 200mA, ET, pt/cr, 670lm 20° 2700K UGR16	76,00
1005502	4024163256469	NUMINOS® XS, 200mA, ET, pt/pt, 620lm 40° 2700K UGR22	76,00
1005503	4024163256452	NUMINOS® XS, 200mA, ET, pt/br, 650lm 40° 2700K UGR22	76,00
1005504	4024163256445	NUMINOS® XS, 200mA, ET, pt/cr, 650lm 40° 2700K UGR22	76,00
1005505	4024163256438	NUMINOS® XS, 200mA, ET, pt/pt, 640lm 55° 2700K UGR25	76,00
1005506	4024163256421	NUMINOS® XS, 200mA, ET, pt/br, 670lm 55° 2700K UGR25	76,00
1005507	4024163256414	NUMINOS® XS, 200mA, ET, pt/cr, 670lm 55° 2700K UGR25	76,00
1005508	4024163256407	NUMINOS® XS, 200mA, ET, br/pt, 640lm 20° 2700K UGR16	76,00
1005509	4024163256391	NUMINOS® XS, 200mA, ET, br/br, 670lm 20° 2700K UGR16	76,00
1005510	4024163256384	NUMINOS® XS, 200mA, ET, br/cr, 670lm 20° 2700K UGR16	76,00
1005511	4024163256377	NUMINOS® XS, 200mA, ET, br/pt, 620lm 40° 2700K UGR22	76,00
1005512	4024163256360	NUMINOS® XS, 200mA, ET, br/br, 650lm 40° 2700K UGR22	76,00
1005513	4024163256353	NUMINOS® XS, 200mA, ET, br/cr, 650lm 40° 2700K UGR22	76,00
1005514	4024163256346	NUMINOS® XS, 200mA, ET, br/pt, 640lm 55° 2700K UGR25	76,00
1005515	4024163256339	NUMINOS® XS, 200mA, ET, br/br, 670lm 55° 2700K UGR25	76,00
1005516	4024163256322	NUMINOS® XS, 200mA, ET, br/cr, 670lm 55° 2700K UGR25	76,00
1005517	4024163256315	NUMINOS® XS, 200mA, ET, pt/pt, 700lm 20° 3000K UGR16	76,00
1005518	4024163256308	NUMINOS® XS, 200mA, ET, pt/br, 730lm 20° 3000K UGR16	76,00
1005519	4024163256292	NUMINOS® XS, 200mA, ET, pt/cr, 730lm 20° 3000K UGR16	76,00
1005520	4024163256285	NUMINOS® XS, 200mA, ET, pt/pt, 670lm 40° 3000K UGR22	76,00
1005521	4024163256278	NUMINOS® XS, 200mA, ET, pt/br, 700lm 40° 3000K UGR22	76,00
1005522	4024163256261	NUMINOS® XS, 200mA, ET, pt/cr, 700lm 40° 3000K UGR22	76,00
1005523	4024163256254	NUMINOS® XS, 200mA, ET, pt/pt, 690lm 55° 3000K UGR25	76,00
1005524	4024163256247	NUMINOS® XS, 200mA, ET, pt/br, 720lm 55° 3000K UGR25	76,00
1005525	4024163256230	NUMINOS® XS, 200mA, ET, pt/cr, 720lm 55° 3000K UGR25	76,00
1005526	4024163256223	NUMINOS® XS, 200mA, ET, br/pt, 700lm 20° 3000K UGR16	76,00
1005527	4024163256216	NUMINOS® XS, 200mA, ET, br/br, 730lm 20° 3000K UGR16	76,00
1005528	4024163256209	NUMINOS® XS, 200mA, ET, br/cr, 730lm 20° 3000K UGR16	76,00
1005529	4024163256193	NUMINOS® XS, 200mA, ET, br/pt, 670lm 40° 3000K UGR22	76,00
1005530	4024163256186	NUMINOS® XS, 200mA, ET, br/br, 700lm 40° 3000K UGR22	76,00
1005531	4024163256179	NUMINOS® XS, 200mA, ET, br/cr, 700lm 40° 3000K UGR22	76,00
1005532	4024163256162	NUMINOS® XS, 200mA, ET, br/pt, 690lm 55° 3000K UGR25	76,00
1005533	4024163256155	NUMINOS® XS, 200mA, ET, br/br, 720lm 55° 3000K UGR25	76,00
1005534	4024163256148	NUMINOS® XS, 200mA, ET, br/cr, 720lm 55° 3000K UGR25	76,00
1005535	4024163256131	NUMINOS® XS, 200mA, ET, pt/pt, 720lm 20° 4000K UGR16	76,00
1005536	4024163256124	NUMINOS® XS, 200mA, ET, pt/br, 750lm 20° 4000K UGR16	76,00
1005537	4024163256117	NUMINOS® XS, 200mA, ET, pt/cr, 750lm 20° 4000K UGR16	76,00
1005538	4024163256100	NUMINOS® XS, 200mA, ET, pt/pt, 700lm 40° 4000K UGR22	76,00
1005539	4024163256094	NUMINOS® XS, 200mA, ET, pt/br, 730lm 40° 4000K UGR22	76,00
1005540	4024163256087	NUMINOS® XS, 200mA, ET, pt/cr, 730lm 40° 4000K UGR22	76,00
1005541	4024163256070	NUMINOS® XS, 200mA, ET, pt/pt, 710lm 55° 4000K UGR25	76,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1005542	4024163256063	NUMINOS® XS, 200mA, ET, pt/br, 740lm 55° 4000K UGR25	76,00
1005543	4024163256056	NUMINOS® XS, 200mA, ET, pt/cr, 740lm 55° 4000K UGR25	76,00
1005544	4024163256049	NUMINOS® XS, 200mA, ET, br/pt, 720lm 20° 4000K UGR16	76,00
1005545	4024163256032	NUMINOS® XS, 200mA, ET, br/br, 750lm 20° 4000K UGR16	76,00
1005546	4024163256025	NUMINOS® XS, 200mA, ET, br/cr, 750lm 20° 4000K UGR16	76,00
1005547	4024163256018	NUMINOS® XS, 200mA, ET, br/pt, 700lm 40° 4000K UGR22	76,00
1005548	4024163256001	NUMINOS® XS, 200mA, ET, br/br, 730lm 40° 4000K UGR22	76,00
1005549	4024163255998	NUMINOS® XS, 200mA, ET, br/cr, 730lm 40° 4000K UGR22	76,00
1005550	4024163255981	NUMINOS® XS, 200mA, ET, br/pt, 710lm 55° 4000K UGR25	76,00
1005551	4024163255974	NUMINOS® XS, 200mA, ET, br/br, 740lm 55° 4000K UGR25	76,00
1005552	4024163255967	NUMINOS® XS, 200mA, ET, br/cr, 740lm 55° 4000K UGR25	76,00
1005553	4024163255950	NUMINOS® MOVE XS, 200mA, ET, pt/pt, 640lm 20° 2700K UGR16	87,00
1005554	4024163255943	NUMINOS® MOVE XS, 200mA, ET, pt/br, 670lm 20° 2700K UGR16	87,00
1005555	4024163255936	NUMINOS® MOVE XS, 200mA, ET, pt/cr, 670lm 20° 2700K UGR16	87,00
1005556	4024163255929	NUMINOS® MOVE XS, 200mA, ET, pt/pt, 620lm 40° 2700K UGR22	87,00
1005557	4024163255912	NUMINOS® MOVE XS, 200mA, ET, pt/br, 650lm 40° 2700K UGR22	87,00
1005558	4024163255905	NUMINOS® MOVE XS, 200mA, ET, pt/cr, 650lm 40° 2700K UGR22	87,00
1005559	4024163255899	NUMINOS® MOVE XS, 200mA, ET, pt/pt, 640lm 55° 2700K UGR25	87,00
1005560	4024163255882	NUMINOS® MOVE XS, 200mA, ET, pt/br, 670lm 55° 2700K UGR25	87,00
1005561	4024163255875	NUMINOS® MOVE XS, 200mA, ET, pt/cr, 670lm 55° 2700K UGR25	87,00
1005562	4024163255868	NUMINOS® MOVE XS, 200mA, ET, br/pt, 640lm 20° 2700K UGR16	87,00
1005563	4024163255851	NUMINOS® MOVE XS, 200mA, ET, br/br, 670lm 20° 2700K UGR16	87,00
1005564	4024163255844	NUMINOS® MOVE XS, 200mA, ET, br/cr, 670lm 20° 2700K UGR16	87,00
1005565	4024163255837	NUMINOS® MOVE XS, 200mA, ET, br/pt, 620lm 40° 2700K UGR22	87,00
1005566	4024163255820	NUMINOS® MOVE XS, 200mA, ET, br/br, 650lm 40° 2700K UGR22	87,00
1005567	4024163255813	NUMINOS® MOVE XS, 200mA, ET, br/cr, 650lm 40° 2700K UGR22	87,00
1005568	4024163255806	NUMINOS® MOVE XS, 200mA, ET, br/pt, 640lm 55° 2700K UGR25	87,00
1005569	4024163255790	NUMINOS® MOVE XS, 200mA, ET, br/br, 670lm 55° 2700K UGR25	87,00
1005570	4024163255783	NUMINOS® MOVE XS, 200mA, ET, br/cr, 670lm 55° 2700K UGR25	87,00
1005571	4024163255776	NUMINOS® MOVE XS, 200mA, ET, pt/pt, 700lm 20° 3000K UGR16	87,00
1005572	4024163255769	NUMINOS® MOVE XS, 200mA, ET, pt/br, 730lm 20° 3000K UGR16	87,00
1005573	4024163255752	NUMINOS® MOVE XS, 200mA, ET, pt/cr, 730lm 20° 3000K UGR16	87,00
1005574	4024163255745	NUMINOS® MOVE XS, 200mA, ET, pt/pt, 670lm 40° 3000K UGR22	87,00
1005575	4024163255738	NUMINOS® MOVE XS, 200mA, ET, pt/br, 700lm 40° 3000K UGR22	87,00
1005576	4024163255721	NUMINOS® MOVE XS, 200mA, ET, pt/cr, 700lm 40° 3000K UGR22	87,00
1005577	4024163255714	NUMINOS® MOVE XS, 200mA, ET, pt/pt, 690lm 55° 3000K UGR25	87,00
1005578	4024163255707	NUMINOS® MOVE XS, 200mA, ET, pt/br, 720lm 55° 3000K UGR25	87,00
1005579	4024163255691	NUMINOS® MOVE XS, 200mA, ET, pt/cr, 720lm 55° 3000K UGR25	87,00
1005580	4024163255684	NUMINOS® MOVE XS, 200mA, ET, br/pt, 700lm 20° 3000K UGR16	87,00
1005581	4024163255677	NUMINOS® MOVE XS, 200mA, ET, br/br, 730lm 20° 3000K UGR16	87,00
1005582	4024163255660	NUMINOS® MOVE XS, 200mA, ET, br/cr, 730lm 20° 3000K UGR16	87,00
1005583	4024163255653	NUMINOS® MOVE XS, 200mA, ET, br/pt, 670lm 40° 3000K UGR22	87,00
1005584	4024163255646	NUMINOS® MOVE XS, 200mA, ET, br/br, 700lm 40° 3000K UGR22	87,00
1005585	4024163255639	NUMINOS® MOVE XS, 200mA, ET, br/cr, 700lm 40° 3000K UGR22	87,00
1005586	4024163255622	NUMINOS® MOVE XS, 200mA, ET, br/pt, 690lm 55° 3000K UGR25	87,00
1005587	4024163255615	NUMINOS® MOVE XS, 200mA, ET, br/br, 720lm 55° 3000K UGR25	87,00
1005588	4024163255608	NUMINOS® MOVE XS, 200mA, ET, br/cr, 720lm 55° 3000K UGR25	87,00
1005589	4024163255592	NUMINOS® MOVE XS, 200mA, ET, pt/pt, 720lm 20° 4000K UGR16	87,00
1005590	4024163255585	NUMINOS® MOVE XS, 200mA, ET, pt/br, 750lm 20° 4000K UGR16	87,00
1005591	4024163255578	NUMINOS® MOVE XS, 200mA, ET, pt/cr, 750lm 20° 4000K UGR16	87,00
1005592	4024163255561	NUMINOS® MOVE XS, 200mA, ET, pt/pt, 700lm 40° 4000K UGR22	87,00
1005593	4024163255554	NUMINOS® MOVE XS, 200mA, ET, pt/br, 730lm 40° 4000K UGR22	87,00
1005594	4024163255547	NUMINOS® MOVE XS, 200mA, ET, pt/cr, 730lm 40° 4000K UGR22	87,00
1005595	4024163255530	NUMINOS® MOVE XS, 200mA, ET, pt/pt, 710lm 55° 4000K UGR25	87,00
1005596	4024163255523	NUMINOS® MOVE XS, 200mA, ET, pt/br, 740lm 55° 4000K UGR25	87,00
1005597	4024163255516	NUMINOS® MOVE XS, 200mA, ET, pt/cr, 740lm 55° 4000K UGR25	87,00
1005598	4024163255509	NUMINOS® MOVE XS, 200mA, ET, br/pt, 720lm 20° 4000K UGR16	87,00
1005599	4024163255493	NUMINOS® MOVE XS, 200mA, ET, br/br, 750lm 20° 4000K UGR16	87,00
1005600	4024163255486	NUMINOS® MOVE XS, 200mA, ET, br/cr, 750lm 20° 4000K UGR16	87,00
1005603	4024163255479	NUMINOS® MOVE XS, 200mA, ET, br/pt, 700lm 40° 4000K UGR22	87,00
1005604	4024163255462	NUMINOS® MOVE XS, 200mA, ET, br/br, 730lm 40° 4000K UGR22	87,00
1005605	4024163255455	NUMINOS® MOVE XS, 200mA, ET, br/cr, 730lm 40° 4000K UGR22	87,00



Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1005606	4024163255448	NUMINOS® MOVE XS, 200mA, ET, br/pt, 710lm 55° 4000K UGR25	87,00
1005607	4024163255431	NUMINOS® MOVE XS, 200mA, ET, br/br, 740lm 55° 4000K UGR25	87,00
1005608	4024163255424	NUMINOS® MOVE XS, 200mA, ET, br/cr, 740lm 55° 4000K UGR25	87,00
1005609	4024163255417	Driver 200mA, 6-8.4W, com ligador rápido, DIM FASE INV	35,75
1005610	4024163255400	Driver 200mA, 5.8-8.4W, com ligador rápido	26,00
1005611	4024163255394	Driver 200mA, 3.8-13.5W, com ligador rápido, DALI	96,00
1005612	4024163255387	NUMINOS® XS, difusor elíptico	4,50
1005613	4024163255370	NUMINOS® XS, difusor prismático	5,30
1005614	4024163255363	NUMINOS® XS, difusor fosco	5,30
1005615	4024163255356	NUMINOS® XS, difusor alveolar	8,35
1005687	4024163261074	NUMINOS® XL, ST, LED, preto, 3290lm, 24°, 2700K, UGR19, DIM	191,00
1005688	4024163261067	NUMINOS® XL, ST, LED, preto, 3250lm, 36°, 2700K, UGR19, DIM	191,00
1005689	4024163261050	NUMINOS® XL, ST, LED, preto, 2980lm, 60°, 2700K, UGR25, DIM	191,00
1005690	4024163261043	NUMINOS® XL, ST, LED, pt/br, 3290lm, 24°, 2700K, UGR19, DIM	191,00
1005691	4024163261036	NUMINOS® XL, ST, LED, pt/br, 3250lm, 36°, 2700K, UGR19, DIM	191,00
1005692	4024163261029	NUMINOS® XL, ST, LED, pt/br, 2980lm, 60°, 2700K, UGR25, DIM	191,00
1005693	4024163261012	NUMINOS® XL, ST, LED, preto, 3530lm, 24°, 3000K, UGR19, DIM	191,00
1005694	4024163261005	NUMINOS® XL, ST, LED, preto, 3490lm, 36°, 3000K, UGR19, DIM	191,00
1005695	4024163260992	NUMINOS® XL, ST, LED, preto, 3210lm, 60°, 3000K, UGR25, DIM	191,00
1005696	4024163260985	NUMINOS® XL, ST, LED, pt/br, 3530lm, 24°, 3000K, UGR19, DIM	191,00
1005697	4024163260978	NUMINOS® XL, ST, LED, pt/br, 3490lm, 36°, 3000K, UGR19, DIM	191,00
1005698	4024163260961	NUMINOS® XL, ST, LED, pt/br, 3210lm, 60°, 3000K, UGR25, DIM	191,00
1005699	4024163260954	NUMINOS® XL, ST, LED, preto, 3800lm, 24°, 4000K, UGR19, DIM	191,00
1005700	4024163260947	NUMINOS® XL, ST, LED, preto, 3760lm, 36°, 4000K, UGR19, DIM	191,00
1005701	4024163260930	NUMINOS® XL, ST, LED, preto, 3460lm, 60°, 4000K, UGR25, DIM	191,00
1005702	4024163260923	NUMINOS® XL, ST, LED, pt/br, 3800lm, 24°, 4000K, UGR19, DIM	191,00
1005703	4024163260916	NUMINOS® XL, ST, LED, pt/br, 3760lm, 36°, 4000K, UGR19, DIM	191,00
1005704	4024163260909	NUMINOS® XL, ST, LED, pt/br, 3460lm, 60°, 4000K, UGR25, DIM	191,00
1005705	4024163260893	NUMINOS® XL, SUSP LED preto, 3290lm, 24°, 2700K, UGR19, DIM	215,00
1005706	4024163260886	NUMINOS® XL, SUSP LED preto, 3250lm, 36°, 2700K, UGR19, DIM	215,00
1005707	4024163260879	NUMINOS® XL, SUSP LED preto, 2980lm, 60°, 2700K, UGR25, DIM	215,00
1005708	4024163260862	NUMINOS® XL, SUSP LED pt/br, 3290lm, 24°, 2700K, UGR19, DIM	215,00
1005709	4024163260855	NUMINOS® XL, SUSP LED pt/br, 3250lm, 36°, 2700K, UGR19, DIM	215,00
1005710	4024163260848	NUMINOS® XL, SUSP LED pt/br, 2980lm, 60°, 2700K, UGR25, DIM	215,00
1005711	4024163260831	NUMINOS® XL, SUSP LED preto, 3530lm, 24°, 3000K, UGR19, DIM	215,00
1005712	4024163260824	NUMINOS® XL, SUSP LED preto, 3490lm, 36°, 3000K, UGR19, DIM	215,00
1005713	4024163260817	NUMINOS® XL, SUSP LED preto, 3210lm, 60°, 3000K, UGR25, DIM	215,00
1005714	4024163260800	NUMINOS® XL, SUSP LED pt/br, 3530lm, 24°, 3000K, UGR19, DIM	215,00
1005715	4024163260794	NUMINOS® XL, SUSP LED pt/br, 3490lm, 36°, 3000K, UGR19, DIM	215,00
1005716	4024163260787	NUMINOS® XL, SUSP LED pt/br, 3210lm, 60°, 3000K, UGR25, DIM	215,00
1005717	4024163260770	NUMINOS® XL, SUSP LED preto, 3800lm, 24°, 4000K, UGR19, DIM	215,00
1005718	4024163260763	NUMINOS® XL, SUSP LED preto, 3760lm, 36°, 4000K, UGR19, DIM	215,00
1005719	4024163260756	NUMINOS® XL, SUSP LED preto, 3460lm, 60°, 4000K, UGR25, DIM	215,00
1005720	4024163260749	NUMINOS® XL, SUSP LED pt/br, 3800lm, 24°, 4000K, UGR19, DIM	215,00
1005721	4024163260732	NUMINOS® XL, SUSP LED pt/br, 3760lm, 36°, 4000K, UGR19, DIM	215,00
1005722	4024163260725	NUMINOS® XL, SUSP LED pt/br, 3460lm, 60°, 4000K, UGR25, DIM	215,00
1005723	4024163260718	NUMINOS® XL, C3F LED preto, 3290lm, 24°, 2700K, UGR19, DIM	197,00
1005724	4024163260701	NUMINOS® XL, C3F LED preto, 3250lm, 36°, 2700K, UGR19, DIM	197,00
1005725	4024163260695	NUMINOS® XL, C3F LED preto, 2980lm, 60°, 2700K, UGR25, DIM	197,00
1005726	4024163260688	NUMINOS® XL, C3F LED pt/br, 3290lm, 24°, 2700K, UGR19, DIM	197,00
1005727	4024163260671	NUMINOS® XL, C3F LED pt/br, 3250lm, 36°, 2700K, UGR19, DIM	197,00
1005728	4024163260664	NUMINOS® XL, C3F LED pt/br, 2980lm, 60°, 2700K, UGR25, DIM	197,00
1005729	4024163260657	NUMINOS® XL, C3F LED preto, 3530lm, 24°, 3000K, UGR19, DIM	197,00
1005730	4024163260640	NUMINOS® XL, C3F LED preto, 3490lm, 36°, 3000K, UGR19, DIM	197,00
1005731	4024163260633	NUMINOS® XL, C3F LED preto, 3210lm, 60°, 3000K, UGR25, DIM	197,00
1005732	4024163260626	NUMINOS® XL, C3F LED pt/br, 3530lm, 24°, 3000K, UGR19, DIM	197,00
1005733	4024163260619	NUMINOS® XL, C3F LED pt/br, 3490lm, 36°, 3000K, UGR19, DIM	197,00
1005734	4024163260602	NUMINOS® XL, C3F LED pt/br, 3210lm, 60°, 3000K, UGR25, DIM	197,00
1005735	4024163260596	NUMINOS® XL, C3F LED preto, 3800lm, 24°, 4000K, UGR19, DIM	197,00
1005736	4024163260589	NUMINOS® XL, C3F LED preto, 3760lm, 36°, 4000K, UGR19, DIM	197,00
1005737	4024163260572	NUMINOS® XL, C3F LED preto, 3460lm, 60°, 4000K, UGR25, DIM	197,00
1005738	4024163260565	NUMINOS® XL, C3F LED pt/br, 3800lm, 24°, 4000K, UGR19, DIM	197,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1005739	4024163260558	NUMINOS® XL, C3F LED pt/br, 3760lm, 36°, 4000K, UGR19, DIM	197,00
1005740	4024163260541	NUMINOS® XL, C3F LED pt/br, 3460lm, 60°, 4000K, UGR25, DIM	197,00
1005741	4024163260534	NUMINOS® XL, PT, LED, preto, 3290lm, 24°, 2700K, UGR19, DALI	255,00
1005742	4024163260527	NUMINOS® XL, PT, LED, preto, 3250lm, 36°, 2700K, UGR19, DALI	255,00
1005743	4024163260510	NUMINOS® XL, PT, LED, preto, 2980lm, 60°, 2700K, UGR25, DALI	255,00
1005744	4024163260503	NUMINOS® XL, PT, LED, pt/br, 3290lm, 24°, 2700K, UGR19, DALI	255,00
1005745	4024163260497	NUMINOS® XL, PT, LED, pt/br, 3250lm, 36°, 2700K, UGR19, DALI	255,00
1005746	4024163260480	NUMINOS® XL, PT, LED, pt/br, 2980lm, 60°, 2700K, UGR25, DALI	255,00
1005747	4024163260473	NUMINOS® XL, PT, LED, preto, 3530lm, 24°, 3000K, UGR19, DALI	255,00
1005748	4024163260466	NUMINOS® XL, PT, LED, preto, 3490lm, 36°, 3000K, UGR19, DALI	255,00
1005749	4024163260459	NUMINOS® XL, PT, LED, preto, 3210lm, 60°, 3000K, UGR25, DALI	255,00
1005750	4024163260442	NUMINOS® XL, PT, LED, pt/br, 3530lm, 24°, 3000K, UGR19, DALI	255,00
1005751	4024163260435	NUMINOS® XL, PT, LED, pt/br, 3490lm, 36°, 3000K, UGR19, DALI	255,00
1005752	4024163260428	NUMINOS® XL, PT, LED, pt/br, 3210lm, 60°, 3000K, UGR25, DALI	255,00
1005753	4024163260411	NUMINOS® XL, PT, LED, preto, 3800lm, 24°, 4000K, UGR19, DALI	255,00
1005754	4024163260404	NUMINOS® XL, PT, LED, preto, 3760lm, 36°, 4000K, UGR19, DALI	255,00
1005755	4024163260398	NUMINOS® XL, PT, LED, preto, 3460lm, 60°, 4000K, UGR25, DALI	255,00
1005756	4024163260381	NUMINOS® XL, PT, LED, pt/br, 3800lm, 24°, 4000K, UGR19, DALI	255,00
1005757	4024163260374	NUMINOS® XL, PT, LED, pt/br, 3760lm, 36°, 4000K, UGR19, DALI	255,00
1005758	4024163260367	NUMINOS® XL, PT, LED, pt/br, 3460lm, 60°, 4000K, UGR25, DALI	255,00
1005759	4024163260350	NUMINOS® XL, ST, LED, preto, 3290lm, 24°, 2700K, UGR19, DALI	255,00
1005760	4024163260343	NUMINOS® XL, ST, LED, preto, 3250lm, 36°, 2700K, UGR19, DALI	255,00
1005761	4024163260336	NUMINOS® XL, ST, LED, preto, 2980lm, 60°, 2700K, UGR25, DALI	255,00
1005762	4024163260329	NUMINOS® XL, ST, LED, pt/br, 3290lm, 24°, 2700K, UGR19, DALI	255,00
1005763	4024163260312	NUMINOS® XL, ST, LED, pt/br, 3250lm, 36°, 2700K, UGR19, DALI	255,00
1005764	4024163260305	NUMINOS® XL, ST, LED, pt/br, 2980lm, 60°, 2700K, UGR25, DALI	255,00
1005765	4024163260299	NUMINOS® XL, ST, LED, preto, 3530lm, 24°, 3000K, UGR19, DALI	255,00
1005766	4024163260282	NUMINOS® XL, ST, LED, preto, 3490lm, 36°, 3000K, UGR19, DALI	255,00
1005767	4024163260275	NUMINOS® XL, ST, LED, preto, 3210lm, 60°, 3000K, UGR25, DALI	255,00
1005768	4024163260268	NUMINOS® XL, ST, LED, pt/br, 3530lm, 24°, 3000K, UGR19, DALI	255,00
1005769	4024163260251	NUMINOS® XL, ST, LED, pt/br, 3490lm, 36°, 3000K, UGR19, DALI	255,00
1005770	4024163260244	NUMINOS® XL, ST, LED, pt/br, 3210lm, 60°, 3000K, UGR25, DALI	255,00
1005771	4024163260237	NUMINOS® XL, ST, LED, preto, 3800lm, 24°, 4000K, UGR19, DALI	255,00
1005772	4024163260220	NUMINOS® XL, ST, LED, preto, 3760lm, 36°, 4000K, UGR19, DALI	255,00
1005773	4024163260213	NUMINOS® XL, ST, LED, preto, 3460lm, 60°, 4000K, UGR25, DALI	255,00
1005774	4024163260206	NUMINOS® XL, ST, LED, pt/br, 3800lm, 24°, 4000K, UGR19, DALI	255,00
1005775	4024163260190	NUMINOS® XL, ST, LED, pt/br, 3760lm, 36°, 4000K, UGR19, DALI	255,00
1005776	4024163260183	NUMINOS® XL, ST, LED, pt/br, 3460lm, 60°, 4000K, UGR25, DALI	255,00
1005777	4024163260176	NUMINOS® XL, SUSP LED preto, 3290lm, 24°, 2700K, UGR19, DALI	274,00
1005778	4024163260169	NUMINOS® XL, SUSP LED preto, 3250lm, 36°, 2700K, UGR19, DALI	274,00
1005779	4024163260152	NUMINOS® XL, SUSP LED preto, 2980lm, 60°, 2700K, UGR25, DALI	274,00
1005780	4024163260145	NUMINOS® XL, SUSP LED pt/br, 3290lm, 24°, 2700K, UGR19, DALI	274,00
1005781	4024163260138	NUMINOS® XL, SUSP LED pt/br, 3250lm, 36°, 2700K, UGR19, DALI	274,00
1005782	4024163260121	NUMINOS® XL, SUSP LED pt/br, 2980lm, 60°, 2700K, UGR25, DALI	274,00
1005783	4024163260114	NUMINOS® XL, SUSP LED preto, 3530lm, 24°, 3000K, UGR19, DALI	274,00
1005784	4024163260107	NUMINOS® XL, SUSP LED preto, 3490lm, 36°, 3000K, UGR19, DALI	274,00
1005785	4024163260091	NUMINOS® XL, SUSP LED preto, 3210lm, 60°, 3000K, UGR25, DALI	274,00
1005786	4024163260084	NUMINOS® XL, SUSP LED pt/br, 3530lm, 24°, 3000K, UGR19, DALI	274,00
1005787	4024163260077	NUMINOS® XL, SUSP LED pt/br, 3490lm, 36°, 3000K, UGR19, DALI	274,00
1005788	4024163260060	NUMINOS® XL, SUSP LED pt/br, 3210lm, 60°, 3000K, UGR25, DALI	274,00
1005789	4024163260053	NUMINOS® XL, SUSP LED preto, 3800lm, 24°, 4000K, UGR19, DALI	274,00
1005790	4024163260046	NUMINOS® XL, SUSP LED preto, 3760lm, 36°, 4000K, UGR19, DALI	274,00
1005791	4024163260039	NUMINOS® XL, SUSP LED preto, 3460lm, 60°, 4000K, UGR25, DALI	274,00
1005792	4024163260022	NUMINOS® XL, SUSP LED pt/br, 3800lm, 24°, 4000K, UGR19, DALI	274,00
1005793	4024163260015	NUMINOS® XL, SUSP LED pt/br, 3760lm, 36°, 4000K, UGR19, DALI	274,00
1005794	4024163260008	NUMINOS® XL, SUSP LED pt/br, 3460lm, 60°, 4000K, UGR25, DALI	274,00
1005795	4024163259996	NUMINOS® XL, C3F+DALI, LED preto, 3290lm, 24°, 2700K, UGR19	261,00
1005796	4024163259989	NUMINOS® XL, C3F+DALI, LED preto, 3250lm, 36°, 2700K, UGR19	261,00
1005797	4024163259972	NUMINOS® XL, C3F+DALI, LED preto, 2980lm, 60°, 2700K, UGR25	261,00
1005798	4024163259965	NUMINOS® XL, C3F+DALI, LED pt/br, 3290lm, 24°, 2700K, UGR19	261,00
1005799	4024163259958	NUMINOS® XL, C3F+DALI, LED pt/br, 3250lm, 36°, 2700K, UGR19	261,00
1005800	4024163259941	NUMINOS® XL, C3F+DALI, LED pt/br, 2980lm, 60°, 2700K, UGR25	261,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1005801	4024163259934	NUMINOS® XL, C3F+DALI, LED preto, 3530lm, 24°, 3000K, UGR19	261,00
1005802	4024163259927	NUMINOS® XL, C3F+DALI, LED preto, 3490lm, 36°, 3000K, UGR19	261,00
1005803	4024163259910	NUMINOS® XL, C3F+DALI, LED preto, 3210lm, 60°, 3000K, UGR25	261,00
1005804	4024163259903	NUMINOS® XL, C3F+DALI, LED pt/br, 3530lm, 24°, 3000K, UGR19	261,00
1005805	4024163259897	NUMINOS® XL, C3F+DALI, LED pt/br, 3490lm, 36°, 3000K, UGR19	261,00
1005806	4024163259880	NUMINOS® XL, C3F+DALI, LED pt/br, 3210lm, 60°, 3000K, UGR25	261,00
1005807	4024163259873	NUMINOS® XL, C3F+DALI, LED preto, 3800lm, 24°, 4000K, UGR19	261,00
1005808	4024163259866	NUMINOS® XL, C3F+DALI, LED preto, 3760lm, 36°, 4000K, UGR19	261,00
1005809	4024163259859	NUMINOS® XL, C3F+DALI, LED preto, 3460lm, 60°, 4000K, UGR25	261,00
1005810	4024163259842	NUMINOS® XL, C3F+DALI, LED pt/br, 3800lm, 24°, 4000K, UGR19	261,00
1005811	4024163259835	NUMINOS® XL, C3F+DALI, LED pt/br, 3760lm, 36°, 4000K, UGR19	261,00
1005812	4024163259828	NUMINOS® XL, C3F+DALI, LED pt/br, 3460lm, 60°, 4000K, UGR25	261,00
1005813	4024163259811	NUMINOS® GIMBLE XS, 200mA, ET, pt/pt, 640lm 20° 2700K UGR16	97,00
1005814	4024163259804	NUMINOS® GIMBLE XS, 200mA, ET, pt/br, 670lm 20° 2700K UGR16	97,00
1005815	4024163259798	NUMINOS® GIMBLE XS, 200mA, ET, pt/cr, 670lm 20° 2700K UGR16	97,00
1005816	4024163259781	NUMINOS® GIMBLE XS, 200mA, ET, pt/pt, 620lm 40° 2700K UGR22	97,00
1005817	4024163259774	NUMINOS® GIMBLE XS, 200mA, ET, pt/br, 650lm 40° 2700K UGR22	97,00
1005818	4024163259767	NUMINOS® GIMBLE XS, 200mA, ET, pt/cr, 650lm 40° 2700K UGR22	97,00
1005819	4024163259750	NUMINOS® GIMBLE XS, 200mA, ET, pt/pt, 640lm 55° 2700K UGR25	97,00
1005820	4024163259743	NUMINOS® GIMBLE XS, 200mA, ET, pt/br, 670lm 55° 2700K UGR25	97,00
1005821	4024163259736	NUMINOS® GIMBLE XS, 200mA, ET, pt/cr, 670lm 55° 2700K UGR25	97,00
1005822	4024163259729	NUMINOS® GIMBLE XS, 200mA, ET, br/pt, 640lm 20° 2700K UGR16	97,00
1005823	4024163259712	NUMINOS® GIMBLE XS, 200mA, ET, br/br, 670lm 20° 2700K UGR16	97,00
1005824	4024163259705	NUMINOS® GIMBLE XS, 200mA, ET, br/cr, 670lm 20° 2700K UGR16	97,00
1005825	4024163259699	NUMINOS® GIMBLE XS, 200mA, ET, br/pt, 620lm 40° 2700K UGR22	97,00
1005826	4024163259682	NUMINOS® GIMBLE XS, 200mA, ET, br/br, 650lm 40° 2700K UGR22	97,00
1005827	4024163259675	NUMINOS® GIMBLE XS, 200mA, ET, br/cr, 650lm 40° 2700K UGR22	97,00
1005828	4024163259668	NUMINOS® GIMBLE XS, 200mA, ET, br/pt, 640lm 55° 2700K UGR25	97,00
1005829	4024163259651	NUMINOS® GIMBLE XS, 200mA, ET, br/br, 670lm 55° 2700K UGR25	97,00
1005830	4024163259644	NUMINOS® GIMBLE XS, 200mA, ET, br/cr, 670lm 55° 2700K UGR25	97,00
1005831	4024163259637	NUMINOS® GIMBLE XS, 200mA, ET, pt/pt, 700lm 20° 3000K UGR16	97,00
1005832	4024163259620	NUMINOS® GIMBLE XS, 200mA, ET, pt/br, 730lm 20° 3000K UGR16	97,00
1005833	4024163259613	NUMINOS® GIMBLE XS, 200mA, ET, pt/cr, 730lm 20° 3000K UGR16	97,00
1005834	4024163259606	NUMINOS® GIMBLE XS, 200mA, ET, pt/pt, 670lm 40° 3000K UGR22	97,00
1005835	4024163259590	NUMINOS® GIMBLE XS, 200mA, ET, pt/br, 700lm 40° 3000K UGR22	97,00
1005836	4024163259583	NUMINOS® GIMBLE XS, 200mA, ET, pt/cr, 700lm 40° 3000K UGR22	97,00
1005837	4024163259576	NUMINOS® GIMBLE XS, 200mA, ET, pt/pt, 690lm 55° 3000K UGR25	97,00
1005838	4024163259569	NUMINOS® GIMBLE XS, 200mA, ET, pt/br, 720lm 55° 3000K UGR25	97,00
1005839	4024163259552	NUMINOS® GIMBLE XS, 200mA, ET, pt/cr, 720lm 55° 3000K UGR25	97,00
1005840	4024163259545	NUMINOS® GIMBLE XS, 200mA, ET, br/pt, 700lm 20° 3000K UGR16	97,00
1005841	4024163259538	NUMINOS® GIMBLE XS, 200mA, ET, br/br, 730lm 20° 3000K UGR16	97,00
1005842	4024163259521	NUMINOS® GIMBLE XS, 200mA, ET, br/cr, 730lm 20° 3000K UGR16	97,00
1005843	4024163259514	NUMINOS® GIMBLE XS, 200mA, ET, br/pt, 670lm 40° 3000K UGR22	97,00
1005844	4024163259507	NUMINOS® GIMBLE XS, 200mA, ET, br/br, 700lm 40° 3000K UGR22	97,00
1005845	4024163259491	NUMINOS® GIMBLE XS, 200mA, ET, br/cr, 700lm 40° 3000K UGR22	97,00
1005846	4024163259484	NUMINOS® GIMBLE XS, 200mA, ET, br/pt, 690lm 55° 3000K UGR25	97,00
1005847	4024163259477	NUMINOS® GIMBLE XS, 200mA, ET, br/br, 720lm 55° 3000K UGR25	97,00
1005848	4024163259460	NUMINOS® GIMBLE XS, 200mA, ET, br/cr, 720lm 55° 3000K UGR25	97,00
1005849	4024163259453	NUMINOS® GIMBLE XS, 200mA, ET, pt/pt, 720lm 20° 4000K UGR16	97,00
1005850	4024163259446	NUMINOS® GIMBLE XS, 200mA, ET, pt/br, 750lm 20° 4000K UGR16	97,00
1005851	4024163259439	NUMINOS® GIMBLE XS, 200mA, ET, pt/cr, 750lm 20° 4000K UGR16	97,00
1005852	4024163259422	NUMINOS® GIMBLE XS, 200mA, ET, pt/pt, 700lm 40° 4000K UGR22	97,00
1005853	4024163259415	NUMINOS® GIMBLE XS, 200mA, ET, pt/br, 730lm 40° 4000K UGR22	97,00
1005854	4024163259408	NUMINOS® GIMBLE XS, 200mA, ET, pt/cr, 730lm 40° 4000K UGR22	97,00
1005855	4024163259392	NUMINOS® GIMBLE XS, 200mA, ET, pt/pt, 710lm 55° 4000K UGR25	97,00
1005856	4024163259385	NUMINOS® GIMBLE XS, 200mA, ET, pt/br, 740lm 55° 4000K UGR25	97,00
1005857	4024163259378	NUMINOS® GIMBLE XS, 200mA, ET, pt/cr, 740lm 55° 4000K UGR25	97,00
1005858	4024163259361	NUMINOS® GIMBLE XS, 200mA, ET, br/pt, 720lm 20° 4000K UGR16	97,00
1005859	4024163259354	NUMINOS® GIMBLE XS, 200mA, ET, br/br, 750lm 20° 4000K UGR16	97,00
1005860	4024163259347	NUMINOS® GIMBLE XS, 200mA, ET, br/cr, 750lm 20° 4000K UGR16	97,00
1005861	4024163259330	NUMINOS® GIMBLE XS, 200mA, ET, br/pt, 700lm 40° 4000K UGR22	97,00
1005862	4024163259323	NUMINOS® GIMBLE XS, 200mA, ET, br/br, 730lm 40° 4000K UGR22	97,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1005863	4024163259316	NUMINOS® GIMBLE XS, 200mA, ET, br/cr, 730lm 40° 4000K UGR22	97,00
1005864	4024163259309	NUMINOS® GIMBLE XS, 200mA, ET, br/pt, 710lm 55° 4000K UGR25	97,00
1005865	4024163259293	NUMINOS® GIMBLE XS, 200mA, ET, br/br, 740lm 55° 4000K UGR25	97,00
1005866	4024163259286	NUMINOS® GIMBLE XS, 200mA, ET, br/cr, 740lm 55° 4000K UGR25	97,00
1005867	4024163259279	NUMINOS® GIMBLE S, 250mA, ET, pt/pt, 670lm 20° 2700K UGR19	107,00
1005868	4024163259262	NUMINOS® GIMBLE S, 250mA, ET, pt/br, 720lm 20° 2700K UGR19	107,00
1005869	4024163259255	NUMINOS® GIMBLE S, 250mA, ET, pt/cr, 690lm 20° 2700K UGR19	107,00
1005870	4024163259248	NUMINOS® GIMBLE S, 250mA, ET, pt/pt, 670lm 40° 2700K UGR19	107,00
1005871	4024163259231	NUMINOS® GIMBLE S, 250mA, ET, pt/br, 720lm 40° 2700K UGR19	107,00
1005872	4024163259224	NUMINOS® GIMBLE S, 250mA, ET, pt/cr, 690lm 40° 2700K UGR19	107,00
1005873	4024163259217	NUMINOS® GIMBLE S, 250mA, ET, pt/pt, 670lm 55° 2700K UGR22	107,00
1005874	4024163259200	NUMINOS® GIMBLE S, 250mA, ET, pt/br, 720lm 55° 2700K UGR22	107,00
1005875	4024163259194	NUMINOS® GIMBLE S, 250mA, ET, pt/cr, 690lm 55° 2700K UGR22	107,00
1005876	4024163259187	NUMINOS® GIMBLE S, 250mA, ET, br/pt, 670lm 20° 2700K UGR19	107,00
1005877	4024163259170	NUMINOS® GIMBLE S, 250mA, ET, br/br, 720lm 20° 2700K UGR19	107,00
1005878	4024163259163	NUMINOS® GIMBLE S, 250mA, ET, br/cr, 690lm 20° 2700K UGR19	107,00
1005879	4024163259156	NUMINOS® GIMBLE S, 250mA, ET, br/pt, 670lm 40° 2700K UGR19	107,00
1005880	4024163259149	NUMINOS® GIMBLE S, 250mA, ET, br/br, 720lm 40° 2700K UGR19	107,00
1005881	4024163259132	NUMINOS® GIMBLE S, 250mA, ET, br/cr, 690lm 40° 2700K UGR19	107,00
1005882	4024163259125	NUMINOS® GIMBLE S, 250mA, ET, br/pt, 670lm 55° 2700K UGR22	107,00
1005883	4024163259118	NUMINOS® GIMBLE S, 250mA, ET, br/br, 720lm 55° 2700K UGR22	107,00
1005884	4024163259101	NUMINOS® GIMBLE S, 250mA, ET, br/cr, 690lm 55° 2700K UGR22	107,00
1005885	4024163259095	NUMINOS® GIMBLE S, 250mA, ET, pt/pt, 690lm 20° 3000K UGR19	107,00
1005886	4024163259088	NUMINOS® GIMBLE S, 250mA, ET, pt/br, 730lm 20° 3000K UGR19	107,00
1005887	4024163259071	NUMINOS® GIMBLE S, 250mA, ET, pt/cr, 700lm 20° 3000K UGR19	107,00
1005888	4024163259064	NUMINOS® GIMBLE S, 250mA, ET, pt/pt, 690lm 40° 3000K UGR19	107,00
1005889	4024163259057	NUMINOS® GIMBLE S, 250mA, ET, pt/br, 730lm 40° 3000K UGR19	107,00
1005890	4024163259040	NUMINOS® GIMBLE S, 250mA, ET, pt/cr, 700lm 40° 3000K UGR19	107,00
1005891	4024163259033	NUMINOS® GIMBLE S, 250mA, ET, pt/pt, 690lm 55° 3000K UGR22	107,00
1005892	4024163259026	NUMINOS® GIMBLE S, 250mA, ET, pt/br, 730lm 55° 3000K UGR22	107,00
1005893	4024163259019	NUMINOS® GIMBLE S, 250mA, ET, pt/cr, 700lm 55° 3000K UGR22	107,00
1005894	4024163259002	NUMINOS® GIMBLE S, 250mA, ET, br/pt, 690lm 20° 3000K UGR19	107,00
1005895	4024163258999	NUMINOS® GIMBLE S, 250mA, ET, br/br, 730lm 20° 3000K UGR19	107,00
1005896	4024163258982	NUMINOS® GIMBLE S, 250mA, ET, br/cr, 700lm 20° 3000K UGR19	107,00
1005897	4024163258975	NUMINOS® GIMBLE S, 250mA, ET, br/pt, 690lm 40° 3000K UGR19	107,00
1005898	4024163258968	NUMINOS® GIMBLE S, 250mA, ET, br/br, 730lm 40° 3000K UGR19	107,00
1005899	4024163258951	NUMINOS® GIMBLE S, 250mA, ET, br/cr, 700lm 40° 3000K UGR19	107,00
1005900	4024163258944	NUMINOS® GIMBLE S, 250mA, ET, br/pt, 690lm 55° 3000K UGR22	107,00
1005901	4024163258937	NUMINOS® GIMBLE S, 250mA, ET, br/br, 730lm 55° 3000K UGR22	107,00
1005902	4024163258920	NUMINOS® GIMBLE S, 250mA, ET, br/cr, 700lm 55° 3000K UGR22	107,00
1005903	4024163258913	NUMINOS® GIMBLE S, 250mA, ET, pt/pt, 730lm 20° 4000K UGR19	107,00
1005904	4024163258906	NUMINOS® GIMBLE S, 250mA, ET, pt/br, 790lm 20° 4000K UGR19	107,00
1005905	4024163258890	NUMINOS® GIMBLE S, 250mA, ET, pt/cr, 750lm 20° 4000K UGR19	107,00
1005906	4024163258883	NUMINOS® GIMBLE S, 250mA, ET, pt/pt, 730lm 40° 4000K UGR19	107,00
1005907	4024163258876	NUMINOS® GIMBLE S, 250mA, ET, pt/br, 790lm 40° 4000K UGR19	107,00
1005908	4024163258869	NUMINOS® GIMBLE S, 250mA, ET, pt/cr, 750lm 40° 4000K UGR19	107,00
1005909	4024163258852	NUMINOS® GIMBLE S, 250mA, ET, pt/pt, 730lm 55° 4000K UGR22	107,00
1005910	4024163258845	NUMINOS® GIMBLE S, 250mA, ET, pt/br, 790lm 55° 4000K UGR22	107,00
1005911	4024163258838	NUMINOS® GIMBLE S, 250mA, ET, pt/cr, 750lm 55° 4000K UGR22	107,00
1005912	4024163258821	NUMINOS® GIMBLE S, 250mA, ET, br/pt, 730lm 20° 4000K UGR19	107,00
1005913	4024163258814	NUMINOS® GIMBLE S, 250mA, ET, br/br, 790lm 20° 4000K UGR19	107,00
1005914	4024163258807	NUMINOS® GIMBLE S, 250mA, ET, br/cr, 750lm 20° 4000K UGR19	107,00
1005915	4024163258791	NUMINOS® GIMBLE S, 250mA, ET, br/pt, 730lm 40° 4000K UGR19	107,00
1005916	4024163258784	NUMINOS® GIMBLE S, 250mA, ET, br/br, 790lm 40° 4000K UGR19	107,00
1005917	4024163258777	NUMINOS® GIMBLE S, 250mA, ET, br/cr, 750lm 40° 4000K UGR19	107,00
1005918	4024163258760	NUMINOS® GIMBLE S, 250mA, ET, br/pt, 730lm 55° 4000K UGR22	107,00
1005919	4024163258753	NUMINOS® GIMBLE S, 250mA, ET, br/br, 790lm 55° 4000K UGR22	107,00
1005920	4024163258746	NUMINOS® GIMBLE S, 250mA, ET, br/cr, 750lm 55° 4000K UGR22	107,00
1005921	4024163258739	NUMINOS® GIMBLE M, 500mA, ET, pt/pt, 1460lm 20° 2700K UGR22	118,00
1005922	4024163258722	NUMINOS® GIMBLE M, 500mA, ET, pt/br, 1600lm 20° 2700K UGR22	118,00
1005923	4024163258715	NUMINOS® GIMBLE M, 500mA, ET, pt/cr, 1550lm 20° 2700K UGR22	118,00
1005924	4024163258708	NUMINOS® GIMBLE M, 500mA, ET, pt/pt, 1460lm 40° 2700K UGR22	118,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1005925	4024163258692	NUMINOS® GIMBLE M, 500mA, ET, pt/br, 1600lm 40° 2700K UGR22	118,00
1005926	4024163258685	NUMINOS® GIMBLE M, 500mA, ET, pt/cr, 1550lm 40° 2700K UGR22	118,00
1005927	4024163258678	NUMINOS® GIMBLE M, 500mA, ET, pt/pt, 1460lm 55° 2700K UGR22	118,00
1005928	4024163258661	NUMINOS® GIMBLE M, 500mA, ET, pt/br, 1600lm 55° 2700K UGR22	118,00
1005929	4024163258654	NUMINOS® GIMBLE M, 500mA, ET, pt/cr, 1550lm 55° 2700K UGR22	118,00
1005930	4024163258647	NUMINOS® GIMBLE M, 500mA, ET, br/pt, 1460lm 20° 2700K UGR22	118,00
1005931	4024163258630	NUMINOS® GIMBLE M, 500mA, ET, br/br, 1600lm 20° 2700K UGR22	118,00
1005932	4024163258623	NUMINOS® GIMBLE M, 500mA, ET, br/cr, 1550lm 20° 2700K UGR22	118,00
1005933	4024163258616	NUMINOS® GIMBLE M, 500mA, ET, br/pt, 1460lm 40° 2700K UGR22	118,00
1005934	4024163258609	NUMINOS® GIMBLE M, 500mA, ET, br/br, 1600lm 40° 2700K UGR22	118,00
1005935	4024163258593	NUMINOS® GIMBLE M, 500mA, ET, br/cr, 1550lm 40° 2700K UGR22	118,00
1005936	4024163258586	NUMINOS® GIMBLE M, 500mA, ET, br/pt, 1460lm 55° 2700K UGR22	118,00
1005937	4024163258579	NUMINOS® GIMBLE M, 500mA, ET, br/br, 1600lm 55° 2700K UGR22	118,00
1005938	4024163258562	NUMINOS® GIMBLE M, 500mA, ET, br/cr, 1550lm 55° 2700K UGR22	118,00
1005939	4024163258555	NUMINOS® GIMBLE M, 500mA, ET, pt/pt, 1500lm 20° 3000K UGR22	118,00
1005940	4024163258548	NUMINOS® GIMBLE M, 500mA, ET, pt/br, 1600lm 20° 3000K UGR22	118,00
1005941	4024163258531	NUMINOS® GIMBLE M, 500mA, ET, pt/cr, 1550lm 20° 3000K UGR22	118,00
1005942	4024163258524	NUMINOS® GIMBLE M, 500mA, ET, pt/pt, 1500lm 40° 3000K UGR22	118,00
1005943	4024163258517	NUMINOS® GIMBLE M, 500mA, ET, pt/br, 1600lm 40° 3000K UGR22	118,00
1005944	4024163258500	NUMINOS® GIMBLE M, 500mA, ET, pt/cr, 1550lm 40° 3000K UGR22	118,00
1005945	4024163258494	NUMINOS® GIMBLE M, 500mA, ET, pt/pt, 1500lm 55° 3000K UGR22	118,00
1005946	4024163258487	NUMINOS® GIMBLE M, 500mA, ET, pt/br, 1600lm 55° 3000K UGR22	118,00
1005947	4024163258470	NUMINOS® GIMBLE M, 500mA, ET, pt/cr, 1550lm 55° 3000K UGR22	118,00
1005948	4024163258463	NUMINOS® GIMBLE M, 500mA, ET, br/pt, 1500lm 20° 3000K UGR22	118,00
1005949	4024163258456	NUMINOS® GIMBLE M, 500mA, ET, br/br, 1600lm 20° 3000K UGR22	118,00
1005950	4024163258449	NUMINOS® GIMBLE M, 500mA, ET, br/cr, 1550lm 20° 3000K UGR22	118,00
1005951	4024163258432	NUMINOS® GIMBLE M, 500mA, ET, br/pt, 1500lm 40° 3000K UGR22	118,00
1005952	4024163258425	NUMINOS® GIMBLE M, 500mA, ET, br/br, 1600lm 40° 3000K UGR22	118,00
1005953	4024163258418	NUMINOS® GIMBLE M, 500mA, ET, br/cr, 1550lm 40° 3000K UGR22	118,00
1005954	4024163258401	NUMINOS® GIMBLE M, 500mA, ET, br/pt, 1500lm 55° 3000K UGR22	118,00
1005955	4024163258395	NUMINOS® GIMBLE M, 500mA, ET, br/br, 1600lm 55° 3000K UGR22	118,00
1005956	4024163258388	NUMINOS® GIMBLE M, 500mA, ET, br/cr, 1550lm 55° 3000K UGR22	118,00
1005957	4024163258371	NUMINOS® GIMBLE M, 500mA, ET, pt/pt, 1600lm 20° 4000K UGR22	118,00
1005958	4024163258364	NUMINOS® GIMBLE M, 500mA, ET, pt/br, 1750lm 20° 4000K UGR22	118,00
1005959	4024163258357	NUMINOS® GIMBLE M, 500mA, ET, pt/cr, 1660lm 20° 4000K UGR22	118,00
1005960	4024163258340	NUMINOS® GIMBLE M, 500mA, ET, pt/pt, 1600lm 40° 4000K UGR22	118,00
1005961	4024163258333	NUMINOS® GIMBLE M, 500mA, ET, pt/br, 1750lm 40° 4000K UGR22	118,00
1005962	4024163258326	NUMINOS® GIMBLE M, 500mA, ET, pt/cr, 1660lm 40° 4000K UGR22	118,00
1005963	4024163258319	NUMINOS® GIMBLE M, 500mA, ET, pt/pt, 1600lm 55° 4000K UGR22	118,00
1005964	4024163258302	NUMINOS® GIMBLE M, 500mA, ET, pt/br, 1750lm 55° 4000K UGR22	118,00
1005965	4024163258296	NUMINOS® GIMBLE M, 500mA, ET, pt/cr, 1660lm 55° 4000K UGR22	118,00
1005966	4024163258289	NUMINOS® GIMBLE M, 500mA, ET, br/pt, 1600lm 20° 4000K UGR22	118,00
1005967	4024163258272	NUMINOS® GIMBLE M, 500mA, ET, br/br, 1750lm 20° 4000K UGR22	118,00
1005968	4024163258265	NUMINOS® GIMBLE M, 500mA, ET, br/cr, 1660lm 20° 4000K UGR22	118,00
1005969	4024163258258	NUMINOS® GIMBLE M, 500mA, ET, br/pt, 1600lm 40° 4000K UGR22	118,00
1005970	4024163258241	NUMINOS® GIMBLE M, 500mA, ET, br/br, 1750lm 40° 4000K UGR22	118,00
1005971	4024163258234	NUMINOS® GIMBLE M, 500mA, ET, br/cr, 1660lm 40° 4000K UGR22	118,00
1005972	4024163258227	NUMINOS® GIMBLE M, 500mA, ET, br/pt, 1600lm 55° 4000K UGR22	118,00
1005973	4024163258210	NUMINOS® GIMBLE M, 500mA, ET, br/br, 1750lm 55° 4000K UGR22	118,00
1005974	4024163258203	NUMINOS® GIMBLE M, 500mA, ET, br/cr, 1660lm 55° 4000K UGR22	118,00
1005975	4024163258197	NUMINOS® GIMBLE L, 700mA, ET, pt/pt, 2150lm 20° 2700K UGR22	138,00
1005976	4024163258180	NUMINOS® GIMBLE L, 700mA, ET, pt/br, 2250lm 20° 2700K UGR22	138,00
1005977	4024163258173	NUMINOS® GIMBLE L, 700mA, ET, pt/cr, 2150lm 20° 2700K UGR22	138,00
1005978	4024163258166	NUMINOS® GIMBLE L, 700mA, ET, pt/pt, 2150lm 40° 2700K UGR22	138,00
1005979	4024163258159	NUMINOS® GIMBLE L, 700mA, ET, pt/br, 2250lm 40° 2700K UGR22	138,00
1005980	4024163258142	NUMINOS® GIMBLE L, 700mA, ET, pt/cr, 2150lm 40° 2700K UGR22	138,00
1005981	4024163258135	NUMINOS® GIMBLE L, 700mA, ET, pt/pt, 2150lm 55° 2700K UGR22	138,00
1005982	4024163258128	NUMINOS® GIMBLE L, 700mA, ET, pt/br, 2250lm 55° 2700K UGR22	138,00
1005983	4024163258111	NUMINOS® GIMBLE L, 700mA, ET, pt/cr, 2150lm 55° 2700K UGR22	138,00
1005984	4024163258104	NUMINOS® GIMBLE L, 700mA, ET, br/pt, 2150lm 20° 2700K UGR22	138,00
1005985	4024163258098	NUMINOS® GIMBLE L, 700mA, ET, br/br, 2250lm 20° 2700K UGR22	138,00
1005986	4024163258081	NUMINOS® GIMBLE L, 700mA, ET, br/cr, 2150lm 20° 2700K UGR22	138,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1005987	4024163258074	NUMINOS® GIMBLE L, 700mA, ET, br/pt, 2150lm 40° 2700K UGR22	138,00
1005988	4024163258067	NUMINOS® GIMBLE L, 700mA, ET, br/br, 2250lm 40° 2700K UGR22	138,00
1005989	4024163258050	NUMINOS® GIMBLE L, 700mA, ET, br/cr, 2150lm 40° 2700K UGR22	138,00
1005990	4024163258043	NUMINOS® GIMBLE L, 700mA, ET, br/pt, 2150lm 55° 2700K UGR22	138,00
1005991	4024163258036	NUMINOS® GIMBLE L, 700mA, ET, br/br, 2250lm 55° 2700K UGR22	138,00
1005992	4024163258029	NUMINOS® GIMBLE L, 700mA, ET, br/cr, 2150lm 55° 2700K UGR22	138,00
1005993	4024163258012	NUMINOS® GIMBLE L, 700mA, ET, pt/pt, 2150lm 20° 3000K UGR22	138,00
1005994	4024163258005	NUMINOS® GIMBLE L, 700mA, ET, pt/br, 2300lm 20° 3000K UGR22	138,00
1005995	4024163257992	NUMINOS® GIMBLE L, 700mA, ET, pt/cr, 2200lm 20° 3000K UGR22	138,00
1005996	4024163257985	NUMINOS® GIMBLE L, 700mA, ET, pt/pt, 2150lm 40° 3000K UGR22	138,00
1005997	4024163257978	NUMINOS® GIMBLE L, 700mA, ET, pt/br, 2300lm 40° 3000K UGR22	138,00
1005998	4024163257961	NUMINOS® GIMBLE L, 700mA, ET, pt/cr, 2200lm 40° 3000K UGR22	138,00
1005999	4024163257954	NUMINOS® GIMBLE L, 700mA, ET, pt/pt, 2150lm 55° 3000K UGR22	138,00
1006000	4024163257947	NUMINOS® GIMBLE L, 700mA, ET, pt/br, 2300lm 55° 3000K UGR22	138,00
1006001	4024163257930	NUMINOS® GIMBLE L, 700mA, ET, pt/cr, 2200lm 55° 3000K UGR22	138,00
1006002	4024163257923	NUMINOS® GIMBLE L, 700mA, ET, br/pt, 2150lm 20° 3000K UGR22	138,00
1006003	4024163257916	NUMINOS® GIMBLE L, 700mA, ET, br/br, 2300lm 20° 3000K UGR22	138,00
1006004	4024163257909	NUMINOS® GIMBLE L, 700mA, ET, br/cr, 2200lm 20° 3000K UGR22	138,00
1006005	4024163257893	NUMINOS® GIMBLE L, 700mA, ET, br/pt, 2150lm 40° 3000K UGR22	138,00
1006006	4024163257886	NUMINOS® GIMBLE L, 700mA, ET, br/br, 2300lm 40° 3000K UGR22	138,00
1006007	4024163257879	NUMINOS® GIMBLE L, 700mA, ET, br/cr, 2200lm 40° 3000K UGR22	138,00
1006008	4024163257862	NUMINOS® GIMBLE L, 700mA, ET, br/pt, 2150lm 55° 3000K UGR22	138,00
1006009	4024163257855	NUMINOS® GIMBLE L, 700mA, ET, br/br, 2300lm 55° 3000K UGR22	138,00
1006010	4024163257848	NUMINOS® GIMBLE L, 700mA, ET, br/cr, 2200lm 55° 3000K UGR22	138,00
1006011	4024163257831	NUMINOS® GIMBLE L, 700mA, ET, pt/pt, 2350lm 20° 4000K UGR22	138,00
1006012	4024163257824	NUMINOS® GIMBLE L, 700mA, ET, pt/br, 2450lm 20° 4000K UGR22	138,00
1006013	4024163257817	NUMINOS® GIMBLE L, 700mA, ET, pt/cr, 2350lm 20° 4000K UGR22	138,00
1006014	4024163257800	NUMINOS® GIMBLE L, 700mA, ET, pt/pt, 2350lm 40° 4000K UGR22	138,00
1006015	4024163257794	NUMINOS® GIMBLE L, 700mA, ET, pt/br, 2450lm 40° 4000K UGR22	138,00
1006016	4024163257787	NUMINOS® GIMBLE L, 700mA, ET, pt/cr, 2350lm 40° 4000K UGR22	138,00
1006017	4024163257770	NUMINOS® GIMBLE L, 700mA, ET, pt/pt, 2350lm 55° 4000K UGR22	138,00
1006018	4024163257763	NUMINOS® GIMBLE L, 700mA, ET, pt/br, 2450lm 55° 4000K UGR22	138,00
1006019	4024163257756	NUMINOS® GIMBLE L, 700mA, ET, pt/cr, 2350lm 55° 4000K UGR22	138,00
1006020	4024163257749	NUMINOS® GIMBLE L, 700mA, ET, br/pt, 2350lm 20° 4000K UGR22	138,00
1006021	4024163257732	NUMINOS® GIMBLE L, 700mA, ET, br/br, 2450lm 20° 4000K UGR22	138,00
1006022	4024163257725	NUMINOS® GIMBLE L, 700mA, ET, br/cr, 2350lm 20° 4000K UGR22	138,00
1006023	4024163257718	NUMINOS® GIMBLE L, 700mA, ET, br/pt, 2350lm 40° 4000K UGR22	138,00
1006024	4024163257701	NUMINOS® GIMBLE L, 700mA, ET, br/br, 2450lm 40° 4000K UGR22	138,00
1006025	4024163257695	NUMINOS® GIMBLE L, 700mA, ET, br/cr, 2350lm 40° 4000K UGR22	138,00
1006026	4024163257688	NUMINOS® GIMBLE L, 700mA, ET, br/pt, 2350lm 55° 4000K UGR22	138,00
1006027	4024163257671	NUMINOS® GIMBLE L, 700mA, ET, br/br, 2450lm 55° 4000K UGR22	138,00
1006028	4024163257664	NUMINOS® GIMBLE L, 700mA, ET, br/cr, 2350lm 55° 4000K UGR22	138,00
1006029	4024163257657	NUMINOS® GIMBLE XL, 1000mA ET, pt/pt, 3300lm 20° 2700K UGR22	168,00
1006030	4024163257640	NUMINOS® GIMBLE XL, 1000mA ET, pt/br, 3500lm 20° 2700K UGR22	168,00
1006031	4024163257633	NUMINOS® GIMBLE XL, 1000mA ET, pt/cr, 3400lm 20° 2700K UGR22	168,00
1006032	4024163257626	NUMINOS® GIMBLE XL, 1000mA ET, pt/pt, 3300lm 40° 2700K UGR22	168,00
1006033	4024163257619	NUMINOS® GIMBLE XL, 1000mA ET, pt/br, 3500lm 40° 2700K UGR22	168,00
1006034	4024163257602	NUMINOS® GIMBLE XL, 1000mA ET, pt/cr, 3400lm 40° 2700K UGR22	168,00
1006035	4024163257596	NUMINOS® GIMBLE XL, 1000mA ET, pt/pt, 3300lm 55° 2700K UGR22	168,00
1006036	4024163257589	NUMINOS® GIMBLE XL, 1000mA ET, pt/br, 3500lm 55° 2700K UGR22	168,00
1006037	4024163257572	NUMINOS® GIMBLE XL, 1000mA ET, pt/cr, 3400lm 55° 2700K UGR22	168,00
1006038	4024163257565	NUMINOS® GIMBLE XL, 1000mA ET, br/pt, 3300lm 20° 2700K UGR22	168,00
1006039	4024163257558	NUMINOS® GIMBLE XL, 1000mA ET, br/br, 3500lm 20° 2700K UGR22	168,00
1006040	4024163257541	NUMINOS® GIMBLE XL, 1000mA ET, br/cr, 3400lm 20° 2700K UGR22	168,00
1006041	4024163257534	NUMINOS® GIMBLE XL, 1000mA ET, br/pt, 3300lm 40° 2700K UGR22	168,00
1006042	4024163257527	NUMINOS® GIMBLE XL, 1000mA ET, br/br, 3500lm 40° 2700K UGR22	168,00
1006043	4024163257510	NUMINOS® GIMBLE XL, 1000mA ET, br/cr, 3400lm 40° 2700K UGR22	168,00
1006044	4024163257503	NUMINOS® GIMBLE XL, 1000mA ET, br/pt, 3300lm 55° 2700K UGR22	168,00
1006045	4024163257497	NUMINOS® GIMBLE XL, 1000mA ET, br/br, 3500lm 55° 2700K UGR22	168,00
1006046	4024163257480	NUMINOS® GIMBLE XL, 1000mA ET, br/cr, 3400lm 55° 2700K UGR22	168,00
1006047	4024163257473	NUMINOS® GIMBLE XL, 1000mA ET, pt/pt, 3300lm 20° 3000K UGR22	168,00
1006048	4024163257466	NUMINOS® GIMBLE XL, 1000mA ET, pt/br, 3550lm 20° 3000K UGR22	168,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1006049	4024163257459	NUMINOS® GIMBLE XL, 1000mA ET, pt/cr, 3500lm 20° 3000K UGR22	168,00
1006050	4024163257442	NUMINOS® GIMBLE XL, 1000mA ET, pt/pt, 3300lm 40° 3000K UGR22	168,00
1006051	4024163257435	NUMINOS® GIMBLE XL, 1000mA ET, pt/br, 3550lm 40° 3000K UGR22	168,00
1006052	4024163257428	NUMINOS® GIMBLE XL, 1000mA ET, pt/cr, 3500lm 40° 3000K UGR22	168,00
1006053	4024163257411	NUMINOS® GIMBLE XL, 1000mA ET, pt/pt, 3300lm 55° 3000K UGR22	168,00
1006054	4024163257404	NUMINOS® GIMBLE XL, 1000mA ET, pt/br, 3550lm 55° 3000K UGR22	168,00
1006055	4024163257398	NUMINOS® GIMBLE XL, 1000mA ET, pt/cr, 3500lm 55° 3000K UGR22	168,00
1006056	4024163257381	NUMINOS® GIMBLE XL, 1000mA ET, br/pt, 3300lm 20° 3000K UGR22	168,00
1006057	4024163257374	NUMINOS® GIMBLE XL, 1000mA ET, br/br, 3550lm 20° 3000K UGR22	168,00
1006058	4024163257367	NUMINOS® GIMBLE XL, 1000mA ET, br/cr, 3500lm 20° 3000K UGR22	168,00
1006059	4024163257350	NUMINOS® GIMBLE XL, 1000mA ET, br/pt, 3300lm 40° 3000K UGR22	168,00
1006060	4024163257343	NUMINOS® GIMBLE XL, 1000mA ET, br/br, 3550lm 40° 3000K UGR22	168,00
1006061	4024163257336	NUMINOS® GIMBLE XL, 1000mA ET, br/cr, 3500lm 40° 3000K UGR22	168,00
1006062	4024163257329	NUMINOS® GIMBLE XL, 1000mA ET, br/pt, 3300lm 55° 3000K UGR22	168,00
1006063	4024163257312	NUMINOS® GIMBLE XL, 1000mA ET, br/br, 3550lm 55° 3000K UGR22	168,00
1006064	4024163257305	NUMINOS® GIMBLE XL, 1000mA ET, br/cr, 3500lm 55° 3000K UGR22	168,00
1006065	4024163257299	NUMINOS® GIMBLE XL, 1000mA ET, pt/pt, 3600lm 20° 4000K UGR22	168,00
1006066	4024163257282	NUMINOS® GIMBLE XL, 1000mA ET, pt/br, 3800lm 20° 4000K UGR22	168,00
1006067	4024163257275	NUMINOS® GIMBLE XL, 1000mA ET, pt/cr, 3750lm 20° 4000K UGR22	168,00
1006068	4024163257268	NUMINOS® GIMBLE XL, 1000mA ET, pt/pt, 3600lm 40° 4000K UGR22	168,00
1006069	4024163257251	NUMINOS® GIMBLE XL, 1000mA ET, pt/br, 3800lm 40° 4000K UGR22	168,00
1006070	4024163257244	NUMINOS® GIMBLE XL, 1000mA ET, pt/cr, 3750lm 40° 4000K UGR22	168,00
1006071	4024163257237	NUMINOS® GIMBLE XL, 1000mA ET, pt/pt, 3600lm 55° 4000K UGR22	168,00
1006072	4024163257220	NUMINOS® GIMBLE XL, 1000mA ET, pt/br, 3800lm 55° 4000K UGR22	168,00
1006073	4024163257213	NUMINOS® GIMBLE XL, 1000mA ET, pt/cr, 3750lm 55° 4000K UGR22	168,00
1006074	4024163257206	NUMINOS® GIMBLE XL, 1000mA ET, br/pt, 3600lm 20° 4000K UGR22	168,00
1006075	4024163257190	NUMINOS® GIMBLE XL, 1000mA ET, br/br, 3800lm 20° 4000K UGR22	168,00
1006076	4024163257183	NUMINOS® GIMBLE XL, 1000mA ET, br/cr, 3750lm 20° 4000K UGR22	168,00
1006077	4024163257176	NUMINOS® GIMBLE XL, 1000mA ET, br/pt, 3600lm 40° 4000K UGR22	168,00
1006078	4024163257169	NUMINOS® GIMBLE XL, 1000mA ET, br/br, 3800lm 40° 4000K UGR22	168,00
1006079	4024163257152	NUMINOS® GIMBLE XL, 1000mA ET, br/cr, 3750lm 40° 4000K UGR22	168,00
1006080	4024163257145	NUMINOS® GIMBLE XL, 1000mA ET, br/pt, 3600lm 55° 4000K UGR22	168,00
1006081	4024163257138	NUMINOS® GIMBLE XL, 1000mA ET, br/br, 3800lm 55° 4000K UGR22	168,00
1006082	4024163257121	NUMINOS® GIMBLE XL, 1000mA ET, br/cr, 3750lm 55° 4000K UGR22	168,00
1006083	4024163257114	NUMINOS® XL, PT, LED, preto, 3290lm, 24°, 2700K, UGR19, DIM	191,00
1006084	4024163257107	NUMINOS® XL, PT, LED, preto, 3250lm, 36°, 2700K, UGR19, DIM	191,00
1006085	4024163257091	NUMINOS® XL, PT, LED, preto, 2980lm, 60°, 2700K, UGR25, DIM	191,00
1006086	4024163257084	NUMINOS® XL, PT, LED, pt/br, 3290lm, 24°, 2700K, UGR19, DIM	191,00
1006087	4024163257077	NUMINOS® XL, PT, LED, pt/br, 3250lm, 36°, 2700K, UGR19, DIM	191,00
1006088	4024163257060	NUMINOS® XL, PT, LED, pt/br, 2980lm, 60°, 2700K, UGR25, DIM	191,00
1006089	4024163257053	NUMINOS® XL, PT, LED, preto, 3530lm, 24°, 3000K, UGR19, DIM	191,00
1006090	4024163257046	NUMINOS® XL, PT, LED, preto, 3490lm, 36°, 3000K, UGR19, DIM	191,00
1006091	4024163257039	NUMINOS® XL, PT, LED, preto, 3210lm, 60°, 3000K, UGR25, DIM	191,00
1006092	4024163257022	NUMINOS® XL, PT, LED, pt/br, 3530lm, 24°, 3000K, UGR19, DIM	191,00
1006093	4024163257015	NUMINOS® XL, PT, LED, pt/br, 3490lm, 36°, 3000K, UGR19, DIM	191,00
1006094	4024163257008	NUMINOS® XL, PT, LED, pt/br, 3210lm, 60°, 3000K, UGR25, DIM	191,00
1006095	4024163256995	NUMINOS® XL, PT, LED, preto, 3800lm, 24°, 4000K, UGR19, DIM	191,00
1006096	4024163256988	NUMINOS® XL, PT, LED, preto, 3760lm, 36°, 4000K, UGR19, DIM	191,00
1006097	4024163256971	NUMINOS® XL, PT, LED, preto, 3460lm, 60°, 4000K, UGR25, DIM	191,00
1006098	4024163256964	NUMINOS® XL, PT, LED, pt/br, 3800lm, 24°, 4000K, UGR19, DIM	191,00
1006099	4024163256957	NUMINOS® XL, PT, LED, pt/br, 3760lm, 36°, 4000K, UGR19, DIM	191,00
1006100	4024163256940	NUMINOS® XL, PT, LED, pt/br, 3460lm, 60°, 4000K, UGR25, DIM	191,00
1006104	4024163262095	ROCCI 200, LED EC IP67 IK08 circ inox 316, 1530lm 120° 3000K	187,00
1006105	4024163262088	ROCCI 200, LED EC IP67 IK08 quadr inox 316 1530lm 120° 3000K	187,00
1006106	4024163262071	DASAR FLAT 120, EC, IP67 IK08, aço inox 304, 520lm 3000K	151,00
1006107	4024163262064	DASAR FLAT 120, EC, IP67 IK08, aço inox 304, 520lm 4000K	151,00
1006108	4024163262057	NUMINOS® ZOOM M, C3F, preto, 680-1650lm 15-60° 2700K DIM	183,00
1006109	4024163262040	NUMINOS® ZOOM M, C3F, branco, 680-1650lm 15-60° 2700K DIM	183,00
1006110	4024163262033	NUMINOS® ZOOM M, C3F, preto, 750-1800lm 15-60° 3000K DIM	183,00
1006111	4024163262026	NUMINOS® ZOOM M, C3F, branco, 750-1800lm 15-60° 3000K DIM	183,00
1006112	4024163262019	NUMINOS® ZOOM M, C3F, preto, 780-1900lm 15-60° 4000K DIM	183,00
1006113	4024163262002	NUMINOS® ZOOM M, C3F, branco, 780-1900lm 15-60° 4000K DIM	183,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1006114	4024163261999	NUMINOS® ZOOM M, C3F, preto, 680-1650lm 15-60° 2700K DALI	232,00
1006115	4024163261982	NUMINOS® ZOOM M, C3F, branco, 680-1650lm 15-60° 2700K DALI	232,00
1006116	4024163261975	NUMINOS® ZOOM M, C3F, preto, 750-1800lm 15-60° 3000K DALI	232,00
1006117	4024163261968	NUMINOS® ZOOM M, C3F, branco, 750-1800lm 15-60° 3000K DALI	232,00
1006118	4024163261951	NUMINOS® ZOOM M, C3F, preto, 780-1900lm 15-60° 4000K DALI	232,00
1006119	4024163261944	NUMINOS® ZOOM M, C3F, branco, 780-1900lm 15-60° 4000K DALI	232,00
1006120	4024163261937	Driver 700/900/1000mA, 19.6-40W	57,00
1006121	4024163261920	HORN, double, 2xGU10 QPAR51, preto, máx.25W	75,00
1006122	4024163261913	HORN, double, 2xGU10 QPAR51, branco, máx.25W	75,00
1006123	4024163261906	BATTEN 60, LED, SPT, branco, com int, 940lm 3000/4000K IRC90	53,00
1006124	4024163261890	BATTEN 120, LED, SPT branco com int, 1900lm 3000/4000K IRC90	66,00
1006125	4024163261883	BATTEN, cabo de alimentação branco com 150cm e ficha EU	10,40
1006126	4024163261876	BATTEN, acessórios de fixação em branco	2,00
1006127	4024163261869	BATTEN, união com cabo em branco	5,80
1006128	4024163261852	BATTEN, união directa em branco	2,40
1006133	4024163262101	Transformador 24VDC, 5-60W, 2 canais, DALI	153,00
1006134	4024163262118	Transformador 24VDC, 5-100W, 2 canais, DALI	184,00
1006135	4024163262316	Numinos® XS anel redutor, aro ext. redondo, preto, 160/70mm	18,00
1006136	4024163262309	Numinos® XS anel redutor, aro ext. redondo, branco, 160/70mm	18,00
1006137	4024163262293	Numinos® XS anel redutor, aro ext. quadrado, preto, 160/70mm	18,00
1006138	4024163262286	Numinos® XS anel redutor, aro ext. quadrado, branco 160/70mm	18,00
1006139	4024163262279	Numinos® S anel redutor, aro ext. redondo, preto, 160/100mm	15,50
1006140	4024163262262	Numinos® S anel redutor, aro ext. redondo, branco, 160/100mm	15,50
1006141	4024163262255	Numinos® S anel redutor, aro ext. quadrado, preto, 160/100mm	15,50
1006142	4024163262248	Numinos® S anel redutor, aro ext. quadrado, branco 160/100mm	15,50
1006143	4024163262231	Numinos® M anel redutor, aro ext. redondo, preto, 240/120mm	19,20
1006144	4024163262224	Numinos® M anel redutor, aro ext. redondo, branco, 240/120mm	19,20
1006145	4024163262217	Numinos® M anel redutor, aro ext. quadrado, preto, 240/120mm	19,20
1006146	4024163262200	Numinos® M anel redutor, aro ext. quadrado, branco 240/120mm	19,20
1006147	4024163262194	Numinos® L anel redutor, aro ext. redondo, preto, 240/150mm	18,00
1006148	4024163262187	Numinos® L anel redutor, aro ext. redondo, branco, 240/150mm	18,00
1006149	4024163262170	Numinos® L anel redutor, aro ext. quadrado, preto, 240/150mm	18,00
1006150	4024163262163	Numinos® L anel redutor, aro ext. quadrado, branco 240/150mm	18,00
1006151	4024163262156	Numinos® XL anel redutor, aro ext. redondo, preto, 240/180mm	16,70
1006152	4024163262149	Numinos® XL anel redutor, aro ext. redondo branco, 240/180mm	16,70
1006153	4024163262132	Numinos® XL anel redutor, aro ext. quadrado preto, 240/180mm	16,70
1006154	4024163262125	Numinos® XL anel redutor, aro ext. quadrado branco 240/180mm	16,70
1006155	4024163262422	PARA CONE GL, GU10 QPAR51, C1F, preto e transp., máx 25W	89,00
1006156	4024163262415	PARA CONE GL, GU10 QPAR51, C1F, branco e transp., máx 25W	89,00
1006157	4024163262408	PARA CONE GL, GU10 QPAR51, C3F, preto e transp., máx 25W	102,00
1006158	4024163262392	PARA CONE GL, GU10 QPAR51, C3F, branco e transp., máx 25W	102,00
1006159	4024163262385	PARA CONE GL, GU10 QPAR51, SUSP, preto e transp., máx 25W	84,00
1006160	4024163262378	PARA CONE GL, GU10 QPAR51, SUSP, branco e transp., máx 25W	84,00
1006161	4024163262361	KARPO GOOSE, LED, SP, br, com int, 420lm, 40° 3000K IRC90	179,00
1006162	4024163262354	KARPO GOOSE, LED, SP, pt, com int, 380lm, 40° 3000K IRC90	179,00
1006167	4024163262538	NUMINOS® S, anel embelezador branco para projetor S	1,30
1006168	4024163262521	NUMINOS® M, anel embelezador branco para projetor M	2,40
1006169	4024163262514	NUMINOS® L, anel embelezador branco para projetor L	2,40
1006170	4024163262507	NUMINOS® XL, anel embelezador branco para projetor XL	3,55
1006171	4024163262491	SMALL PLOT, 24VDC, IP67, base Aço inox 316 180° 240lm 3000K	97,00
1006172	4024163262484	SMALL PLOT, 24VDC, IP67 base alum antracite 180° 240lm 3000K	82,00
1006173	4024163262477	SMALL PLOT, cobertura com 2 aberturas, aço inox 316	141,00
1006174	4024163262460	SMALL PLOT, cobertura com 2 aberturas, alumínio antracite	42,25
1006175	4024163262453	SMALL PLOT, cobertura com 4 aberturas, aço inox 316	141,00
1006176	4024163262446	SMALL PLOT, cobertura com 4 aberturas, alumínio antracite	42,25
1006178	4024163262750	GRAFIT, E27, SP, antracite, base circular, máx.11W	80,00
1006179	4024163262743	SENSOR GRAFIT, E27, SP, antracite base circular PIR, máx.11W	90,00
1006180	4024163262736	GRAFIT 30, E27, Bal., IP44, base redonda antracite, máx 11W	80,00
1006181	4024163262729	GRAFIT 60, E27, Bal., IP44, base redonda antracite, máx 11W	100,00
1006182	4024163262712	GRAFIT 90, E27, Bal., IP44, base redonda antracite, máx 11W	131,00
1006183	4024163262705	SENSOR GRAFIT, E27, SP, antracite base quadrada PIR, máx.11W	90,00
1006184	4024163262699	GRAFIT 90, E27, Bal., IP44, base quadrada antracite, máx 11W	131,00



Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1006185	4024163262682	ONE LINEAR 100, LED, SUSP, preto 1250lm 2700/3000K IRC90 DIM	312,00
1006186	4024163262675	ONE LINEAR 100, LED, SUSP branco 1250lm 2700/3000K IRC90 DIM	312,00
1006187	4024163262668	ONE LINEAR 100, LED, SUSP bronze 1250lm 2700/3000K IRC90 DIM	333,00
1006188	4024163262651	ONE LINEAR 140, LED, SUSP, preto 1810lm 2700/3000K IRC90 DIM	368,00
1006189	4024163262644	ONE LINEAR 140, LED, SUSP branco 1810lm 2700/3000K IRC90 DIM	368,00
1006190	4024163262637	ONE LINEAR 140, LED, SUSP bronze 1810lm 2700/3000K IRC90 DIM	388,00
1006191	4024163262620	FLOODI S, LED, IP65 IK06, antracite, 1040lm, 100°, 3000K	33,50
1006192	4024163262613	FLOODI M, LED, IP65 IK06, antracite, 2980lm, 100°, 3000K	57,00
1006193	4024163262606	FLOODI L, LED, IP65 IK06, antracite, 5150lm, 100°, 3000K	80,00
1006202	4024163262781	Driver 700mA, CLII, 12.6-18.2W DIM FASE INVERSA	34,00
1006268	4024163263412	VANO WING, LED, SPTC, cinza, 1400lm, 120°, 3000K DALI	429,00
1006270	4024163263429	VANO WING, LED, SPTC, cinza, 3140lm, 120°, 3000K DALI	529,00
1006307	4024163263863	OCULUS, SP, IP20, preto, 570lm, 100°, 2000-3000K IRC90 D2W	232,00
1006308	4024163263870	OCULUS, SP, IP20, branco, 570lm, 100°, 2000-3000K IRC90 D2W	232,00
1006314	4024163263979	ESKINA FRAME, SP dupla, IP65 antracite 2200lm 95° 3000/4000K	272,00
1006316	4024163263962	ESKINA FRAME ST simples IP65 antracite 2200lm 95° 3000/4000K	183,00
1006317	4024163263955	Abajur quadrado para MANA RUSTY, cor ferrugem	59,00
1006318	4024163263948	Abajur redondo para MANA RUSTY, cor ferrugem	59,00
1006319	4024163263931	MANA RUSTY SP base antr. 800lm 2700/3000K IRC90 DIM s/abajur	189,00
1006326	4024163264044	Sensor para a família FLOODI	29,00
1006327	4024163264037	ENOLA OCULUS, ST IP65 antracite 1000lm 100° 3000/4000K IRC90	253,00
1006328	4024163264020	ENOLA OCULUS, SP IP65 antracite 1000lm 100° 3000/4000K IRC90	293,00
1006329	4024163264013	ENOLA OCULUS, SPU/D IP65 antr. 1000lm 100° 3000/4000K IRC90	384,00
1006336	4024163264136	Transformador 24V 25W, regulável em fase	35,00
1006343	4024163264198	WORKLIGHT, CP, cinzento prata, 7600lm 80° 4000K UGR19	808,00
1006344	4024163264204	WORKLIGHT, CM, cinzento prata, 7600lm 80° 4000K UGR19	737,00
1006345	4024163264211	WORKLIGHT, SUSP, cinzento prata, 5000lm 80° 4000K UGR19 DALI	606,00
1006346	4024163264228	RUSTY® PATHLIGHT 40 LED BZ ferro enfer IP55 IK06 400lm 3000K	323,00
1006347	4024163264235	RUSTY® PATHLIGHT 70 LED BZ ferro enfer IP55 IK06 400lm 3000K	419,00
1006348	4024163265508	Controlador CCT e RGBW 12-24VDC, Zigbee 3.0	80,00
1006350	4024163265560	ONE BOW, CP, preto/latão, 1200lm, 140°, 2700/3000K IRC90	1 249,00
1006351	4024163265553	ONE BOW, CP, branco, 1200lm, 140°, 2700/3000K IRC90	1 249,00
1006352	4024163265546	ONE BOW, CP, preto, 1200lm, 140°, 2700/3000K IRC90	1 249,00
1006353	4024163265539	ONE STRAIGHT, CP, preto/latão, 1200lm, 140° 2700/3000K IRC90	849,00
1006354	4024163265522	ONE STRAIGHT, CP, branco, 1200lm, 140° 2700/3000K IRC90	849,00
1006355	4024163265515	ONE STRAIGHT, CP, preto, 1200lm, 140° 2700/3000K IRC90	849,00
1006377	4024163266635	FITU, ST, roseta saliente, dourada	34,00
1006378	4024163266628	FITU, ET, roseta para encastrar, dourada	22,50
1006379	4024163266611	M-POL 30, BAL, antracite, 23.4cm (corpo)	99,00
1006380	4024163266604	M-POL 60, BAL, antracite, 53.4cm (corpo)	139,00
1006381	4024163266598	M-POL 90, BAL, antracite, 83.4cm (corpo)	169,00
1006382	4024163266581	M-POL, estaca em aço inoxidável	49,00
1006383	4024163266574	M-POL S, módulo lumínico, antracite, 500lm 2700/3000K IRC90	259,00
1006384	4024163266567	M-POL M, módulo lumínico, antracite, 600lm 2700/3000K IRC90	279,00
1006385	4024163266550	M-POL S, mód Lumínico refl, antracite 150lm 2700/3000K IRC90	315,00
1006386	4024163266543	M-POL M, mód Lumínico refl, antracite 200lm 2700/3000K IRC90	439,00
1006387	4024163266536	M-POL S mód Lumínico bloq, antracite 300lm 2700/3000K IRC90	279,00
1006388	4024163266529	M-POL M mód Lumínico bloq, antracite 400lm 2700/3000K IRC90	299,00
1006389	4024163266512	M-POL S, módulo lumínico, antracite, 900lm 2700/3000K IRC90	365,00
1006390	4024163266505	M-POL M, módulo lumínico, antracite 1200lm 2700/3000K IRC90	385,00
1006391	4024163266499	M-POL S, mód Lumínico refl, antracite 260lm 2700/3000K IRC90	449,00
1006392	4024163266482	M-POL M, mód Lumínico refl, antracite 350lm 2700/3000K IRC90	529,00
1006393	4024163266475	M-POL S mód Lumínico bloq, antracite 520lm 2700/3000K IRC90	385,00
1006394	4024163266468	M-POL M mód Lumínico bloq, antracite 820lm 2700/3000K IRC90	409,00
1006395	4024163266451	PANTILLO 20, SUSP, E27, dourado/cromado	175,00
1006396	4024163266444	PANTILLO 20, SUSP, E27, branco/cromado	155,00
1006397	4024163266437	PANTILLO 28, SUSP, E27, dourado/cromado	211,00
1006398	4024163266420	PANTILLO OVAL, SUSP, E27, cromado	175,00
1006399	4024163266413	PANTILLO 28, SUSP, E27, branco/cromado	191,00
1006400	4024163266406	PANTILLO OVAL, SUSP, E27, latão	175,00
1006402	4024163266383	PANTILLO OVAL, SUSP, E27, branco/cromado	155,00
1006403	4024163266376	PANTILLO OVAL, SUSP, E27, dourado	175,00

Article No.	EAN	Descrição	RRP BIG WHITE® from 01.10.2022 (EUR)
1006408	4024163266321	CONCRETO, GU10, BZ, secção redonda, Cinza, máx10W	120,00
1006409	4024163266314	CONCRETO, GU10, BZ, secção quadrada, Cinza, máx10W	120,00
1006410	4024163266307	PARA DOME, reflector, alumínio, preto/dourado	100,00
1006453	4024163265874	Caixa de ligação, IP68, preto, 3 saídas, 5 condutores DALI	35,00
1006511	4024163272353	S-TRACK, ET, calha eletrificada encastrar C3F+DALI, preto 1m	52,50
1006512	4024163272346	S-TRACK, ET, calha eletrificada encastrar C3F+DALI branco 1m	52,50
1006513	4024163272339	S-TRACK, ET, calha eletrificada encastrar C3F+DALI, preto 2m	96,00
1006514	4024163272322	S-TRACK, ET, calha eletrificada encastrar C3F+DALI branco 2m	96,00
1006515	4024163272315	S-TRACK, ET, calha eletrificada encastrar C3F+DALI, preto 3m	137,00
1006516	4024163272308	S-TRACK, ET, calha eletrificada encastrar C3F+DALI branco 3m	137,00
1006517	4024163272292	S-TRACK, ET, calha eletrificada encastrar C3F+DALI, preto 4m	217,00
1006518	4024163272285	S-TRACK, ET, calha eletrificada encastrar C3F+DALI branco 4m	217,00
1006519	4024163272278	S-TRACK, ET, alimentação terra esq. p/ calha C3F+DALI, preto	33,25
1006520	4024163272261	S-TRACK, ET, alimentação terra esq. p/ calha C3F+DALI branco	33,25
1006521	4024163272254	S-TRACK, ET, alimentação terra dta. p/ calha C3F+DALI, preto	19,00
1006522	4024163272247	S-TRACK, ET, alimentação terra dta. p/ calha C3F+DALI branco	19,00
1006523	4024163272230	S-TRACK, ET, conetor em L terra esq p/ calha C3F+DALI, preto	33,25
1006524	4024163272223	S-TRACK, ET, conetor em L terra esq p/ calha C3F+DALI branco	33,25
1006525	4024163272216	S-TRACK, ET, conetor em L terra dta p/ calha C3F+DALI, preto	33,25
1006526	4024163272209	S-TRACK, ET, conetor em L terra dta p/ calha C3F+DALI branco	33,25
1006527	4024163272193	S-TRACK, ET, conetor T terra int.esq p/ calha C3F+DALI preto	39,00
1006528	4024163272186	S-TRACK, ET, conetor T terra int.esq p/calha C3F+DALI branco	39,00
1006529	4024163272179	S-TRACK, ET, conetor T terra ext.esq p/ calha C3F+DALI preto	39,00
1006530	4024163272162	S-TRACK, ET, conetor T terra ext.esq p/calha C3F+DALI branco	39,00
1006531	4024163272155	S-TRACK, ET, conetor T terra int.dta p/ calha C3F+DALI preto	39,00
1006532	4024163272148	S-TRACK, ET, conetor T terra int.dta p/calha C3F+DALI branco	39,00
1006533	4024163272131	S-TRACK, ET, conetor T terra ext.dta p/ calha C3F+DALI preto	39,00
1006534	4024163272124	S-TRACK, ET, conetor T terra ext.dta p/calha C3F+DALI branco	39,00
1006535	4024163272117	S-TRACK, ET, conetor em X, p/ calha C3F+DALI, preto	63,00
1006536	4024163272100	S-TRACK, ET, conetor em X, p/ calha C3F+DALI, branco	63,00
1006537	4024163272094	S-TRACK, ET, união c/ alimentação, p/ calha C3F+DALI, preto	33,25
1006538	4024163272087	S-TRACK, ET, união c/ alimentação, p/ calha C3F+DALI, branco	33,25
1006539	4024163272070	S-TRACK, ET, terminal, p/ calha C3F+DALI, preto	2,00
1006540	4024163272063	S-TRACK, ET, terminal, p/ calha C3F+DALI, branco	2,00
1007090	4024163273046	UNIVERSAL, LED ET orient 5/8W 38° 2.7/3/4/6.5K sem cobertura	27,00
1007091	4024163273039	UNIVERSAL, cobertura com aro preto redondo, articulado IP20	3,00
1007092	4024163273022	UNIVERSAL, cobertura com aro branco redondo, articulado IP20	3,00
1007093	4024163273015	UNIVERSAL, cobertura com aro cromado redondo articulado IP20	3,50
1007094	4024163273008	UNIVERSAL, cobertura com aro dourado redondo articulado IP20	3,50
1007095	4024163272995	UNIVERSAL LED ET fixo IP65 5/8W 38° 2.7/3/4/6.5K s/cobertura	26,50
1007096	4024163272988	UNIVERSAL, cobertura com aro preto redondo, IP65	3,00
1007097	4024163272971	UNIVERSAL, cobertura com aro branco redondo, IP65	3,00
1007098	4024163272964	UNIVERSAL, cobertura com aro cromado redondo, IP65	3,50
1007099	4024163272957	UNIVERSAL, cobertura com aro dourado redondo, IP65	3,50