

**Efficient and easy working**

Sets and tool cases

WORKPLACE  
SOLUTIONS



**Weidmüller** 

# Within easy reach, always the right tool at hand

## Extensively equipped bags and cases by Weidmüller

### Tool cases and bags by Weidmüller

Within easy reach, always the right tool at hand - This helps efficient work with minimised search- and preparation times. The new product combinations present user benefits such as optimum functionality and offer practical factory equipment. The extensive and user-specific equipment provides the right tool for every application. The new stripax® Ultimate is extremely suitable for hard and halogen-free insulation material. In addition the new two-pole voltage testers, such as the VT Digi Pro, provide a wide measuring range from 1 up to 1.000V AC/DC and high functionality by continuity test, rotating field display and resistance measurement.

### Our easy to handle tool sets


Our tool bags are available in two different sizes and with various equipment. The P Bag has the size 260x170x50 mm while the P Bag XL is larger with the dimensions 320x220x50 mm. Both cases are reinforced and are fitted with a robust zip.

### Our comprehensive tool case

Both tool cases offer large storage room with enough space for further components and tools. The Pro Case is a soft case with an adjustable carry strap. It features an inside pocket for documents as well as various rubber brackets for separate tools. The two side pockets can be opened and offer a variety of brackets for stowing different tools. In addition, there are small velcro fastened pockets to offer simple storage.

The lockable hard sided suitcase, Top Case, is constructed from robust polypropylene with wheels as well as a sturdy

and ergonomic two-component carry strap. The case is shock-resistant even under temperature fluctuations. The two suitcase shells are connected with hinges and meshed with an aluminium frame. The case provides additional space for stowing different tools. If the space should prove insufficient, each tool panel can be removed to increase the storage potential. Furthermore different separators in the bottom area ensure order and clarity.



With Weidmüller, you have a powerful partner at your side who supports you with optimally coordinated solutions for your workshop in all phases. Based on many years of practical experience in all aspects of control cabinet construction, we offer you a comprehensive portfolio with which you can effectively accelerate your processes and increase your quality.

Discover your optimisation potential now:  
[www.weidmueller.com/workplace](http://www.weidmueller.com/workplace)



### Perfect ergonomics

The combination of optimised mechanics and carefully chosen geometries ensures a minimal strain for the operator.



### Smart product combinations

Well-organised tool sets stand out due to their high user benefit and functional features.



### Excellent results

Due to our high quality demands, our tools achieve the best results on the market.





# P BAGS

## Our easy to handle tool sets

The P Bag has the size 260x170x50 mm and is available with different fittings. Small, compact and always with you. The bags are reinforced on the inside and have a robust zip.



### P BAG SET 1

Type	Description of article	Qty.
P BAG leer	P Bag 260x50x170 mm	1
PZ 10 HEX	Crimping tool for wire end ferrules up to 10 mm²	1
stripax® Ultimate	Stripping tool for up to 6 mm²	1
SDIS SLIM 0.6X3.5X100	VDE-insulated screwdriver Slimline	1
KBZ 160	VDE-insulated combination pliers	1
SKS 2,0-8,0 MR	7-piece allen key set	1

Type	Qty.	Order No.
P BAG SET 1	1	2561430000



### P BAG SET 2

Type	Description of article	Qty.
P BAG leer	P Bag 260x50x170 mm	1
PZ 6 Roto L	Crimping tool for wire end ferrules up to 6 mm²	1
stripax®	Stripping tool for up to 10 mm²	1
VT Master	Two-pole voltage tester up to 400 V AC/DC	1
Super Cut	Electronic diagonal-cutting pliers	1
SDIS SLIM 0.6X3.5X100	VDE-insulated screwdriver Slimline	1
Cross-Key Universal	Universal electrical cabinet key	1

Type	Qty.	Order No.
P BAG SET 2	1	2576610000



### P BAG SET 3

Type	Description of article	Qty.
P BAG leer	P Bag 260x50x170 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax®	Stripping tool for up to 10 mm²	1
VT	Two-pole voltage tester up to 400 V AC/DC	1
SDIS SLIM 0.6X3.5X100	VDE-insulated screwdriver Slimline	1
KBZ 160	VDE-insulated combination pliers	1
Stripper Round Top	Round cable stripper with individual wire stripper	1

Type	Qty.	Order No.
P BAG SET 3	1	2579420000



### P BAG SET 4

Type	Description of article	Qty.
P BAG leer	P Bag 260x50x170 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax®	Stripping tool for up to 10 mm²	1
PZ 6 Roto L	Crimping tool for up to 6 mm²	1
VT LCL	Contactless voltage tester up to 1.000 V AC	1

Type	Qty.	Order No.
P BAG SET 4	1	2579430000



### P BAG SET 5

Type	Description of article	Qty.
P BAG leer	P Bag 260x50x170 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax®	Stripping tool for up to 10 mm²	1
PZ 10 HEX	Crimping tool for wire end ferrules up to 10mm²	1
VT LCL	Contactless voltage tester up to 1.000 V AC	1

Type	Qty.	Order No.
P BAG SET 5	1	2579440000



P BAG SET 6

Assembly

Type	Description of article	Qty.
P BAG leer	P Bag 260x50x170 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax®	Stripping tool for up to 10 mm²	1
PZ 10 SQR	Crimping tool for wire end ferrules up to 10 mm²	1
VT LCL	Contactless voltage tester up to 1.000 V AC	1

Ordering data

Type	Qty.	Order No.
P BAG SET 6	1	2579450000



P BAG SET 9

Assembly

Type	Description of article	Qty.
P BAG leer	P Bag 260x50x170 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax® Ultimate	Stripping tool for up to 6 mm²	1
PZ 10 HEX	Crimping tool for wire end ferrules up to 10 mm²	1
VT LCL	Contactless voltage tester up to 1.000 V AC	1

Ordering data

Type	Qty.	Order No.
P BAG SET 9	1	2579480000



P BAG SET 7

Assembly

Type	Description of article	Qty.
P BAG leer	P Bag 260x50x170 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax® 16	Stripping tool for up to 16 mm²	1
PZ 16	Crimping tool for wire end ferrules up to 16 mm²	1
VT LCL	Contactless voltage tester up to 1.000 V AC	1

Ordering data

Type	Qty.	Order No.
P BAG SET 7	1	2579460000



P BAG SET 10

Assembly

Type	Description of article	Qty.
P BAG leer	P Bag 260x50x170 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax® Ultimate	Stripping tool for up to 6 mm²	1
PZ 10 SQR	Crimping tool for wire end ferrules up to 10 mm²	1
VT LCL	Contactless voltage tester up to 1.000 V AC	1

Ordering data

Type	Qty.	Order No.
P BAG SET 10	1	2579490000



P BAG SET 8

Assembly

Type	Description of article	Qty.
P BAG leer	P Bag 260x50x170mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax® Ultimate	Stripping tool for up to 6 mm²	1
PZ 6 Roto L	Crimping tool for wire end ferrules up to 6 mm²	1
VT LCL	Contactless voltage tester up to 1.000 V AC	1

Ordering data

Type	Qty.	Order No.
P BAG SET 8	1	2579470000

# P BAGS XL

## Our easy to handle tool sets in XL-size

The P Bag XL comes in a larger format and measures 320x220x50 mm. You can also choose between different configurations for these sets. The bags are reinforced and are fited with a robust zip.



### P BAG XL SET 3

#### Assembly

Type	Description of article	Qty.
P BAG XL empty	P Bag XL 320x60x220 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax®	Stripping tool for up to 10 mm²	1
AM 25	Sheating stripper up to 25 mm outer diameter	1
PZ 10 HEX	Crimping tool for wire end ferrules up to 10 mm²	1
SDIS SLIM 0.6X3.5X100	VDE-insulated screwdriver Slimline	1
SDIS SLIM 0.8X4.0X100	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 1 X 80	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 2 X 100	VDE-insulated screwdriver Slimline	1
VT Combi Pro	Two-pole voltage tester up to 690 V AC/DC	1

#### Ordering data

Type	Qty.	Order No.
P BAG XL SET 3	1	2602130000

### P BAG XL SET 4

#### Assembly

Type	Description of article	Qty.
P BAG XL empty	P Bag XL 320x60x220 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax®	Stripping tool for up to 10 mm²	1
AM 25	Sheating stripper up to 25 mm outer diameter	1
PZ 10 HEX	Crimping tool for wire end ferrules up to 10 mm²	1
SDIS SLIM 0.6X3.5X100	VDE-insulated screwdriver Slimline	1
SDIS SLIM 0.8X4.0X100	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 1 X 80	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 2 X 100	VDE-insulated screwdriver Slimline	1
VT Digi Pro	Digital voltage tester up to 1.000 V AC/DC	1

#### Ordering data

Type	Qty.	Order No.
P BAG XL SET 4	1	2579490000

### P BAG XL SET 5

#### Assembly

Type	Description of article	Qty.
P BAG XL empty	P Bag XL 320x60x220 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax®	Stripping tool for up to 10 mm²	1
AM 25	Sheating stripper up to 25 mm outer diameter	1
PZ 10 SQR	Crimping tool for wire end ferrules up to 10 mm²	1
SDIS SLIM 0.6X3.5X100	VDE-insulated screwdriver Slimline	1
SDIS SLIM 0.8X4.0X100	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 1 X 80	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 2 X 100	VDE-insulated screwdriver Slimline	1
VT Combi Pro	Two-pole voltage tester up to 690 V AC/DC	1

#### Ordering data

Type	Qty.	Order No.
P BAG XL SET 5	1	2602150000

### P BAG XL SET 1

#### Assembly

Type	Description of article	Qty.
P BAG XL empty	P Bag XL 320x60x220 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax®	Stripping tool for up to 10 mm²	1
AM 25	Sheating stripper up to 25 mm outer diameter	1
PZ 6 Roto L	Crimping tool for wire end ferrules up to 6 mm²	1
SDIS SLIM 0.6X3.5X100	VDE-insulated screwdriver Slimline	1
SDIS SLIM 0.8X4.0X100	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 1 X 80	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 2 X 100	VDE-insulated screwdriver Slimline	1
VT Combi Pro	Two-pole voltage tester up to 690 V AC/DC	1

#### Ordering data

Type	Qty.	Order No.
P BAG XL SET 1	1	2602110000

### P BAG XL SET 2

#### Assembly

Type	Description of article	Qty.
P BAG XL empty	P Bag XL 320x60x220mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax®	Stripping tool for up to 10 mm²	1
AM 25	Sheating stripper up to 25 mm outer diameter	1
PZ 6 Roto L	Crimping tool for wire end ferrules up to 6 mm²	1
SDIS SLIM 0.6X3.5X100	VDE-insulated screwdriver Slimline	1
SDIS SLIM 0.8X4.0X100	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 1 X 80	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 2 X 100	VDE-insulated screwdriver Slimline	1
VT Digi Pro	Digital voltage tester up to 1.000 V AC/DC	1

#### Ordering data

Type	Qty.	Order No.
P BAG XL SET 2	1	2602120000







### P BAG XL SET 6

#### Assembly

Type	Description of article	Qty.
P BAG XL empty	P Bag XL 320x60x220 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax®	Stripping tool for up to 10 mm²	1
AM 25	Sheating stripper up to 25 mm outer diameter	1
PZ 10 SQR	Crimping tool for wire end ferrules up to 10 mm²	1
SDIS SLIM 0.6X3.5X100	VDE-insulated screwdriver Slimline	1
SDIS SLIM 0.8X4.0X100	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 1 X 80	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 2 X 100	VDE-insulated screwdriver Slimline	1
VT Digi Pro	Digital voltage tester up to 1.000 V AC/DC	1

#### Ordering data

Type	Qty.	Order No.
P BAG XL SET 6	1	2602160000



### P BAG XL SET 9

#### Assembly

Type	Description of article	Qty.
P BAG XL empty	P Bag XL 320x60x220 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax® Ultimate	Stripping tool for up to 6 mm²	1
AM 25	Sheating stripper up to 25 mm outer diameter	1
PZ 10 SQR	Crimping tool for wire end ferrules up to 10 mm²	1
SDIS SLIM 0.6X3.5X100	VDE-insulated screwdriver Slimline	1
SDIS SLIM 0.8X4.0X100	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 1 X 80	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 2 X 100	VDE-insulated screwdriver Slimline	1
VT Digi Pro	Digital voltage tester up to 1.000 V AC/DC	1

#### Ordering data

Type	Qty.	Order No.
P BAG XL SET 9	1	2602190000



### P BAG XL SET 7

#### Assembly

Type	Description of article	Qty.
P BAG XL empty	P Bag XL 320x60x220 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax® Ultimate	Stripping tool for up to 6 mm²	1
AM 25	Sheating stripper up to 25 mm outer diameter	1
PZ 6 Roto L	Crimping tool for wire end ferrules up to 6 mm²	1
SDIS SLIM 0.6X3.5X100	VDE-insulated screwdriver Slimline	1
SDIS SLIM 0.8X4.0X100	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 1 X 80	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 2 X 100	VDE-insulated screwdriver Slimline	1
VT Digi Pro	Digital voltage tester up to 1.000 V AC/DC	1

#### Ordering data

Type	Qty.	Order No.
P BAG XL SET 7	1	2602170000



### P BAG XL SET 10

#### Assembly

Type	Description of article	Qty.
P BAG XL empty	P Bag XL 320x60x220 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax® 16	Stripping tool for up to 16 mm²	1
AM 25	Sheating stripper up to 25 mm outer diameter	1
PZ 16	Crimping tool for wire end ferrules up to 16 mm²	1
SDIS SLIM 0.6X3.5X100	VDE-insulated screwdriver Slimline	1
SDIS SLIM 0.8X4.0X100	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 1 X 80	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 2 X 100	VDE-insulated screwdriver Slimline	1
VT Combi Pro	Two-pole voltage tester up to 690 V AC/DC	1

#### Ordering data

Type	Qty.	Order No.
P BAG XL SET 10	1	2602200000



### P BAG XL SET 8

#### Assembly

Type	Description of article	Qty.
P BAG XL empty	P Bag XL 320x60x220 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax® Ultimate	Stripping tool for up to 6 mm²	1
AM 25	Sheating stripper up to 25 mm outer diameter	1
PZ 10 HEX	Crimping tool for wire end ferrules up to 10 mm²	1
SDIS SLIM 0.6X3.5X100	VDE-insulated screwdriver Slimline	1
SDIS SLIM 0.8X4.0X100	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 1 X 80	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 2 X 100	VDE-insulated screwdriver Slimline	1
VT Digi Pro	Digital voltage tester up to 1.000 V AC/DC	1

#### Ordering data

Type	Qty.	Order No.
P BAG XL SET 8	1	2602180000



### P BAG XL SET 11

#### Assembly

Type	Description of article	Qty.
P BAG XL empty	P Bag XL 320x60x220 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax®	Stripping tool for up to 10 mm²	1
AM 25	Sheating stripper up to 25 mm outer diameter	1
Slicer No 16	Cable knife	1
SDIS SLIM 0.6X3.5X100	VDE-insulated screwdriver Slimline	1
SDIS SLIM 0.8X4.0X100	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 1 X 80	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 2 X 100	VDE-insulated screwdriver Slimline	1
KBZ 180	VDE-insulated combination pliers	1
VT Digi Pro	Digital voltage tester up to 1.000 V AC/DC	1

#### Ordering data

Type	Qty.	Order No.
P BAG XL SET 11	1	2602210000



P BAG XL SET 12

Assembly

Type	Description of article	Qty.
P BAG XL empty	P Bag XL 320x60x220 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax®	Stripping tool for up to 10 mm²	1
AM 25	Sheating stripper up to 25 mm outer diameter	1
Slicer No 16	Cable knife	1
SDIS SLIM 0.6X3.5X100	VDE-insulated screwdriver Slimline	1
SDIS SLIM 0.8X4.0X100	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 1 X 80	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 2 X 100	VDE-insulated screwdriver Slimline	1
KBZ 180	VDE-insulated combination pliers	1
VT Combi Pro	Two-pole voltage tester up to 690 V AC/DC	1

Ordering data

Type	Qty.	Order No.
P BAG XL SET 12	1	2602220000



P BAG XL SET 13

Assembly

Type	Description of article	Qty.
P BAG XL empty	P Bag XL 320x60x220 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax®	Stripping tool for up to 10 mm²	1
Stripper Round Top	Cable sheating stripper	1
Slicer No 16	Cable knife	1
SDIS SLIM 0.6X3.5X100	VDE-insulated screwdriver Slimline	1
SDIS SLIM 0.8X4.0X100	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 1 X 80	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 2 X 100	VDE-insulated screwdriver Slimline	1
KBZ 180	VDE-insulated combination pliers	1
VT Combi Pro	Two-pole voltage tester up to 690 V AC/DC	1

Ordering data

Type	Qty.	Order No.
P BAG XL SET 13	1	2602230000



P BAG XL SET 14

Assembly


Type	Description of article	Qty.
P BAG XL empty	P Bag XL 320x60x220 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax®	Stripping tool for up to 10 mm²	1
Stripper Round Top	Cable sheating stripper	1
Slicer No 16	Cable knife	1
SDIS SLIM 0.6X3.5X100	VDE-insulated screwdriver Slimline	1
SDIS SLIM 0.8X4.0X100	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 1 X 80	VDE-insulated screwdriver Slimline	1
SDIK SLIM PH 2 X 100	VDE-insulated screwdriver Slimline	1
KBZ 180	VDE-insulated combination pliers	1
VT Digi Pro	Digital voltage tester up to 1.000 V AC/DC	1

Ordering data

Type	Qty.	Order No.
P BAG XL SET 14	1	2602240000

WZTE 2 Set  
Unsere praktische Werkzeugtasche

Hands free and with you everywhere! Simply practical the fully equipped belt bag with selected tools.



WZTE 2 Set

Assembly

Type	Description of article	Qty.
WZTE 2 leer	Tool bag 280x300x60 mm	1
SDIS 0.4X2.5X75	VDE-insulated screwdriver	1
SDIS 0.5X3.0X100	VDE-insulated screwdriver	1
SDIS 0.8X4.0X100	VDE-insulated screwdriver	1
SDIS 1.0X5.5X125	VDE-insulated screwdriver	1
SDIK PH 1 X 80	VDE-insulated screwdriver	1
SDIK PH 2 X 100	VDE-insulated screwdriver	1
Slicer 1K	Cable knife	1
Cross-Key Universal	Universal electrical cabinet key	1
SE HD 160	VDE-insulated diagonal-cutting pliers	1
KBZ 180	VDE-insulated combination pliers	1
FRZ S 160	VDE-insulated long-nose pliers	1
SP303	Screwdriver	1
Shoulder strap	Shoulder strap	1

Ordering data

Type	Qty.	Order No.
WZTE 2 Set	1	9204640000

# Pro Case

## Our comprehensive tool case

The Pro Case is a soft case with an adjustable carry strap. It features an inside pocket for documents as well as various rubber brackets for separate tools. The two side pockets can be opened and offer a variety of brackets for stowing different tools. In addition, there are small velcro fastened pockets to offer simple storage.



### PRO CASE INSTA

Assembly		
Type	Description of article	Qty.
Pro Case leer	Tool case170x480x400 mm	1
AM 25	Sheating stripper bis 25 mm Außendurchmesser	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax®	Stripping tool for up to 10 mm²	1
PZ 6 Roto L	Crimping tool for wire end ferrules up to 6 mm²	1
H-BOX 0,5-2,5QMM DIN	Wire-end ferrules	1
AM 12	Sheating stripper	1
Fleximet 5 m	Tape measure	1
VT Combi Pro	Two-pole voltage tester up to 690 V AC/DC	1
Stripper Round Top	Round cable stripper with individual wire stripper	1
FRZ S 160	VDE-insulated long-nose pliers	1
SE HD 180	VDE-insulated diagonal-cutting pliers	1
KBZ 180	VDE-insulated combination pliers	1
Cross-Key Universal	Universal electrical cabinet key	1
SK WSD-S 1,5-10,0	Screwing tool	1
SDI SET SLIM S3.5-6.5/PH1/2	VDE-insulated slotted and crosshead PH-SD screwdriver set	1
SKS 2,0-8,0 MR	Allen key with ball head	1
Pack Hexa 8-13	Ring spanner set	1

Ordering data		
Type	Qty.	Order No.
PRO CASE INSTA	1	9203160000

### PRO CASE PREMIUM

Assembly		
Type	Description of article	Qty.
Pro Case leer	Tool case170x480x400 mm	1
AM 25	Sheating stripper up to 25 mm outer diameter	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax®	Stripping tool for up to 10 mm²	1
PZ 6 Roto L	Crimping tool for wire end ferrules up to 6 mm²	1
H-BOX 0,5-2,5QMM DIN	Wire-end ferrules	1
AM 12	Sheating stripper	1
VT Digi Pro	Digital voltage tester up to 1.000 V AC/DC	1
VT Combi Pro	Two-pole voltage tester up to 690 V AC/DC	1
Stripper Round Top	Round cable stripper with individual wire stripper	1
FRZ S 160	VDE-insulated long-nose pliers	1
SE HD 180	VDE-insulated diagonal-cutting pliers	1
KBZ 180	VDE-insulated combination pliers	1
RZ 160	VDE-insulated round-nose pliers	1
AIZ 160	VDE-insulated wire-stripping pliers	1
Cross-Key Universal	Universal electrical cabinet key	1
Swiftly Set	Combined cutting and screwing tool	1
SK WSD-S 1,5-10,0	Screwing tool	1
SD SET S2.5-5.5/PH1/2	Slotted and crosshead PH-SD screwdriver set	1
SDI SET SLIM S3.5-6.5/PH1/2	VDE-insulated slotted and crosshead PH-SD screwdriver set	1
SKS 2,0-8,0 MR	Allen key with ball head	1
WK S 0,5x3,0	Interchangeable bit for slotted crews	1
DMS MANUELL 0,5-1,7	Torque screwdriver	1
BIT-BOX 11	Screwing tool	1

Ordering data		
Type	Qty.	Order No.
PRO CASE PREMIUM	1	9202460000



### PRO CASE CAB

Assembly		
Type	Description of article	Qty.
Pro Case leer	Tool case170x480x400 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
KBZ 180	VDE-insulated combination pliers	1
FRZ S 160	VDE-insulated long-nose pliers	1
SE HD 180	VDE-insulated diagonal-cutting pliers	1
stripax®	Stripping tool for up to 10 mm²	1
Stripper Round Top	Round cable stripper with individual wire stripper	1
PZ 10 HEX	Crimping tool for wire end ferrules up to 10 mm²	1
Swiftly Set	Combined cutting and screwing tool	1
SK WSD-S 1,5-10,0	Screwing tool	1
SDI SET SLIM S3.5-6.5/PH1/2	VDE-insulated slotted and crosshead PH-SD screwdriver set	1
Cross-Key Universal	Universal electrical cabinet key	1
TH-S 9-40	8-piece Torx-Th allen key set	1
VT Digi Pro	Digital voltage tester up to 1.000 V AC/DC	1
VT CTL	Continuity tester	1
VT LCL	Contactless voltage tester up to 1.000 V AC	1
Fleximet 5 m	Tape measure	1
H-Box 0,5-2,5QMM DIN	Wire-end ferrules Box	1

Ordering data		
Type	Qty.	Order No.
PRO CASE CAB	1	2602250000





## PRO CASE 16

### Assembly

Type	Description of article	Qty.
Pro Case leer	Tool case 170x480x400 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
KBZ 180	VDE-insulated combination pliers	1
SE HD 180	VDE-insulated diagonal-cutting pliers	1
FRZ S 160	VDE-insulated long-nose pliers	1
SDI SET SLIM S3.5-6.5/PH1/2	VDE-insulated slotted and crosshead PH-SD screwdriver set	1
stripax®	Stripping tool for up to 10 mm <sup>2</sup>	1
stripax® 16	Stripping tool for up to 16 mm <sup>2</sup>	1
AM 16	Sheating stripper	1
PZ 6 Roto L	Crimping tool for wire end ferrules up to 6 mm <sup>2</sup>	1
PZ 16	Crimping tool for wire end ferrules up to 16mm <sup>2</sup>	1
VT Digi Pro	Digital voltage tester up to 1.000 V AC/DC	1
VT LCL	Contactless voltage tester up to 1.000 V AC	1
VT CTL	Continuity tester	1
Fleximet 5 m	Tape measure	1
H-Box 0,5-2,50MM DIN	Wire-end ferrules Box	1
H-Box 4,0-16,0QMM DIN	Wire-end ferrules Box	1

### Ordering data

Type	Qty.	Order No.
PRO CASE 16	1	2602270000



## PRO CASE ELEC

### Assembly

Type	Description of article	Qty.
Pro Case leer	Tool case 170x480x400 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
KBZ 180	VDE-insulated combination pliers	1
SE HD 180	VDE-insulated diagonal-cutting pliers	1
FRZ S 160	VDE-insulated long-nose pliers	1
stripax®	Stripping tool for up to 10 mm <sup>2</sup>	1
Stripper Round Top	Round cable stripper with individual wire stripper	1
stripax® Ultimate	Stripping tool for up to 6 mm <sup>2</sup>	1
AM 16	Sheating stripper	1
PZ 10 HEX	Crimping tool for wire end ferrules up to 10mm <sup>2</sup>	1
CTI 6	Crimping tool for insulated connector	1
SK WSD-S 1,5-10,0	Screwing tool	1
SDI SET SLIM S3.5-6.5/PH1/2	VDE-insulated screwdriver Slimline	1
SD SET S2.5-5.5/PH1/2	Slotted and crosshead PH-SD screwdriver set	1
Cross-Key Universal	Universal electrical cabinet key	1
VT Digi Pro	Digital voltage tester up to 1.000 V AC/DC	1
VT LCL	Contactless voltage tester up to 1.000 V AC	1
VT CTL	Continuity tester	1
Fleximet 5 m	Tape measure	1
H-Box 0,5-2,50MM DIN	Wire-end ferrules Box	1

### Ordering data

Type	Qty.	Order No.
PRO CASE ELEC	1	2602280000



## PRO CASE UL

### Assembly

Type	Description of article	Qty.
Pro Case leer	Tool case 170x480x400 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
KBZ 180	VDE-insulated combination pliers	1
SE HD 180	VDE-insulated diagonal-cutting pliers	1
FRZ S 160	VDE-insulated long-nose pliers	1
stripax®	Stripping tool for up to 10 mm <sup>2</sup>	1
stripax® Ultimate	Stripping tool for up to 6 mm <sup>2</sup>	1
Stripper Round Top	Round cable stripper with individual wire stripper	1
AM 16	Sheating stripper	1
PZ 10 HEX	Crimping tool for wire end ferrules up to 10 mm <sup>2</sup>	1
SK WSD-S 1,5-10,0	Screwing tool	1
SDI SET SLIM S3.5-6.5/PH1/2	VDE-insulated slotted and crosshead PH-SD screwdriver set	1
SD SET S2.5-5.5/PH1/2	Slotted and crosshead PH-SD screwdriver set	1
Cross-Key Universal	Universal electrical cabinet key	1
VT Digi Pro	Digital voltage tester up to 1.000 V AC/DC	1
VT LCL	Contactless voltage tester up to 1.000 V AC	1
VT CTL	Continuity tester	1
Fleximet 5 m	Tape measure	1
H-Box 0,5-2,50MM DIN	Wire-end ferrules Box	1

### Ordering data

Type	Qty.	Order No.
PRO CASE UL	1	2602260000

# Top Case

## Our comprehensive tool case

The lockable hard sided suitcase, Top Case, is constructed from robust polypropylene with wheels as well as a sturdy and ergonomic two-component carry strap. The case is shock-resistant even under temperature fluctuations. The two suitcase shells are connected with hinges and meshed with an aluminium frame. Each tool panel can be removed to increase the storage potential. Furthermore different separators in the bottom area ensure order and clarity.



### TOP CASE PREMIUM

#### Assembly

Type	Description of article	Qty.
TOP CASE leer	Tool case 465x352x255 mm	1
AM 25	Sheating stripper up to 25 mm outer diameter	1
AM 12	Sheating stripper	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax®	Stripping tool for up to 10 mm²	1
PZ 6 Roto L	Crimping tool for wire end ferrules up to 6 mm²	1
H-BOX 0,5-2,5 QMM DIN	Wire-end ferrules	1
VT Digi Pro	Digital voltage tester up to 1.000 V AC/DC	1
VT Combi Pro	Two-pole voltage tester up to 690 V AC/DC	1
Stripper Round Top	Round cable stripper with individual wire stripper	1
FRZ S 160	VDE-insulated long-nose pliers	1
SE HD 180	VDE-insulated diagonal-cutting pliers	1
KBZ 180	VDE-insulated combination pliers	1
RZ 160	VDE-insulated round-nose pliers	1
AIZ 160	VDE-insulated wire-stripping pliers	1
Cross-Key Universal	Universal electrical cabinet key	1
Swiftly Set	Combined cutting and screwing tool	1
SK WSD-S 1,5-10,0	Screwing tool	1
SD SET S2.5-5.5/PH1/2	Slotted and crosshead PH-SD screwdriver set	1
SDI SET SLIM S3.5-6.5/PH1/2	VDE-insulated slotted and crosshead PH-SD screwdriver set	1
SKS 2,0-8,0 MR	Allen key with ball head	1
WK S 0,5x3,0	Interchangeable bit for slotted crews	1
DMS MANUELL 0,5-1,7	Torque screwdriver	1

#### Ordering data

Type	Qty.	Order No.
TOP CASE PREMIUM	1	1345320000



### TOP CASE INSTA

#### Assembly

Type	Description of article	Qty.
TOP CASE leer	Tool case 465x352x255 mm	1
AM 25	Sheating stripper up to 25 mm outer diameter	1
KT 8	Cutting tool up to 8 mm outer diameter	1
stripax®	Stripping tool for up to 10 mm²	1
PZ 6 Roto L	Crimping tool for wire end ferrules up to 6 mm²	1
H-BOX 0,5-2,5QMM DIN	Wire-end ferrules	1
AM 12	Sheating stripper	1
Fleximet 5 m	Tape measure	1
VT Combi Pro	Two-pole voltage tester up to 690 V AC/DC	1
Stripper Round Top	Round cable stripper with individual wire stripper	1
FRZ S 160	VDE-insulated long-nose pliers	1
SE HD 180	VDE-insulated diagonal-cutting pliers	1
KBZ 180	VDE-insulated combination pliers	1
Cross-Key Universal	Universal electrical cabinet key	1
Swiftly Set	Combined cutting and screwing tool	1
SK WSD-S 1,5-10,0	Screwing tool	1
SDI SET SLIM S3.5-6.5/PH1/2	VDE-insulated slotted and crosshead PH-SD screwdriver set	1
SKS 2,0-8,0 MR	Allen key with ball head	1
Pack Hexa 8-3	Ring spanner set	1

#### Ordering data

Type	Qty.	Order No.
TOP CASE INSTA	1	1345310000

### TOP CASE CAB

#### Assembly

Type	Description of article	Qty.
TOP CASE leer	Tool case 465x352x255 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
KBZ 180	VDE-insulated combination pliers	1
FRZ S 160	VDE-insulated long-nose pliers	1
stripax®	Stripping tool for up to 10 mm²	1
SDI SET SLIM S3.5-6.5/PH1/2	VDE-insulated slotted and crosshead PH-SD screwdriver set	1
Stripper Round Top	Round cable stripper with individual wire stripper	1
PZ 10 HEX	Crimping tool for wire end ferrules up to 10 mm²	1
Swiftly Set	Combined cutting and screwing tool	1
SK WSD-S 1,5-10,0	Screwing tool	1
Cross-Key Universal	Universal electrical cabinet key	1
TH S 9-40	8-piece Torx-Th allen key set	1
VT Digi Pro	Digital voltage tester up to 1.000 V AC/DC	1
VT LCL	Contactless voltage tester up to 1.000 V AC	1
VT CTL	Continuity tester	1
Fleximet 5 m	Tape measure	1
AEH Box 0,5-2,5 QMM DIN	Wire-end ferrules Box	1

#### Ordering data

Type	Qty.	Order No.
TOP CASE CAB	1	2602290000



## TOP CASE 16

### Assembly

Type	Description of article	Qty.
TOP CASE leer	Tool case 465x352x255 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
KBZ 180	VDE-insulated combination pliers	1
SE HD 180	VDE-insulated diagonal-cutting pliers	1
SDI SET SLIM S3.5-6.5/PH1/2	VDE-insulated screwdriver Slimline	1
stripax®	Stripping tool for up to 10 mm <sup>2</sup>	1
stripax® 16	Stripping tool for up to 16 mm <sup>2</sup>	1
AM 16	Sheating stripper	1
PZ 6 Roto L	Crimping tool for wire end ferrules up to 6 mm <sup>2</sup>	1
PZ 16	Crimping tool for wire end ferrules up to 16 mm <sup>2</sup>	1
VT Digi Pro	Digital voltage tester up to 1.000 V AC/DC	1
VT LCL	Contactless voltage tester up to 1.000 V AC	1
VT CTL	Continuity tester	1
Fleximet 5 m	Tape measure	1
AEH Box 0,5-2,5QMM DIN	Wire-end ferrules Box	1
AEH Box 4,0-16,0QMM DIN	Wire-end ferrules Box	1

### Ordering data

Type	Qty.	Order No.
TOP CASE 16	1	2602310000



## TOP CASE UL

### Assembly

Type	Description of article	Qty.
TOP CASE leer	Tool case 465x352x255 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
KBZ 180	VDE-insulated combination pliers	1
SE HD 180	VDE-insulated diagonal-cutting pliers	1
FRZ S 160	VDE-insulated long-nose pliers	1
stripax®	Stripping tool for up to 10 mm <sup>2</sup>	1
stripax® Ultimate	Stripping tool for up to 6 mm <sup>2</sup>	1
Stripper Round Top	Round cable stripper with individual wire stripper	1
AM 16	Sheating stripper	1
PZ 10 HEX	Crimping tool for wire end ferrules up to 10 mm <sup>2</sup>	1
SK WSD-S 1,5-10,0	Screwing tool	1
SDI SET SLIM S3.5-6.5/PH1/2	VDE-insulated slotted and crosshead PH-SD screwdriver set	1
SD SET S2.5-5.5/PH1/2	Slotted and crosshead PH-SD screwdriver set	1
Cross-Key Universal	Universal electrical cabinet key	1
VT Digi Pro	Digital voltage tester up to 1.000 V AC/DC	1
VT LCL	Contactless voltage tester up to 1.000 V AC	1
VT CTL	Continuity tester	1
Fleximet 5 m	Tape measure	1
AEH Box 0,5-2,5 QMM DIN	Wire-end ferrules Box	1

### Ordering data

Type	Qty.	Order No.
TOP CASE UL	1	2602300000



## TOP CASE ELEC

### Assembly

Type	Description of article	Qty.
TOP CASE leer	Tool case 564x352x255 mm	1
KT 8	Cutting tool up to 8 mm outer diameter	1
KBZ 180	VDE-insulated combination pliers	1
SE HD 180	VDE-insulated diagonal-cutting pliers	1
FRZ S 160	VDE-insulated long-nose pliers	1
stripax®	Stripping tool for up to 10 mm <sup>2</sup>	1
stripax® Ultimate	Stripping tool for up to 6 mm <sup>2</sup>	1
Stripper Round Top	Cable sheating stripper	1
AM 16	Sheating stripper	1
PZ 10 HEX	Crimping tool for wire end ferrules up to 10 mm <sup>2</sup>	1
CTI 6	Crimping tool for insulated connector	1
SK WSD-S 1,5-10,0	Screwing tool	1
SDI SL S3,5-6,5/PH1/2	VDE-insulated slotted and crosshead PH-SD screwdriver set	1
SD SET S2.5-5.5/PH1/2	Slotted and crosshead PH-SD screwdriver set	1
Cross-Key Universal	Universal electrical cabinet key	1
VT Digi Pro	Digital voltage tester up to 1.000 V AC/DC	1
VT LCL	Contactless voltage tester up to 1.000 V AC	1
VT CTL	Continuity tester	1
Fleximet 5 m	Tape measure	1
AEH Box 0,5-2,5 QMM DIN	Wire-end ferrules Box	1

### Ordering data

Type	Qty.	Order No.
TOP CASE ELEC	1	2602320000



# Create individually

## With our unequipped tool bags and cases

All our tool bags and cases are also available unequipped. So you can easily design a set with your favourite tools yourself.



### P BAG

Technical data		
Depth / Width / Height	170 / 260 / 50 mm	
Weight	345 g	

Ordering data		
Type	Qty.	Order No.
P BAG	1	2548180000



### P BAG XL

Technical data		
Depth / Width / Height	220 / 320 / 60 mm	
Weight	489 g	

Ordering data		
Type	Qty.	Order No.
P BAG BIG	1	2576620000



### WZTE 20

Technical data		
Depth / Width / Height	60 / 280 / 300 mm	
Weight	265 g	

Ordering data		
Type	Qty.	Order No.
WZTE 20 LR	1	9204600000



### PRO CASE

Technical data		
Depth / Width / Height	170 / 480 / 400 mm	
Weight	2230 g	

Ordering data		
Type	Qty.	Order No.
PRO CASE LEER	1	9202470000



### TOP CASE

Technical data		
Depth / Width / Height	352 / 465 / 255 mm	
Weight	6721 g	

Ordering data		
Type	Qty.	Order No.
TOP CASE	1	1345330000

## **Weidmüller – Your partner in Industrial Connectivity**

As experienced experts we support our customers and partners around the world with products, solutions and services in the industrial environment of power, signal and data. We are at home in their industries and markets and know the technological challenges of tomorrow. We are therefore continuously developing innovative, sustainable and useful solutions for their individual needs. Together we set standards in Industrial Connectivity.

We cannot guarantee that there are no mistakes in the publications or software provided by us to the customer for the purpose of making orders. We try our best to quickly correct errors in our printed media. All orders are based on our general terms of delivery, which can be reviewed on the websites of our group companies where you place your order. On demand we can also send the general terms of delivery to you.

Weidmüller Interface GmbH & Co. KG  
Klingenbergstraße 26  
32758 Detmold, Germany  
T +49 5231 14-0  
F +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

Personal support can  
be found on our website:  
[www.weidmueller.com/contact](http://www.weidmueller.com/contact)

Made in Germany

09/2021/TCWM